SOFTWARE TOOL ARTICLE

PsicquicGraph, a BioJS component to visualize molecular interactions from *PSICQUIC* servers [version 1; peer review: 2 approved]

Jose M. Villaveces¹, Rafael C. Jimenez², Bianca H. Habermann¹

¹Max Planck Institute of Biochemistry, Am Klopferspitz 18, 82152, Germany

²European Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, CB10 1SD, UK

V1 First published: 13 Feb 2014, 3:44
<https://doi.org/10.12688/f1000research.3-44.v1>

Latest published: 13 Feb 2014, 3:44
<https://doi.org/10.12688/f1000research.3-44.v1>

Abstract

Summary: Protein interaction networks have become an essential tool in large-scale data analysis, integration, and the visualization of high-throughput data in the context of complex cellular networks. Many individual databases are available that provide information on binary interactions of proteins and small molecules. Community efforts such as *PSICQUIC* aim to unify and standardize information emanating from these public databases. Here we introduce *PsicquicGraph*, an open-source, web-based visualization component for molecular interactions from *PSICQUIC* services.

Availability: *PsicquicGraph* is freely available at the BioJS Registry for download and enhancement. Instructions on how to use the tool are available here <http://goo.gl/kDaIgZ> and the source code can be found at <http://github.com/biojs/biojs> and DOI:10.5281/zenodo.7709.

Keywords

cell

Open Peer Review

Approval Status

	1	2
version 1
13 Feb 2014	view	view

1. **Christine Orengo**, University College London, London, UK
2. **Frederic de Lamotte**, INRA, UMR AGAP, Montpellier, France
Jean-François Dufayard, CIRAD, Montpellier, France

Any reports and responses or comments on the article can be found at the end of the article.

This article is included in the **EMBL-EBI** collection.

This article is included in the **Max Planck Society** collection.

This article is included in the **BioJS** collection.

Corresponding author: Bianca H. Habermann (habermann@biochem.mpg.de)

Competing interests: No competing interests were disclosed.

Grant information: JMV was financed by BMBF-grant 315737 (Virtual Liver Network). This work was supported by the Max Planck Society.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2014 Villaveces JM *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Villaveces JM, Jimenez RC and Habermann BH. *PsicquicGraph*, a BioJS component to visualize molecular interactions from *PSICQUIC* servers [version 1; peer review: 2 approved] F1000Research 2014, 3:44 <https://doi.org/10.12688/f1000research.3-44.v1>

First published: 13 Feb 2014, 3:44 <https://doi.org/10.12688/f1000research.3-44.v1>

Introduction

Proteins are one of the major actors in cellular processes and perform many different functions, which are required for the survival of a cell and an organism. Depending on the cell type, a different set of proteins will be available to ensure proper functioning of the cell within a larger context, for instance an organ. Typically, a cellular process is controlled by many different proteins that form a sophisticated network of interactions. Some proteins are even part of larger complexes, so-called molecular machines and the majority of interacting members are required to carry out a specific molecular task. In Systems Biology, we can use the networks of protein interactions to help us understand highly complex cellular processes.

Different efforts have been used to collect protein interactions. For example *IntAct*, an open-source, open data molecular interaction database¹ contains approximately 275 000 curated binary interactions extracted from over 5000 publications. *ChEMBL* is another example of an open source database² and holds more than 600 000 interactions between proteins and small molecules (chemicals).

In order to standardize access to interaction databases, the Proteomics Standard Initiative proposed the *Proteomics Standard Initiative Common QUery InterfaCe (PSICQUIC)*³ that defines:

1. a web service with well defined methods to enable programmatic access to molecular interactions.
2. a Molecular Interactions Query Language (MIQL⁴), that specifies a syntax to allow flexible queries.
3. a registry, that lists available *PSICQUIC* services and enables providers of databases for molecular interactions to register.

Meanwhile, 28 different databases have registered with *PSICQUIC*, including *IntAct* and *ChEMBL*, which altogether contain more than 150 million binary interactions.

Here, we present *PsicquicGraph*, a web component to visualize molecular interactions from *PSICQUIC* services. We have realized *PsicquicGraph* using BioJS⁵, an open source JavaScript library of components for visualization of biological data on the web.

The PsicquicGraph component

The minimal input for *PsicquicGraph* is (i) the URL of a valid *PSICQUIC* server, (ii) a valid MIQL query, (iii) a target container (HTML tag; usually a DIV) identifier to render the interactions graph and (iv) a proxy URL to bypass the same domain policy constraint in JavaScript.

Using the MIQL query, *PsicquicGraph* queries the *PSICQUIC* server. After retrieving the interactions in PSIMITAB⁶ format, the interactions are parsed by *PsicquicGraph* and the graph is rendered using Cytoscape.js⁷ (Figure 1a).

The code below illustrates how to initialize *PsicquicGraph* by providing the minimal input. The *query* defined finds the first 100 human interactions (restricted by *maxResults*) and the *psicquicUrl* provided corresponds to the *IntAct* database. The name given to *target* constitutes the identifier of the component container.

Figure 1. *PsicquicGraph* rendering of the proteins in the VEGF signaling pathway. The VEGF pathway is an essential regulator of vasculogenesis, as well as angiogenesis. In adults, it is up-regulated in a vast number of tumors. Solid tumors often build novel blood vessels and VEGF is one important regulator in that development. It is also a drug target in tumor medicine and several drugs directly target the VEGF receptor to block blood vessel formation in tumors. (a) Default values were used to define the layout as well as other visualization options. (b) A force-directed layout was used to render the graph and other visualization options such as *node shape*, *node color* and *node label* were customized.

```
var instance = new Biojs.PsicquicGraph ({
  target: 'example',
  psicquicUrl: 'http://www.ebi.ac.uk/Tools/
  webservices/psicquic/intact/webservices/
```

```
current/search/query',
proxyUrl: 'proxy.php',
query: 'species:human? firstResult=0
&maxResults=100'
});
```

By default, *PsicquicGraph* renders the graph using a circle layout. However, other layouts (force-directed, hierarchy, grid, random and preset) can be defined while initializing the component. Similarly, different visualization attributes such as *node shape*, *color* and *font family* can be defined (Figure 1b).

Conclusions

PsicquicGraph is a publicly available web component to render interactions from *PSICQUIC* servers. It relies on *PSICQUIC* and open data databases in order to simplify the rendering of complex protein-protein interaction networks.

The adoption of the BioJS specification facilitates *PsicquicGraph* integration, testing and documentation in addition to the potential exposure to new users.

Software availability

Zenodo: *PsicquicGraph*, a BioJS component to visualize molecular interactions from *PSICQUIC* servers, doi: [10.5281/zenodo.77098](https://doi.org/10.5281/zenodo.77098).

GitHub: BioJS, <http://github.com/biojs/biojs>

Author contributions

José M. Villaveces: Tool development, manuscript preparation. Rafael C. Jimenez: Project supervision. Bianca H. Habermann: Manuscript preparation, project supervision. All authors critically revised the manuscript and agreed to its publication.

Competing interests

No competing interests were disclosed.

Grant information

JMV was financed by BMBF-grant 315737 (Virtual Liver Network). This work was supported by the Max Planck Society.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

References

1. Kerrien S, Aranda B, Breuza L, *et al.*: **The IntAct molecular interaction database in 2012**. *Nucleic Acids Res.* 2012; **40**(Database issue): D841–D846. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
2. Gaulton A, Bellis LJ, Bento AP, *et al.*: **ChEMBL: a large-scale bioactivity database for drug discovery**. *Nucleic Acids Res.* 2012; **40**(Database issue): D1100–D1107. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
3. Aranda B, Blankenburg H, Kerrien S, *et al.*: **PSICQUIC and PSIScore: accessing and scoring molecular interactions**. *Nat Methods.* 2011; **8**(7): 528–529. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
4. **MIQL**. Accessed: 2014-16-01. [Reference Source](#)
5. Gómez J, García LJ, Salazar GA, *et al.*: **BioJS: an open source JavaScript framework for biological data visualization**. *Bioinformatics.* 2013; **29**(8): 1103–1104. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
6. Kerrien S, Orchard S, Montecchi-Palazzi L, *et al.*: **Broadening the horizon—level 2.5 of the HUPO-PSI format for molecular interactions**. *BMC Biol.* 2007; **5**: 44. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
7. **Cytoscape.js**. Accessed: 2013-11-06. [Reference Source](#)
8. José MV, Rafael CJ, Bianca H: **PsicquicGraph, a BioJS component to visualize molecular interactions from PSICQUIC servers**. *Zenodo*. 2014. [Data Source](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 25 March 2014

<https://doi.org/10.5256/f1000research.3697.r4210>

© 2014 de Lamotte F et al. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Frederic de Lamotte

INRA, UMR AGAP, Montpellier, France

Jean-François Dufayard

CIRAD, Montpellier, France

This web tool article describes a component of BioJS, a javascript library of reusable components for the presentation of biological data. This particular tool, *PsicquicGraph*, is a web component intended to visualize molecular interactions from PSICQUIC servers.

PSICQUIC servers offer a standardised method for accessing proteomic interaction databases. From a biologist's point of view, *PsicquicGraph* and the BioJS initiative are extremely positive as it will allow for the retrieval of information from various databases in a seamless manner.

Technically speaking, *PsicquicGraph* cleverly takes advantage of BioJS, Cytoscape.js as well as MILQ by providing useful interactions within all these modules. The links provided in this article allow access to decent documentation of the tool and also provides a useful working example.

Improvements

I consider that this article could be improved by listing the 28 databases that the authors claim to have registered with PSICQUIC and making them available in this article. That would allow the reader to easily figure out how important this standardization is.

I spent some time trying, but I was not successful in recreating the example in the window mode as advised by the authors (I tried Chrome, Firefox and Safari). I was thus not able to experience the demo example completely, which is bad for a web tool.

Competing Interests: No competing interests were disclosed.

We confirm that we have read this submission and believe that we have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 24 February 2014

<https://doi.org/10.5256/f1000research.3697.r3841>

© 2014 Orengo C. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Christine Orengo

Institute for Structural and Molecular Biology, University College London, London, UK

This short article describes a component (PsicquicGraph) within the larger javascript library (BioJS) that assists the visualisation of molecular interactions on web pages. The component effectively provides the glue to stick the following pieces of technology together:

- [Cytoscape.js](#) (a powerful tool for viewing networks on web pages)
- MILQ (a language for querying molecular interactions)
- [BioJS](#) (an event-driven javascript library which facilitates interaction between javascript widgets)

The component described in this article is already useful - mainly in that it provides a standard way of interacting with these existing modules and provides a single point of focus for future development. However there are some obvious developments the authors should make in a following version of the article that would make the component more useful:

1. Registering events (such as when a user selects a "node" or "edge").
2. Providing access to the underlying "cytoscape" javascript instance (to allow manipulation of the network after it has been created).

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research