Check for updates

CORRESPONDENCE

Further available immunization option to prevent pneumococcal disease [version 1; peer review: 2 approved]

Ivo Vojtek, Bernard Hoet

GSK Vaccines, Wavre, 1300, Belgium

V1 First published: 07 Jan 2015, 4:3
<https://doi.org/10.12688/f1000research.5990.1>
Latest published: 07 Jan 2015, 4:3
<https://doi.org/10.12688/f1000research.5990.1>

Abstract

In their recent review, Charles Feldman and Ronald Anderson provide an overview of various clinical aspects of pneumococcal infections. We would like to complete this report by providing some additional information on a widely-used immunization option, which was not originally mentioned in the article. The protein D pneumococcal conjugate vaccine (PHiD-CV) has been pre-approved by WHO and its impact is supported by real-life data from the regions of its use.

Keywords

PHiD-CV, efficacy, post-marketing surveillance

Open Peer Review

Approval Status

	1	2
version 1 07 Jan 2015	view	view
1. Paola Marchisio , University of Milan, Milan, Italy		
2. Marco Safadi , Santa Casa University, São Paulo, Brazil		
Any reports and responses or comments on the article can be found at the end of the article.		

Corresponding author: Ivo Vojtek (ivo.x.vojtek@gsk.com)

Competing interests: IV and BH are employed by GSK group of companies. BH owns stock in GSK group of companies.

Grant information: GlaxoSmithKline Biologicals SA funded all costs associated with the development of this manuscript.

Copyright: © 2015 Vojtek I and Hoet B. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Vojtek I and Hoet B. **Further available immunization option to prevent pneumococcal disease [version 1; peer review: 2 approved]** F1000Research 2015, 4:3 <https://doi.org/10.12688/f1000research.5990.1>

First published: 07 Jan 2015, 4:3 <https://doi.org/10.12688/f1000research.5990.1>

Correspondence

We write in response to the report by Charles Feldman and Ronald Anderson about the recent advances in the understanding of *Streptococcus pneumoniae* infections¹.

While this article provided an informative and complete review of the current burden of the disease, pathogenesis and therapeutic options, we have noted a significant omission in the chapter dealing with available immunization strategies, which did not mention the WHO prequalified Pneumococcal Nontypeable *Haemophilus influenzae* Protein D Conjugate Vaccine (PHiD-CV; GSK Vaccines, Belgium). This vaccine is currently licensed in more than 125 countries with more than 200 million doses distributed as of August 2014 and is used in vaccination programmes in more than 40 countries or regions.

We feel it is important that health care professionals are made aware of the available evidence supporting the use of this vaccine in order that they are able to make an informed choice about the best care for their patients, and therefore we provide additional information to supplement the review article. It is the only modern pneumococcal conjugate vaccine with impact on invasive pneumococcal disease, pneumonia and acute otitis media that has been proven in two pivotal randomized controlled efficacy trials performed in Finland and Latin America²⁻⁴. Thanks to its world-wide use, there is also a plethora of post-marketing and epidemiology data spanning five continents, recently reviewed by Plosker⁸, that proves its impact on the pneumococcal disease and makes it a worth-while alternative to the pneumococcal conjugate vaccine PCV13 which the health care community should be made aware of⁵⁻⁷. We have summarized the main effectiveness and impact data in [Table 1](#).

Table 1. Summary of the main effectiveness and impact data of PHiD-CV. IPD: Invasive Pneumococcal disease; VE: vaccine efficacy; RR: relative rate reduction.

Randomized Clinical Trials			
Region	Indication		
	Invasive Pneumococcal Disease	Acute Otitis Media	Consolidated pneumonia
Finland	Vaccine serotype - 3+1 VE=100% (95%CI : 83, 100) ²	X	X
	Vaccine serotype - 2+1 VE=92% (95% CI: 58, 100) ²		
	Any Serotype - 3+1/2+1 VE=93% (95% CI: 75, 99) ²	X	VE=44% (95% CI: 24, 59) ⁴
Latin America	Vaccine serotype - 3+1 VE=100% (95% CI: 77, 100) ³	Vaccine serotype VE=70% (95% CI: 30, 87) ³	VE=26% (95% CI: 8, 40) ³
	Any Serotype - 3+1 VE=67% (95% CI: 22, 86) ³	Clinical Diagnosed VE=19% (95% CI: 4, 31) ³	
Impact and surveillance data on Invasive Pneumococcal Disease			
Quebec (case-controlled study)	Vaccine-type (+6A) VE=99% (95% CI: 79, 100) ⁵		
	19A IPD VE=67% (95% CI: 8, 88) ⁵		
	All IPD VE=75% (95% CI: 53, 79) ⁵		
Brazil (case-controlled study)	Vaccine type VE=84% (95% CI: 66, 92) ⁶		
	19A VE=82% (95% CI: 11, 96) ⁶		
Finland (time series analysis)	Vaccine type RR=92% (95% CI: 85, 96) ⁷		
	19A RR=77% (95% CI: 41, 93) ⁷		
	All IPD RR=80% (95% CI: 72, 86) ⁷		

Author contributions

IV wrote the abstract and the main body of the article. BH supervised the process. Both authors critically edited the correspondence and agreed to the final content.

Competing interests

IV and BH are employed by GSK group of companies. BH owns stock in GSK group of companies.

Grant information

GlaxoSmithKline Biologicals SA funded all costs associated with the development of this manuscript.

Acknowledgments

The authors would like to thank Bram Blomme (XPE Pharma and Science c/o GSK) for editorial support.

References

1. Feldman C, Anderson R: **Recent advances in our understanding of *Streptococcus pneumoniae* infection.** *F1000Prime Rep.* 2014; 6: 82.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
2. Palmu AA, Jokinen J, Borys D, *et al.*: **Effectiveness of the ten-valent pneumococcal *Haemophilus influenzae* protein D conjugate vaccine (PHiD-CV10) against invasive pneumococcal disease: a cluster randomised trial.** *Lancet.* 2013; 381(9862): 214–22.
[PubMed Abstract](#) | [Publisher Full Text](#)
3. Tregnani MW, Saez-Llorens X, Lopez P, *et al.*: **Efficacy of pneumococcal nontypable *Haemophilus influenzae* protein D conjugate vaccine (PHiD-CV) in young Latin American children: A double-blind randomized controlled trial.** *PLoS Med.* 2014; 11(6): e1001657.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
4. Palmu AA, Kilpi TM, Rinta-Kokko H, *et al.*: **Impact of 10-Valent Pneumococcal Conjugate Vaccine (PCV10) against Hospital-Diagnosed Pneumonia among Vaccine-Eligible Children in Finland.** Presented at: *54th Interscience Conference on Antimicrobial Agents and Chemotherapy*; September 5–9, 2014, Washington DC.
[Reference Source](#)
5. Deceuninck G, De Wals P: **Effectiveness of Three Pneumococcal Conjugate Vaccines (PCVs) to Prevent Invasive Pneumococcal Disease (IPD) in Quebec, Canada.** Presented at: *9th International Symposium on Pneumococci and Pneumococcal Diseases*; March 9–13, 2014, Hyderabad, India.
[Reference Source](#)
6. Domingues CM, Verani JR, Montenegro Renoier EI, *et al.*: **Effectiveness of ten-valent pneumococcal conjugate vaccine against invasive pneumococcal disease in Brazil: a matched case-control study.** *Lancet Respir Med.* 2014; 2(6): 464–71.
[PubMed Abstract](#) | [Publisher Full Text](#)
7. Jokinen J, Rinta-Kokko H, Siira L, *et al.*: **Impact of 10-valent pneumococcal conjugate vaccine (PCV10) on invasive pneumococcal disease (IPD) among vaccine-eligible children in Finland.** Presented at: *8th World Congress of the World Society for Pediatric Infectious Diseases (WSPID)*, November 19–22, 2013, Capetown.
8. Plosker GL: **10-Valent pneumococcal non-typeable *Haemophilus influenzae* protein D-conjugate vaccine: a review in infants and children.** *Paediatr Drugs.* 2014; 16(5): 425–44.
[PubMed Abstract](#) | [Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 23 March 2015

<https://doi.org/10.5256/f1000research.6408.r7587>

© 2015 Safadi M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Marco Safadi

Department of Pediatrics, Santa Casa University, São Paulo, Brazil

The correspondence article "*Further available immunization option to prevent pneumococcal disease*" from Vojtek & Hoet provides relevant information regarding one of the currently available pneumococcal conjugate vaccines. This information was missing in the review article (Recent advances in our understanding of *Streptococcus pneumoniae* infection) written by Feldman & Anderson.

The correspondence article is well written and should be considered for indexing.

I have only minor comments:

- In the second paragraph, when mentioning that the PHiD-CV vaccine is currently licensed in more than 125 countries, the authors should make clear that the vaccine **is licensed for active immunization against invasive disease, pneumonia, and acute otitis media (AOM) caused by *S. pneumoniae* in infants and young children up to 5 years of age.**
- In the third paragraph, when mentioning that the PHiD-CV vaccine is a worth-while alternative to the pneumococcal conjugate vaccine PCV13, the authors should add: ... **in children younger than 5 years of age.**
- In Table 1, when showing the different study results observed with the PHiD-CV vaccine, **the authors should specify which results are vaccine efficacy data and which are vaccine effectiveness data.**

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 20 January 2015

<https://doi.org/10.5256/f1000research.6408.r7220>

© 2015 Marchisio P. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Paola Marchisio

Department of Pathophysiology and Transplantation, University of Milan, Milan, Italy

I read with great interest the letter of Vojtek and Hoet. Well done and necessary. I have some remarks and suggestions:

- In the abstract the term “pre-approved” is not clear to all the readers. The exact date of approval would be useful because it could inform the readers that PHiD-CV has a long and great history.
- Page 2: “prequalified” is not clear (see above)
- Page 2 , second column, third line. I would add “evidence based” before “informed choice” in order to stress the big amount of available rigorous data.
- Page 2, 11th line: I would say “proves its **beneficial** impact...”
- It should be underlined that PHiD-CV is approved for use in children younger than 5 years of age (that could be one the reason why it was not quoted in the paper of Feldam which focuses mostly on adult/elderly patients)
- In the table I would add “schedule” before “3+1” or “2+1” . In the current version one may read “minus 3 plus 1” and may misunderstand.

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research