EDITORIAL

Sports cardiology: lessons from the past and perspectives for the future [version 1; peer review: not peer reviewed]

Roman Leischik

Faculty of Health, School of Medicine, Witten/Herdecke University, Hagen, 58095, Germany

V1 First published: 20 Apr 2015, 4:94
<https://doi.org/10.12688/f1000research.6318.1>
Latest published: 20 Apr 2015, 4:94
<https://doi.org/10.12688/f1000research.6318.1>

Not Peer Reviewed

This article is an Editorial and has not been subject to external peer review.

Any comments on the article can be found at the end of the article.

Abstract

The possibility of myocardial damage as a result of endurance sport has been known about since ancient times. According to a legend, a soldier named Pheidippides (more likely Philippides) dropped dead after running from war-torn Marathon to Athens with the news of victory. Millennia later, we do not know whether he was a soldier or a courier, or whether he really ran the entire 240 km from Athens to Sparta and then back from Marathon to Athens. What is clear however, is that his death went down in history as the first documented exercise-related death and provides a tangible starting-point for the discipline of sport cardiology.

Sports cardiology today covers a broad range of areas; from patients with cardiomyopathies, coronary disease and metabolic syndrome through to fitness fans, high-performance athletes and those with physically demanding professions.

The following editorial introduces the primary topics for discussion to be included in the *F1000Research* channel Sports cardiology with the hope that this will evoke open, controversial and broad discourse in the form of reviews and original research papers in this important field.

Keywords

Cardiac Health, Negative remodelling, Sports screening, EECG, Myocardial Hypertrophy

This article is included in the Sports cardiology collection.

Corresponding author: Roman Leischik (info@dr-leischik.de)

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2015 Leischik R. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original data is properly cited.

How to cite this article: Leischik R. **Sports cardiology: lessons from the past and perspectives for the future [version 1; peer review: not peer reviewed]** F1000Research 2015, 4:94 <https://doi.org/10.12688/f1000research.6318.1>

First published: 20 Apr 2015, 4:94 <https://doi.org/10.12688/f1000research.6318.1>

Editorial

Sport is of great social and medical significance. Accordingly, prevention of sudden cardiac sport-related deaths (SCD), prevention of negative cardiac remodelling or arrhythmias and training recommendations or rules for patients are extremely important to ensure wide-spread participation and the health benefits that this provides¹. The present collection of papers focusing on sport cardiology should stimulate lively, controversial, fair and future-oriented discussions.

Structural changes in the athlete's heart

Changes in the cardiac structures may occur as a consequence of repeated vigorous exercise. This adaptation of the heart to allow the accommodation of greater activity loads is a well-known phenomenon² and was first mentioned by Henschen, a Finnish physician, at the end of the 19th century³. One of the physiological modifications of the heart in response to sustained exercise is a 'harmonious increase in size' (also known as "healthy" myocardial hypertrophy⁴). The influencing factors on the degree of hypertrophy include the kind of physical activity, individual genetic predisposition and environmental effects. Morganroth *et al.*⁵ described in simplified terms that athletes who took part in endurance-based exercise would often present with eccentric hypertrophy as a result of prolonged and repeated volume overload. Conversely, the Morganroth hypothesis purported that athletes who underwent strength training were more likely to present with concentric hypertrophy. Today, it is recognised that there are more than two different types of athletic heart, the Morganroth hypothesis is not immediately applicable to all types of sports² and that more research is required into the extent and type of myocardial hypertrophy that can result from exercise.

Sudden cardiac sports-related deaths (SCD), negative cardiac remodelling and the question of sport 'dosage'.

The prevalence of sudden death in connection with sporting activity is about 4.6 people out of 10,000,000 per year in an average population. About 6% of this cohort comprises young athletes⁶. Young competitive athletes have a 5-fold higher risk of sudden death than non-competitive athletes and men have a 20-fold higher risk than women. It is arguably more important however to pay attention to the variety of causes rather than to the absolute figures, which vary widely over the years and among studies⁷.

Exercise-induced "cardiac fatigue" is a broadly discussed issue^{8–10}, but one that still holds unanswered questions. Numerous investigations regarding the increase in biomarkers of left ventricular injury in endurance exercise/marathon¹¹ and triathlon¹¹ competitors have been conducted. Negative cardiac remodelling due by sporting activity can lead to arrhythmias¹² and atrial fibrillation¹³. In this area the contribution of genetics must also be considered¹⁴. The

role of exercise-induced right ventricular injury is controversial and remains under discussion^{15,16}.

Generally, endurance athletes and joggers¹⁷ live longer compared to the general population^{10,18}. The question of the intensity of physical activity and use of different methods of training in patients¹⁹ and athletes²⁰ are potential themes of future studies. In the last 20 years many high-intensity interval training (HIT)-studies have been initiated²⁰, but as with any new exercise regime, the risks, advantages and exact definitions of a healthy 'dose' for different groups of patients¹⁹ and athletes must be carefully defined through prospective investigation.

Cardiac screening in sports

The discussion about the extent and methods of screening in young/middle aged and old athletes/patients^{7,21} has been ongoing for years. The debate about screening examinations should consider not only SCD, but the possible cardiac structural changes caused by sport activities^{2,8,22,23} and implications for complications in long-term follow-up of athletes^{7,23,24}. Even in countries without sufficient public health systems, the costs for screening-examinations should be regarded as negligible given the high expenditures for preparation and participation in marathon and triathlon competitions²⁵ or intensive costs in professional football and other team sports. Inequalities in sports cardiology screening should not be a cause for natural selection or contribute to the possibility of later complications of aortic/atrial enlargement and arrhythmias. These complications can be seen in treatment centers as a major problem in long-term care with long-term follow-up. A discussion about global prices for sport screening should be initiated because of the importance of this examination for public health.

Summary

There are a number of recurrent and salient topics in the field of sports cardiology: SCD in connection with sporting activity⁶; cardiac "fatigue"⁸ and cardiac injury caused by endurance sports¹⁰; structural changes in an athlete's heart² and negative cardiac remodelling^{9,23}; screening methods for SCD²¹ or cardiac remodelling⁷; the right 'dose' of sport²⁶ and types of training methods²⁰. These have been briefly introduced in this Editorial, in the hope of stimulating research and discourse in these important areas, for which the channel 'Sports cardiology' will be a lively forum.

Competing interests

No competing interests were disclosed.

Grant information

The author(s) declared that no grants were involved in the funding of this work.

References

1. Fiuza-Luces C, Garatachea N, Berger NA, *et al.*: **Exercise is the real polypill.** *Physiology (Bethesda)* 2013; **28**(5): 330–358.
[PubMed Abstract](#) | [Publisher Full Text](#)
2. George KP, Wolfe LA, Burggraf GW: **The 'athletic heart syndrome'. A critical review.** *Sports Med.* 1991; **11**(5): 300–330.
[PubMed Abstract](#)
3. Henschen S: **Skilanglauf und Skiwettlauf. Eine medizinische Sportstudie.** *Mitt Med Klin Upsala.* 1899; **2**: 74.
4. Dickhuth H, Hipp A, Niess A, *et al.*: **Differenzialdiagnostik der physiologischen Herzhypertrophie (Sportherz).** *Deutsche Zeitschrift für Sportmedizin.* 2001; **52**(6): 205–210.
5. Morganroth J, Maron BJ, Henry WL, *et al.*: **Comparative left ventricular dimensions in trained athletes.** *Ann Intern Med.* 1975; **82**(4): 521–524.
[PubMed Abstract](#) | [Publisher Full Text](#)
6. Marijon E, Tafflet M, Celermajer DS, *et al.*: **Sports-related sudden death in the general population.** *Circulation.* 2011; **124**(6): 672–681.
[PubMed Abstract](#) | [Publisher Full Text](#)
7. Leischik R, Dworak B, Foshag P, *et al.*: **Pre-Participation and Follow-Up Screening of Athletes for Endurance Sport.** *J Clin Med Res.* 2015; **7**(6): 385–392.
[PubMed Abstract](#) | [Publisher Full Text](#)
8. Oxborough D, Birch K, Shave R, *et al.*: **"Exercise-induced cardiac fatigue"--a review of the echocardiographic literature.** *Echocardiography.* 2010; **27**(9): 1130–1140.
[PubMed Abstract](#) | [Publisher Full Text](#)
9. La Gerche A, Burns AT, Mooney DJ, *et al.*: **Exercise-induced right ventricular dysfunction and structural remodelling in endurance athletes.** *Eur Heart J.* 2012; **33**(8): 998–1006.
[PubMed Abstract](#) | [Publisher Full Text](#)
10. Leischik R: **Endurance sport and cardiac injury.** *Kardiol Pol.* 2014; **72**(7): 587–597.
[PubMed Abstract](#) | [Publisher Full Text](#)
11. Shave R, Oxborough D: **Exercise-induced cardiac injury: evidence from novel imaging techniques and highly sensitive cardiac troponin assays.** *Prog Cardiovasc Dis.* 2012; **54**(5): 407–415.
[PubMed Abstract](#) | [Publisher Full Text](#)
12. Andersen K, Farahmand B, Ahlbom A, *et al.*: **Risk of arrhythmias in 52 755 long-distance cross-country skiers: a cohort study.** *Eur Heart J.* 2013; **34**(47): 3624–3631.
[PubMed Abstract](#) | [Publisher Full Text](#)
13. Calvo N, Brugada J, Sitges M, *et al.*: **Atrial fibrillation and atrial flutter in athletes.** *Br J Sports Med.* 2012; **46**(Suppl 1): i37–43.
[PubMed Abstract](#) | [Publisher Full Text](#)
14. Kass RS: **The channelopathies: novel insights into molecular and genetic mechanisms of human disease.** *J Clin Invest.* 2005; **115**(8): 1986–1989.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
15. Prior D, La Gerche A: **Exercise-Induced Right Heart Disease in Athletes.** *The Right Ventricle in Health and Disease: Springer.* 2015; 315–335.
[Publisher Full Text](#)
16. Leischik R: **Myths of exercise induced right ventricular injury: the bright side of the moon.** *Br J Sports Med.* 2014.
[PubMed Abstract](#) | [Publisher Full Text](#)
17. Schnohr P, O'Keefe JH, Marott JL, *et al.*: **Dose of jogging and long-term mortality: the Copenhagen City Heart Study.** *J Am Coll Cardiol.* 2015; **65**(5): 411–419.
[PubMed Abstract](#) | [Publisher Full Text](#)
18. Garatachea N, Santos-Lozano A, Sanchis-Gomar F, *et al.*: **Elite Athletes Live Longer Than the General Population: A Meta-Analysis.** *Mayo Clin Proc.* 2014; **89**(9): 1195–200.
[PubMed Abstract](#) | [Publisher Full Text](#)
19. Wisloff U, Stoylen A, Loennechen JP, *et al.*: **Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: a randomized study.** *Circulation.* 2007; **115**(24): 3086–3094.
[PubMed Abstract](#) | [Publisher Full Text](#)
20. Gibala MJ, Little JP, Macdonald MJ, *et al.*: **Physiological adaptations to low-volume, high-intensity interval training in health and disease.** *J Physiol.* 2012; **590**(Pt 5): 1077–1084.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
21. Sharma S, Merghani A, Gati S: **Cardiac screening of young athletes prior to participation in sports: Difficulties in detecting the fatally flawed among the fabulously fit.** *JAMA Intern Med.* 2015; **175**(1): 125–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
22. Grazioli G, Merino B, Montserrat S, *et al.*: **Usefulness of Echocardiography in Preparticipation Screening of Competitive Athletes.** *Rev Esp Cardiol (Engl Ed).* 2014; **67**(9): 701–5.
[PubMed Abstract](#) | [Publisher Full Text](#)
23. Leischik R, Spelsberg N, Niggemann H, *et al.*: **Exercise-induced arterial hypertension - an independent factor for hypertrophy and a ticking clock for cardiac fatigue or atrial fibrillation in athletes?** [v1; ref status: indexed, <http://f1000r.es/3b4>]. *F1000Res.* 2014; **3**: 105.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
24. La Gerche A, Baggish AL, Knuuti J, *et al.*: **Cardiac imaging and stress testing asymptomatic athletes to identify those at risk of sudden cardiac death.** *JACC Cardiovasc Imaging.* 2013; **6**(9): 993–1007.
[PubMed Abstract](#) | [Publisher Full Text](#)
25. FoxBusiness: **The True Costs of Training for Triathlons.** 2013.
[Reference Source](#)
26. Lee DC, Lavie CJ, Vedanthan R: **Optimal dose of running for longevity: is more better or worse?** *J Am Coll Cardiol.* 2015; **65**(5): 420–422.
[PubMed Abstract](#) | [Publisher Full Text](#)

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research