RESEARCH ARTICLE

Effectiveness of implementation of “mental health nursing students’ clinical competency model” on academic performance of nursing students [version 1; peer review: 1 approved, 1 not approved]

Foroozan Atashzadeh-Shoorideh¹, Jamileh Mohtashami^{id}¹,
Seyed Amir Hosein Pishgooie^{id}², Tayebbeh Jamshidi^{id}³, Sara Sedghi⁴

¹Department of Psychiatric Nursing, School of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences, Tehran, 1996835119, Iran

²Faculty of Nursing, AJA University of Medical Sciences, Tehran, 1615116139, Iran

³Department of Psychiatric Nursing, School of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences, Tehran, 1985717443, Iran

⁴School of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences, Tehran, 1996835119, Iran

V1 First published: 07 Aug 2018, 7:1212
<https://doi.org/10.12688/f1000research.14284.1>

Latest published: 17 Nov 2018, 7:1212
<https://doi.org/10.12688/f1000research.14284.2>

Abstract

Background: Clinical nursing competence in mental health is one of the most important topics in theoretical and practical nursing training with many factors affecting it. The purpose of this study is to determine the impact of the implementation of the “mental health nursing students’ clinical competence model” on nursing students’ academic performance.

Methods: This study is a semi experimental following one group of student nurses. “mental health nursing students’ clinical competence model” for undergraduate nursing student’s education was applied. The study population included 50 nursing students, who were studying from fifth semester to seventh semester and selected through census sampling. During the seventh semester after the completion of theoretical and practical courses in mental health nursing, re-evaluation was conducted and the scores before and after the implementation of the clinical competence model were compared.

Results: Rate of clinical competency before the intervention, was estimated at the level of non-mastered; and after intervention was at the level of mastered, demonstrating a significant difference ($p < 0.001$). Areas of clinical competency scores before and after the intervention were compared which showed significant difference in all the areas except the mental competency areas ($p < 0.05$).

Conclusions: The implementation of the “mental health nursing students’ clinical competence model” and appropriate planning for

Open Peer Review

Approval Status

	1	2
version 2		
(revision)
17 Nov 2018		view

version 1
07 Aug 2018	view	view

1. **Fataneh Ghadirian** ^{id}, Tehran University of Medical Sciences, Tehran, Iran

2. **Julie Bradshaw**, Central Queensland University (CQUniversity), Rockhampton, Australia

Any reports and responses or comments on the article can be found at the end of the article.

achievement of mental health nursing specialized competency can ensure the achievement of clinical competency by nursing students.

Keywords

Clinical competency, Nursing, pattern, academic performance

Corresponding author: Jamileh Mohtashami (j_mohtashami@sbmu.ac.ir)

Author roles: **Atashzadeh-Shoorideh F:** Conceptualization, Investigation, Methodology, Writing – Original Draft Preparation; **Mohtashami J:** Conceptualization, Data Curation, Formal Analysis, Funding Acquisition, Investigation, Methodology, Project Administration, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; **Pishgooie SAH:** Formal Analysis, Methodology, Software; **Jamshidi T:** Data Curation, Investigation; **Sedghi S:** Formal Analysis, Investigation, Writing – Original Draft Preparation

Competing interests: No competing interests were disclosed.

Grant information: This project has received funding from Shahid Beheshti University of Medical Sciences with project number 5561. *The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.*

Copyright: © 2018 Atashzadeh-Shoorideh F *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Atashzadeh-Shoorideh F, Mohtashami J, Pishgooie SAH *et al.* **Effectiveness of implementation of “mental health nursing students’ clinical competency model” on academic performance of nursing students [version 1; peer review: 1 approved, 1 not approved]** F1000Research 2018, 7:1212 <https://doi.org/10.12688/f1000research.14284.1>

First published: 07 Aug 2018, 7:1212 <https://doi.org/10.12688/f1000research.14284.1>

Introduction

The purpose of nursing education is to transfer knowledge and help students, gain insights and skills necessary for nursing care¹. One of the important aims of universities and higher education centers of medical science is building capacity and skills in students, as well as to prepare them for health services and to provide health care to all members of the community²⁻⁴. A survey of one study of nursing education courses showed that abilities acquired by students were far from optimal, and they have not gained the skills and abilities necessary at the end of their training⁵. It seems, education plays an important role in the development of professional nursing skills and it provides opportunities to gain a wide range of knowledge, problem solving abilities and critical thinking⁶. Previous studies on novice nurses also suggest that in the transition from student to professional role, students have experienced a lack of preparation. Stressful experiences in novice nurses during this period are often associated with a lack of necessary skills in nursing practices and the lack of comparability between undergraduate education in universities and the situation in the workplace⁷. However, Manoochehri *et al.*^{8,9}, concluded that student employment after graduation can help.

Nurses' knowledge and competence are based on their knowledge and the curriculum that is taught in universities. The training program is very important in gaining nursing values and achieving educational goals¹⁰. This knowledge and the skills acquired are valuable, and have a direct effect on the student's future career, and immediately after graduation when they start work^{11,12}.

Nursing education programs with an emphasis on skill development provide an opportunity to increase student competence and adaptability to meet the clinical needs of novice nurses entering the workplace¹³. Some studies have shown that there is a direct relationship between the level of clinical competence and the ability to apply their skills. In other words, a nurse who has higher competency, can take advantage of their skills in clinical practice¹⁴. Studies have shown that novice nurses are not adequately prepared to deal with challenges in the work place¹⁵⁻¹⁸, nursing undergraduate curriculum cannot prepare students adequately for independent performance¹⁹, and therefore they may have limited technological skills²⁰. One study found that nearly 49 percent of newly graduated nurses were involved in errors, indicating the gap between meeting minimum standards of practice and professional competence²¹.

Competence is a complex and ambiguous concept and one of the more controversial issues in the nursing standards in various fields including education, clinical and management²². Competencies comprise of different aspects of learning including knowledge, skills and attitudes. According to this definition, people should be able to fulfill their role or set of tasks to an appropriate level⁵. The Australian Nursing and Midwifery Council (2005) defines competence as a combination of skills, knowledge, attitudes, values and abilities that underlies effective and high professional performance in a professional career area^{23,24}.

Therefore, nurse educators are trying to design competency-based training programs. Competencies are built on scientific knowledge, but their development requires several activities, the most significant of which is the application of theoretical content to real life situations²⁵. In the curriculum and teaching-learning processes where a competency-based approach is used the program is based on a set of skills that every student should master^{26,27}.

In reviews of competency in nursing, there are challenges which reflect the difficulties and complexity of the profession. Mental health nursing for various reasons, including lack of clarity about roles within mental health nursing and lack of standards for mental health care, is faced with many challenges. The Nurses Association of America defines psychiatric nursing (Mental Health Nursing) as the diagnosis and treatment of human responses to actual and potential mental health problems. The psychiatric mental health nursing identifies with aspects of care such as communication²⁸. Mental health nurses are nurse practitioners who show competencies, knowledge, skills and special abilities to care for people with mental health problems and mental disorders²⁹. The nature of mental health nursing, like all areas of care, is undergoing profound changes. These changes include dealing with an aging population, increase in variation in cultures, case management, changes in care situation (such as from hospital to community), competition in care patterns, maintaining employment opportunities, providing the necessary training for career development, new science and information technology, and finally the work of mental health nursing practice^{30,31}.

In relation to the lack of adequate mental health content in nursing curricula prior to employment, there are concerns which led it being alleged that new graduate nurses were not adequately prepared to care for patients with mental disorders. These concerns could have significant effects on the standards of care provided^{32,33}. In a study that was conducted by Melnyck and colleagues at Yale University, officials believed that nearly half of new graduates were impaired when it came to providing comprehensive advice, especially to families at risk³⁴. There are also growing concerns about mental health nurses, in that they have not been adequately trained in medication management. This problem is even present in countries such as Britain, which since 2003 has given the right to prescribe medication to mental health nurses³⁵.

In Iran, the necessity of clinical competence has become more of an important issue in recent years, as communities now expect a higher quality of service, forcing health care system to increase the effectiveness of their staff²². Despite the extraordinary importance of the topic, understanding of nursing clinical competency and skill level is limited and little research has been done in this area¹⁴. Clinical competence requires a framework that includes access to all essential competencies during students' education. This model means that all the requirements of clinical competence of nursing students needs be considered. Planning a curriculum with respect to all issues of clinical competence may be possible. A model for "mental health

nursing students' clinical competence" is a guide which provides a framework for achieving educational goals, performing evaluations and also allowing students to develop appropriate professional experience. Such a model helps establish and provide clinical competency-based planning. The aim of this study was to determine the impact of the implementation of 'mental health nursing students' clinical competence model' on nursing students' academic performance.

Methods

This study is a semi experimental study conducted from January 2014 to January 2017. The sample was one group of undergraduate nursing students followed from fifth till their seventh semester. During three semester (18 months) students were taught based on the 'mental health nursing students' clinical competence model'³⁶ in theoretical and clinical programs. The study population included 50 nursing students of Shahid Beheshti University of Medical Sciences, who were been selected through census sampling.

First, using the "mental health nursing students' clinical competencies" checklist (Supplementary File 1), designed in 2014 by Mohtashami *et al.*³⁷ pre-tests were conducted among 5th semester nursing students who were taking the mental health nursing course. The checklist includes 73 statements which assess clinical competencies in two areas of general competency (emotional competency, 7 statements; moral competency, 11 statement; general nursing skill competency, 7 statements) and specific competencies (therapeutic communication competency, 12 statements and caring for mentally ill patient skill competency, 36 statements) using a Likert scale of 5 from "always" to "never". Clinical competency were divided into 4 categories of weak (scores from 73 to 146), Average (scores from 146 to 219), good (scores from 219 to 292) and Excellent (scores from 292 to 365). Regarding to determination of mastery, we considered a score of 300 as the cutoff point, with scores below 300 indicating lack of mastery and scores above 300 showing competencies having been mastered. Reliability coefficient was conducted through internal consistency reliability (Cronbach's alpha 0.93).

After the pre-test, the 'mental health nursing students' clinical competence model'³⁶ was conducted. The model has 4 related phases which started from a mental health nursing course (fifth semester) to apprentice in clinical field (seventh semester). In each phrase, every student is required to gain the knowledge, skills and special abilities of that phase. When passing through each phase, competency-based assessments were conducted. In the fifth semester where all students are studying mental health nursing, implementation of these models began. Later in the 6th semester, psychiatric disorders and mental health nursing course were completed. Internships were also undertaken in this semester. Finally the intervention was completed in the 7th semester after the apprenticeship in clinical field. The aim of this model is to achieve clinical competency through a systematic and scientific process and continuously be developed these competencies. Model dimensions were considered in four domains of orientation and preparation, confrontation, involvement and achieving

clinical competency (Figure 1). A breakdown of teaching aims for each domain is provided in Supplementary File 2.

In all domains of the model, cognitive/emotional abilities and specific skills of instructors and students will have a certain impact on clinical competency achievement. It should be noted that while transitioning from one stage to the next one, students must be evaluated to ensure achievement of required competencies of that stage.

Upon completion of the theoretical and clinical mental health nursing courses in the 7th semester, re-evaluation was performed; and scores of before and after the implementation of the clinical competency model were compared.

The study was approved by the Ethics Committee of the School of Nursing in July 2015 with approval number SBMU2.REC. 2015.6. All the ethical considerations were taken into account. All the participants signed a consent form before participating in the study.

In this study, data analysis was conducted through the use of SPSS software-version 21. First, to describe the demographic characteristics of subjects, review frequency distribution, mean and standard deviation using descriptive statistical tests, were used. In the following, Paired t-test analysis and RM-ANOVA, the nonparametric equivalents of it depending on the type and distribution of data, were used. The significance level for all tests was set at 0.05.

Results

50 nursing students were enrolled in this study. Most (90%), were aged 21 to 25 years old (N=45) 62 percent (N=31) were women and 38 percent (N=19) were male. Statistical analysis of the relationship between age and gender and the clinical competencies did not find any significant relationship. Average scores in different domains of clinical competency before and after the implementation of competence model are shown in Table 1. Rate of clinical competency prior to the implementation was estimated in the level of the non-mastered and after the implementation was in the level of mastered, a statistically significant difference (Table 1). Clinical competency areas using paired t-test scores were compared before and after the intervention. All scores before and after treatment in all areas except the area of mental competencies, showed a significant difference ($p < 0.05$).

Dataset 1. Test scores pre and post intervention with demographic information

<http://dx.doi.org/10.5256/f1000research.14284.d207075>

Discussion

Clinical competence requires a framework that includes all aspects of access to essential competencies during students' education. This model means that all the requirements of

Figure 1. Mental health nursing students' clinical competency model.

clinical competence of nursing students need to be considered, and appropriate curriculum with respect to all issues related to clinical competence is useful. Existence of a model for mental health nursing students' clinical competence, in addition to determine the achievement of educational goals, provides the possibility to evaluate and gain feedback; it also provides the opportunity for reformation of professional practice for nursing students. Such a model helps establish and provide clinical competency-based planning. The aim of this study was to

evaluate the effects of the 'mental health nursing students' clinical competence model' on nursing students' academic performance.

This research findings showed that rate of clinical competency before the intervention, was estimated at the level of non-mastered; and after intervention was at the level of mastered, this difference was statistically significant. Wangenstein *et al.*³⁸ in relation to newly graduated nurses' perception of competence and possible predictors also found the same results. In line with

Table 1. Mental health nursing students' clinical competencies before and after the intervention.

Clinical Competencies Issues	Score	Before intervention		After intervention		The mean difference before and after intervention	The standard deviation difference before and after intervention	Paired t test
		Mean	standard deviation	Mean	standard deviation			
Emotional	7–35	31.68	3.74	35.30	2.03	3.62	3.06	t=8.35 p<0.001
Ethical	11–55	41.92	4.18	45.30	2.42	3.83	3.26	t=7.32 p<0.001
General skills	7–35	27.36	3.96	30.84	2.03	3.48	2.80	t=8.76 p<0.001
General competency	25–125	100.96	10.11	111.44	4.90	3.49	2.52	t=9.79 p<0.001
Therapeutic communication skills	12–60	52.66	9.37	55.04	3.24	2.38	8.98	t=1.87 p<0.001
Skill of care for patients with psychiatric disorders	36–180	145.96	18.03	159.36	10.19	13.40	10.58	t=8.95 p<0.001
Specific Competencies	48–240	198.62	22.81	214.4	12.75	7.89	1.05	t=7.53 p<0.001
Total	73–365	299.58(non-mastered)	30.85	325.84 (mastered)	44.86	325.84	16.38	t=8.97 p<0.001

the current study, Safadi *et al.*³⁹ conducted a cross-sectional study to reviews competencies of nursing graduates in universities in Jordan. The results were rated as satisfactory clinical competence in line with this research Mohtashami *et al.*⁴⁰ in the article appearing with the aim of determining the relationship between professional competence and professional identity, concluded that there is a positive correlation between professional competencies and professional identity.

Based on these findings and the researcher's opinions, the development of the critical thinking abilities of nursing students during nursing school is crucial to strengthen novice's clinical competence. Accordingly, the authors acknowledged that student-centered learning models such as problem-based learning are significantly associated with the critical thinking. Therefore, we identify a need for collaboration between all of the nursing educators for clinical training of students and using the student-centered models. But the results of a cross-sectional study by Salonen *et al.*⁴¹ in relation to the clinical competency of Finnish novice nurse's and factors affecting it showed, fair to good level of clinical competence which was different from the findings of the current study. Reasons for these differences may include using a different instrument, the study samples and that the nurse's had a higher level of experiences. Phillips *et al.*⁴² in this regard reported that an increase in level of clinical experience and more hours in school and placement in the clinical setting, especially in nursing education programs, promotes decision-making skills, more professional performance in individuals and gaining teamwork experience in the real working environment.

In a study by Sabanciogullari & Dogan⁴³ the effects of the professional identity development program on the professional identity, job satisfaction and burnout levels of registered nurses was conducted on 63 nurses working in a university hospital. The program of 10 sessions (once a week, and follow-up 6 months later) improved the professional identity of nurses in the intervention group compared to the control group which the difference was statistically significant. During the study period burnout among nurses in the intervention group decreased, but increased in the control group. But there was no statistically significant difference between the intervention group and the control group in terms of job satisfaction.

Mohtashami *et al.*⁴⁴ conducted a qualitative study aimed to clarify the concept and how to achieve clinical competencies in mental health nursing students, concluding that nursing students in undergraduate education in order to gain mental health nursing competencies, must pass special stages before being able to work. During each stage there are indicators that can help students to acquire the competencies. Therefore changes in the curriculum and students training methods should be considered. In support of this claim, Mohtashami *et al.*⁴⁵ wrote a competency-based curriculum to facilitate the teaching-learning process is one of the first steps. Revision of curriculum can be used to reduce gap between theory and practice so competencies can be acquired effectively.

In a literature review, the researchers could not find similar studies, therefore it can be argued this study aiming to influence the implementation of clinical competence of nursing students'

mental health and academic performance is in itself an innovation. On the other hand no similar study was found to allow more comprehensive discussion possibility and that can be considered a limitation of this study.

Implications for practice

The implementation of the 'mental health nursing students' clinical competence model' and appropriate planning for achievement of mental health nursing specialized competency can ensure the achievement of clinical competency by nursing students. Such a model helps establish and provide clinical competency-based planning.

Data availability

Dataset 1: Test scores pre and post intervention with demographic information [10.5256/f1000research.14284.d207075](https://doi.org/10.5256/f1000research.14284.d207075)⁴⁶

Supplementary material

Supplementary File 1: "mental health nursing students' clinical competencies" checklist.

[Click here to access the data.](#)

Supplementary File 2: File contain expansion of study design including detailed explanation of teaching aims for each domain.

[Click here to access the data.](#)

Competing information

No competing interests were disclosed.

Grant information

This project has received funding from Shahid Beheshti University of Medical Sciences with project number 5561.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Acknowledgement

The authors gratitude extends to the authorities of the university and the School of Nursing and Midwifery, nursing teachers, nurses and psychiatric nurses and students, this study was not possible without their cooperation. Also, our appreciation goes to Mrs. Mahdiah Ghaleenoe for her valuable suggestions.

References

- Sabeti F, Akbari-nassaji N, Haghighi-zadeh MH: **Nursing students' self-assessment regarding clinical skills achievement in Ahvaz Jundishapur University of Medical Sciences (2009).** *Iranian Journal of Medical Education*. 2011; **11**(5): 506–515.
[Reference Source](#)
- Amini A, Hasanzadeh Salmasi S, Shaghghi A, et al.: **Effect of clinical skills training necessary in labour on medicine student's clinical competency of Tabriz Medical University.** *Iranian Journal of Education in Medical Sciences*. 2005; **5**(1): 8–12.
- Gidman J, McIntosh A, Melling K, et al.: **Student perceptions of support in practice.** *Nurse Educ Pract*. 2011; **11**(6): 351–5.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Mohammadi F, Hosseini MA: **Rehabilitation Sciences Students' Perception from Clinical Self-Efficacy Compared to Evaluation by Clinical Teachers.** *Iranian Journal of Medical Education*. 2010; **10**(2): 155–63.
[Reference Source](#)
- Parsa YZ, Ramezani BF, Khatuni AR: **Nursing students' viewpoints about their clinical competencies and its achievement level.** *Iranian Journal of Nursing Research*. 2007; **1**(3): 7–14.
[Reference Source](#)
- Dias JM, Ajani K, Mithani Y: **Conceptualization and operationalization of a baccalaureate nursing curriculum in Pakistan: Challenges; hurdles and lessons learnt.** *Procedia-Social and Behavioral Sciences*. 2010; **2**(2): 2335–7.
[Publisher Full Text](#)
- Heshmati Nabavi F, Vanaki Z: **Effective clinical instructor: A qualitative study.** *Iranian Journal of Nursing Research*. 2009; **4**(12–13): 39–53.
[Reference Source](#)
- Manoochehri H, Imani E, Atashzadeh-Shoorideh F, et al.: **Competence of novice nurses: role of clinical work during studying.** *J Med Life*. 2015; **8**(Spec Iss 4): 32–38.
[PubMed Abstract](#) | [Free Full Text](#)
- Manoochehri H, Imani E, Atashzadeh-Shoorideh F, et al.: **Experience of Work While Studying: Novice Nurses Entering the Clinical Arena.** *Research Journal of Medical Sciences*. 2016; **10**(5): 465–74.
[Reference Source](#)
- Najafi Kolyani M, Sharif F, Jamshidi N, et al.: **Students' perceptions of effective teaching in nursing education: a qualitative study.** *Iranian Journal of Nursing Research*. 2011; **5**(19): 6–15.
[Reference Source](#)
- Shayan S: **Using Patient Management Problem (EPMP) in Assessment of Clinical Competency.** *Iranian Journal of Medical Education*. 2011; **10**(5): 1087–1092.
[Reference Source](#)
- Mojab F, Zaefarian R, Azizi AHD: **Applying competency based approach for entrepreneurship education.** *Procedia-Social and Behavioral Sciences*. 2011; **12**: 436–47.
[Publisher Full Text](#)
- Shin KR, Jung D, Kim MW, et al.: **Clinical supervisors' satisfaction with the clinical competence of newly employed nurses in Korea.** *Nurs Outlook*. 2010; **58**(3): 129–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Mahreini M, Moatary M, Akaberian S, et al.: **Determining nurses' clinical competence in hospitals of Bushehr University of Medical Sciences by self assessment method.** *Iran South Med J*. 2008; **11**(1): 69–75.
[Reference Source](#)
- McCarthy B: **Translating person-centred care: a case study of preceptor nurses and their teaching practices in acute care areas.** *J Clin Nurs*. 2006; **15**(5): 629–38.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Mooney M: **Newly qualified Irish nurses' interpretation of their preparation and experiences of registration.** *J Clin Nurs*. 2007; **16**(9): 1610–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Mooney M: **Facing registration: the expectations and the unexpected.** *Nurse Educ Today*. 2007; **27**(8): 840–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
- O'shea M, Kelly B: **The lived experiences of newly qualified nurses on clinical placement during the first six months following registration in the Republic of Ireland.** *J Clin Nurs*. 2007; **16**(8): 1534–42.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Newton JM, McKenna L: **The transitional journey through the graduate year: a focus group study.** *Int J Nurs Stud*. 2007; **44**(7): 1231–7.
[PubMed Abstract](#) | [Publisher Full Text](#)

20. Oermann MH, Garvin MF: **Stresses and challenges for new graduates in hospitals.** *Nurse Educ Today.* 2002; **22**(3): 225–30.
[PubMed Abstract](#) | [Publisher Full Text](#)
21. Klein CJ, Fowles ER: **An investigation of nursing competence and the competency outcomes performance assessment curricular approach: senior students' self-reported perceptions.** *J Prof Nurs.* 2009; **25**(2): 109–21.
[PubMed Abstract](#) | [Publisher Full Text](#)
22. Nesami M, Rafiee F, Parvizi S, *et al.*: **Concept analysis of competency in nursing: Qualitative research.** *J Mazandaran Univ Med Sci.* 2008; **18**(67): 35–42.
[Reference Source](#)
23. Hanley E, Higgins A: **Assessment of practice in intensive care: students' perceptions of a clinical competence assessment tool.** *Intensive Crit Care Nurs.* 2005; **21**(5): 276–83.
[PubMed Abstract](#) | [Publisher Full Text](#)
24. Levett-Jones T, Gersbach J, Arthur C, *et al.*: **Implementing a clinical competency assessment model that promotes critical reflection and ensures nursing graduates' readiness for professional practice.** *Nurse Educ Pract.* 2011; **11**(1): 64–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
25. Delaney KR, Carlson-Sabelli L, Shephard R, *et al.*: **Competency-based training to create the 21st century mental health workforce: strides, stumbles, and solutions.** *Arch Psychiatr Nurs.* 2011; **25**(4): 225–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
26. Applin H, Williams B, Day R, *et al.*: **A comparison of competencies between problem-based learning and non-problem-based graduate nurses.** *Nurse Educ Today.* 2011; **31**(2): 129–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
27. LeCuyer E, DeSocio J, Brody M, *et al.*: **From objectives to competencies: operationalizing the NONPF PMHNP competencies for use in a graduate curriculum.** *Arch Psychiatr Nurs.* 2009; **23**(3): 185–99.
[PubMed Abstract](#) | [Publisher Full Text](#)
28. Mohtashami J, Noughani F: **Psychiatric nursing.** Teimoorzadeh Co, Tehran. 2011.
29. Boyd MA: **Psychiatric nursing, contemporary practice.** Edition 5, editor. Philadelphia.: Wolters Kluwer/Lippincott Williams & Wilkins; 2012.
[Reference Source](#)
30. Gass J, McKie A, Smith I, *et al.*: **An examination of the scope and purpose of education in mental health nursing.** *Nurse Educ Today.* 2007; **27**(6): 588–96.
[PubMed Abstract](#) | [Publisher Full Text](#)
31. Varcarolis EM, Carson VB, Shoemaker NC: **Foundations of Psychiatric Mental Health Nursing: A clinical approach.** Saunders Elsevier, St. Louis, MO. 2006.
[Reference Source](#)
32. Happell B: **Moving in circles: a brief history of reports and inquiries relating to mental health content in undergraduate nursing curricula.** *Nurse Educ Today.* 2010; **30**(7): 643–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
33. McCann TV, Moxham L, Farrell G, *et al.*: **Mental health content of Australian pre-registration nursing curricula: summary report and critical commentary.** *Nurse Educ Today.* 2010; **30**(5): 393–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
34. Melnyk BM, Hawkins-Walsh E, Beauchesne M, *et al.*: **Strengthening PNP curricula in mental/behavioral health and evidence-based practice.** *J Pediatr Health Care.* 2010; **24**(2): 81–94.
[PubMed Abstract](#) | [Publisher Full Text](#)
35. Snowden A: **Integrating medicines management into mental health nursing in UK.** *Arch Psychiatr Nurs.* 2010; **24**(3): 178–88.
[PubMed Abstract](#) | [Publisher Full Text](#)
36. Mohtashami J, Pazargadi M, Salsali M, *et al.*: **Developing mental health nursing students' clinical competency model.** *International Journal of Physical and Social Sciences.* 2014; **4**(11): 7–22.
[Reference Source](#)
37. Mohtashami J, Salsali M, Pazargadi M, *et al.*: **Developing and Psychometric Properties Check List of Clinical Competency in Mental Health Nursing Students.** *Iranian Journal of Psychiatric Nursing.* 2014; **2**(3): 46–57.
[Reference Source](#)
38. Wangenstein S, Johansson IS, Björkstöm ME, *et al.*: **Newly graduated nurses' perception of competence and possible predictors: a cross-sectional survey.** *J Prof Nurs.* 2012; **28**(3): 170–81.
[PubMed Abstract](#) | [Publisher Full Text](#)
39. Safadi R, Jaradeh M, Bandak A, *et al.*: **Competence assessment of nursing graduates of Jordanian universities.** *Nurs Health Sci.* 2010; **12**(2): 147–54.
[PubMed Abstract](#) | [Publisher Full Text](#)
40. Mohtashami J, Rahnama H, Farzinfard F, *et al.*: **A Survey of Correlation between Professional Identity and Clinical Competency of Psychiatric Nurses.** *Open J Nurs.* 2015; **5**(9): 765–72.
[Publisher Full Text](#)
41. Salonen AH, Kaunonen M, Meretoja R, *et al.*: **Competence profiles of recently registered nurses working in intensive and emergency settings.** *J Nurs Manag.* 2007; **15**(8): 792–800.
[PubMed Abstract](#) | [Publisher Full Text](#)
42. Phillips C, Kenny A, Smith C, *et al.*: **Pre-registration paid employment choice: the views of newly qualified nurses.** *Nurse Educ Today.* 2012; **32**(1): 10–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
43. Sabanciogullari S, Dogan S: **Effects of the professional identity development programme on the professional identity, job satisfaction and burnout levels of nurses: A pilot study.** *Int J Nurs Pract.* 2015; **21**(6): 847–57.
[PubMed Abstract](#) | [Publisher Full Text](#)
44. Mohtashami J, Salsali M, Pazargadi M, *et al.*: **Clinical Competency in Psychiatric Nursing Students: A Qualitative Study.** *J Qual Res Health Sci.* 2013; **2**(3): 261–76.
[Reference Source](#)
45. Mohtashami J, Salsali M, Pazargadi M, *et al.*: **Competency-based curriculum education in mental health nursing.** *Open J Nurs.* 2013; **3**(8): 545–551, 40835.
[Publisher Full Text](#)
46. Atashzadeh-Shoorideh F, Mohtashami J, Pishgooie SAH, *et al.*: **Dataset 1 in: Effectiveness of implementation of "mental health nursing students' clinical competency model" on academic performance of nursing students.** *F1000Research.* 2018.
[Data Source](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 08 October 2018

<https://doi.org/10.5256/f1000research.15545.r38804>

© 2018 Bradshaw J. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Julie Bradshaw

Central Queensland University (CQUniversity), Rockhampton, Qld, Australia

There is a fundamental flaw in the research question - clinical competence improving academic performance. Clinical competence was improved, not necessarily academic performance. No other intervention was tested. It is not known whether this specific intervention improved competence specifically. We are left wondering, isn't any education on mental health nursing likely to improve competence? There seemed to be a number of assumptions made in the introduction. It seemed that the authors were mixing up clinical competency and critical thinking. This is obviously an international study. I would have liked to see an argument built around the deficits in nursing education in this country and why this tool was necessary.

Is the work clearly and accurately presented and does it cite the current literature?

Partly

Is the study design appropriate and is the work technically sound?

No

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

No

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

No

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to state that I do not consider it to be of an acceptable scientific standard, for reasons outlined above.

Author Response 06 Nov 2018

Jamileh Mohtashami, Shahid Beheshti University of Medical Sciences, Tehran, Iran

Thanks for your patience. I would like to say we corrected some parts of article according to reviewer Julie Bradshaw:

- In introduction we explained about competency in my country.
- We corrected some parts in methodology and statistical analysis.
- Moreover we deleted one paragraph and added some articles for adequately support in conclusion.
- Finally, the references are corrected.

Competing Interests: No competing interests were disclosed.

Reviewer Report 12 September 2018

<https://doi.org/10.5256/f1000research.15545.r36903>

© 2018 Ghadirian F. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Fataneh Ghadirian

Psychiatric Nursing Department, School of Nursing and Midwifery, Tehran University of Medical Sciences, Tehran, Iran

The study's subject is one of the most important issues for mental health nursing in the world and especially in Iran and their authors clearly and accurately presented its background and rationales.

The work is technically sound with sufficient details. It was better to have a brief history of used checklist due to varied competency indicators all over the world but this is not so serious.

There are sufficient details of statistical analysis and the datasets are clearly described. Although there is a sufficient discussion included the necessary details but the study has no final conclusion statement.

Finally, the study is valuable and approved.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Yes

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Psychiatry, Nursing

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research