SYSTEMATIC REVIEW

Zika virus infection as a cause of congenital brain abnormalities and Guillain-Barré syndrome: A living systematic review [version 1; peer review: 2 approved]

Michel Jacques Counotte ¹, Kaspar Walter Meili¹, Katayoun Taghavi¹,
Guilherme Calvet ², James Sejvar³, Nicola Low ¹

¹Institute of Social and Preventive Medicine, University Bern, Bern, Switzerland

²Acute Febrile Illnesses Laboratory, Evandro Chagas National Institute of Infectious Diseases, Oswaldo Cruz Foundation, Rio de Janeiro, Rio de Janeiro, Brazil

³Division of High-Consequence Pathogens and Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, GA, USA

v1 First published: 14 Aug 2019, 8:1433
<https://doi.org/10.12688/f1000research.19918.1>
Latest published: 14 Aug 2019, 8:1433
<https://doi.org/10.12688/f1000research.19918.1>

Abstract

Background: The Zika virus (ZIKV) caused a large outbreak in the Americas leading to the declaration of a Public Health Emergency of International Concern in February 2016. A causal relation between infection and adverse congenital outcomes such as microcephaly was declared by the World Health Organization (WHO) informed by a systematic review structured according to a framework of ten dimensions of causality, based on the work of Bradford Hill. Subsequently, the evidence has continued to accumulate, which we incorporate in regular updates of the original work, rendering it a living systematic review.

Methods: We present an update of our living systematic review on the causal relation between ZIKV infection and adverse congenital outcomes and between ZIKV and GBS for four dimensions of causality: strength of association, dose-response, specificity, and consistency. We assess the evidence published between January 18, 2017 and July 1, 2019.

Results: We found that the strength of association between ZIKV infection and adverse outcomes from case-control studies differs according to whether exposure to ZIKV is assessed in the mother (OR 3.8, 95% CI: 1.7-8.7, $I^2=19.8\%$) or the foetus/infant (OR 37.4, 95% CI: 11.0-127.1, $I^2=0\%$). In cohort studies, the risk of congenital abnormalities was 3.5 times higher after ZIKV infection (95% CI: 0.9-13.5, $I^2=0\%$). The strength of association between ZIKV infection and GBS was higher in studies that enrolled controls from hospital (OR: 55.8, 95% CI: 17.2-181.7, $I^2=0\%$) than in studies that enrolled controls at random from the same community or household (OR: 2.0, 95% CI: 0.8-5.4, $I^2=74.6\%$). In case-control studies, selection of controls from

Open Peer Review

Approval Status

	1	2
version 1		
14 Aug 2019	view	view

1. **Rajesh Verma**, King George's Medical University, Lucknow, India
2. **Ana B.G. Veiga** , Federal University of Health Sciences of Porto Alegre (UFCSPA), Porto Alegre, Brazil

Any reports and responses or comments on the article can be found at the end of the article.

hospitals could have biased results.

Conclusions: The conclusions that ZIKV infection causes adverse congenital outcomes and GBS are reinforced with the evidence published between January 18, 2017 and July 1, 2019.

Keywords

Zika, Disease outbreaks, arboviruses, causality, Guillain-Barré syndrome, congenital abnormalities

This article is included in the **Emerging Diseases and Outbreaks** gateway.

This article is included in the **Living Evidence** collection.

This article is included in the **Zika & Arbovirus Outbreaks** collection.

Corresponding authors: Michel Jacques Counotte (michel.counotte@ispm.unibe.ch), Nicola Low (nicola.low@ispm.unibe.ch)

Author roles: **Counotte MJ:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Visualization, Writing – Original Draft Preparation; **Meili KW:** Data Curation, Investigation, Methodology, Validation, Writing – Review & Editing; **Taghavi K:** Data Curation, Validation, Writing – Review & Editing; **Calvet G:** Validation, Writing – Review & Editing; **Sejvar J:** Validation, Writing – Review & Editing; **Low N:** Conceptualization, Data Curation, Funding Acquisition, Supervision, Validation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This work was supported by the Swiss National Science Foundation [320030_170069], end date: 31/10/2021
The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2019 Counotte MJ *et al.* This is an open access article distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Counotte MJ, Meili KW, Taghavi K *et al.* **Zika virus infection as a cause of congenital brain abnormalities and Guillain-Barré syndrome: A living systematic review [version 1; peer review: 2 approved]** F1000Research 2019, 8:1433
<https://doi.org/10.12688/f1000research.19918.1>

First published: 14 Aug 2019, 8:1433 <https://doi.org/10.12688/f1000research.19918.1>

Introduction

The Zika virus (ZIKV), a mosquito-borne flavivirus, caused a large outbreak of infection in humans in the Americas between 2015–2017 ([WHO Zika -Epidemiological Update](#)). Since then, the circulation of ZIKV has decreased substantially in the Americas¹ but ZIKV transmission will likely continue at a lower level². Smaller outbreaks have been reported from countries in Africa and Asia, including Angola, India³, and Singapore⁴. Regions with endemic circulation, such as Thailand⁵, have the potential for new ZIKV outbreaks with adverse outcomes⁶.

The World Health Organization (WHO) declared ZIKV as a cause of adverse congenital outcomes and Guillain-Barré syndrome (GBS) as early as September 2016⁷, informed by a systematic review of evidence structured according to a framework of ten dimensions of causality, based on Bradford Hill ([Table 1](#))⁸. The accumulation of evidence on the adverse clinical outcomes of ZIKV has barely slowed down since the WHO declared the Public Health Emergency of International Concern (PHEIC) on February 1st, 2016, with approximately 250 research publications on ZIKV appearing every month (see [Zika Open Access Project](#)). We updated the systematic review to January 18, 2017 as a living systematic review by introducing automated search methods to produce a high quality, up to date, online summary of research⁹ about ZIKV and its clinical consequences, for all the causality dimensions¹⁰.

Since 2017, understanding about the pathogenesis of how ZIKV causes congenital abnormalities has evolved^{11,12}. The quality

of diagnostic methods, especially for acute ZIKV infection, has also improved^{13–15}. More importantly, understanding of the limitations of diagnostic testing, and the need for interpretation in the context of other flavivirus infections, has developed. Important epidemiological questions about the associations between ZIKV infection and adverse congenital outcomes and GBS remain unanswered, however. Much of the early epidemiological evidence, which relied on surveillance data, was limited in use because of issues with the quality of the reporting and case definitions. The reported strength of association between ZIKV and adverse outcomes has varied in studies of different designs and in different settings. Evidence for a dose-response relationship with higher levels of exposure to ZIKV resulting in more severe outcomes, of clinical findings that are specific to ZIKV infection, or of adverse outcomes caused by different lineages of ZIKV was not found in the earlier systematic reviews.

The objective of this study is to update epidemiological evidence about associations between ZIKV infection and adverse congenital outcomes and between ZIKV and GBS for four dimensions of causality: strength of association, dose-response, specificity, and consistency.

Methods

We performed a living systematic review, which we have described previously¹⁰. This review updates the findings of the previous reviews^{8,10} and will be kept up to date, in accordance with the methods described below. Reporting of the results follows

Table 1. Comparison of the search strategy included study designs and causality dimensions addressed in the different review periods. The latest and previous versions of this table are available as extended data¹⁶.

Review	Baseline ⁸	Update 1 ¹⁰	Update 2 [this review]
Period	<May 30, 2016	May 30, 2016-January 18, 2017	>January 18, 2017 -July 01, 2019
Search strategy	"ZIKV" or "Zika"	"ZIKV" or "Zika"	Focussed search strategy (Supplementary File 2)
Study design	Epidemiological studies; <i>in vivo/in vitro</i> studies; surveillance reports		Epidemiological studies
Dimensions of the causality framework based on Bradford Hill*	• Temporality (cause precedes effect)		
	• Biological plausibility of proposed biological mechanisms		
	• Strength of association		• Strength of association
	• Exclusion of alternative explanations		
	• Cessation (reversal of an effect by experimental removal of, or observed a decline in, the exposure)		
	• Dose-response relationship		• Dose-response relationship
	• Experimental evidence from animal studies		
	• Analogous cause-and-effect relationships found in other diseases		
	• Specificity of the effect		• Specificity of the effect
	• Consistency of findings across different study types, populations and times		• Consistency of findings across different study types, populations and times

* The causality framework is described elsewhere in detail:

[<https://f1000researchdata.s3.amazonaws.com/supplementary/13704/95380c74-7569-4049-bf3b-b2832794bdf9.docx>].

the Preferred Reporting Items of Systematic reviews and Meta-Analyses (PRISMA) statement (Extended data, Supplementary File 1¹⁷)¹⁸.

Focus on epidemiological aspects of causality

This review and subsequent updates will focus on four dimensions of causality that are examined in epidemiological study designs: strength of association, dose-response relationship and specificity of effects and consistency of association (Extended data, Table 1, Supplementary File 2¹⁷). Evidence for domains of causality that are typically investigated in *in vitro* and *in vivo* laboratory studies (Table 1) was not sought. In the absence of licensed vaccines or treatments for ZIKV infection, we did not search for evidence on the effects of experimental removal of ZIKV.

Eligibility criteria

We considered epidemiological studies that reported original data and assessed ZIKV as the exposure and congenital abnormalities or GBS as the outcomes. We based the exposure and outcome assessment on the definitions used in the publications. We applied the following specific inclusion criteria (Extended data, Supplementary File 2¹⁷):

Strength of association: at the individual level, we selected studies that included participants both with and without exposure to ZIKV (Figure 1), such as cohort studies and case-control studies. At the population level, we included studies that assessed the outcome during the ZIKV outbreak and provided a comparison with pre or post-outbreak incidence of the outcome.

Dose-response relationship: we included studies that assessed the relation between the level of the viral titre or the presence or severity of the symptoms and the occurrence or severity of the outcome.

Specificity of the outcome for ZIKV exposure: we included studies that assessed whether the pathological findings in cases with the outcome are specific for ZIKV infection.

Consistency: we looked at eligible studies to determine the consistency of the relationship between ZIKV exposure and the outcomes across populations, study designs, regions or strains.

Search and information sources

We searched PubMed, Embase, LILACS and databases and websites of defined health agencies (Extended data, Supplementary File 2¹⁷). We included search terms for the exposure, the outcome and specific study designs. We also performed searches of the reference lists of included publications. A detailed search strategy is presented in Supplementary File 2. For this review, the search covered the period from January 19, 2017 to July 1, 2019.

Study selection and extraction

One reviewer screened titles and abstracts of retrieved publications. If retained, the same reviewer screened the full text for inclusion. A second reviewer verified decisions. One reviewer extracted data from included publications into piloted extraction forms in REDCap (version 8.1.8 LTS, Research Electronic Data Capture)¹⁹. A second reviewer verified data entry. Conflicts were resolved by consulting a third reviewer.

Synthesis of evidence

First, we summarised findings for each dimension of causality and for each outcome descriptively. Where available, we calculated unadjusted odds ratios (OR) or risk ratios (RR) and their 95% confidence interval (CI) from published data for unmatched study designs. For matched study designs, we used the effect measure and 95% CI presented by the authors. For publications that presented results for multiple measures of exposure and/or outcome, we compared these results. We applied the standard continuity correction of 0.5 for zero values in any cell in the two-by-two table²⁰. We used the I^2 statistic to describe the percentage of variation across studies that is due to heterogeneity for reasons other than chance²¹. Quantitative synthesis was performed using R 3.5.1²². We conducted random effects meta-analyses using the R package metafor (version 2.0-0)²⁰. Finally, we compared descriptive and quantitative

Figure 1. For congenital abnormalities due to ZIKV, exposure assessment in mother-infant pairs can be performed in the mother or the foetus or infant. The latest and previous versions of this figure are available as extended data¹⁶.

findings from this review period with previous versions of the review^{8,10}.

Searching and screening frequency

Daily searches of PubMed, Embase and LILACS are automated and monthly searches are performed manually for other information sources in the first week of the month (Extended data, Supplementary File 2¹⁷), with screening of all retrieved publications on the same day. The search strategy consisted of a combination of free terms and MESH terms that identified the exposure and outcomes (Extended data, Supplementary File 2¹⁷). Searches from multiple sources were combined and automatically deduplicated by an algorithm that was tested against manual deduplication. Unique records enter a central database, and reviewers are notified of new content.

Frequency of results update

The tables and figures presented in this paper will be updated every six months as a new version of this publication. As soon as new studies are included, their basic study characteristics are extracted and provided online <https://zika.ispm.unibe.ch/apps/causalitymap/>.

Duration of maintenance of the living systematic review

We will keep the living systematic review up to date for as long as new relevant data are published and at least until October 31, 2021, the end date of the project funding.

Risk of bias/Certainty of evidence assessment

To assess the risk of bias of cohort studies and case-control studies, we compiled a list of questions in the domains of selection bias, information bias, and confounding, based on the [quality appraisal checklist of the United Kingdom National Institute for Health and Care Excellence \(NICE\)](#) and literature²³.

Two independent reviewers conducted the quality assessment. Disagreements were resolved by a third reviewer.

Results

Search results from January 19, 2017 to July 1, 2019 (Update 2)

From January 19, 2017 to July 1, 2019 we screened 1941 publications, of which we included 638 based on title and abstract. After reviewing the full text, 249 publications were included (Table 2, Figure 3). Of these publications, 195 reported on congenital abnormalities linked to ZIKV^{24–217} and 59 on GBS^{4,44,118,201,203,206,218–270}. Five outbreak reports described both outcomes^{44,118,201,203,206}.

Adverse congenital outcomes

We included 39 case reports^{24–61}, 62 case series^{62–123}, 10 case-control studies^{124–133}, 35 cohort studies^{134–168}, 19 cross-sectional studies^{169–187}, seven ecological studies^{188–194}, three modelling studies^{195–197} and 20 outbreak reports^{198–217} that report on congenital abnormalities linked to ZIKV.

Causality dimensions

Strength of association. Individual level: In this review period, five case-control studies reported on strength of association, four in Brazil (n=670 participants)^{125,126,128,130} and one in French Polynesia (n=123 participants)¹³¹. The studies assess adverse pregnancy outcomes including infants born with microcephaly, according to exposure to ZIKV for cases. Of these, all studies matched controls, based on gestational age and/or region. During the review period up to January 18, 2017, we included one case-control study²⁷¹, which we replaced with a publication reporting the final results of the study¹²⁶. The meta-analyses incorporate estimates from studies identified in all review periods.

Table 2. Included publications in the baseline review, update 1 and update 2 (this version), by outcome and epidemiological study design. The latest and previous versions of this table are available as extended data¹⁶.

Outcome	Adverse congenital outcomes, number of publications			GBS, number of publications		
	Baseline*	Update1†	Update2	Baseline*	Update1†	Update2
Study design						
Case report	9	13	39	9	5	17
Case series	22	12	62	5	11	22
Case-control study	0	2	10	1	1	7
Cohort study	1	8	35	0	0	0
Cross-sectional study	2	1	19	0	1	3
Controlled trials	0	0	0	0	0	0
Ecological study/outbreak report	5	4	27	19	7	9
Modelling study	2	0	3	0	0	1
Total:	41	40	195	34	25	59

* Baseline review, earliest date of each information source to May 30, 2016⁸;

† Update 1, May 30, 2016 to January 18, 2017¹⁰.

Figure 2. Map of the epidemiological studies that report on adverse congenital outcomes (blue) or Guillain-Barré syndrome (red) associated with Zika virus exposure. The size of the points correspond with the number of exposed individuals with the adverse outcome, according to the definitions used in the publications. The latest and previous versions of this figure are available as extended data¹⁶.

Assessment of exposure status varied between the studies (Extended data, Supplementary File 3¹⁷). In five case-control studies, exposure to ZIKV was assessed in the mother, based on clinical symptoms of 'suspected Zika virus infection'¹²⁵, or presence of maternal antibodies measured by IgM (Kumar *et al.* (2016)²⁷²), PRNT (de Araujo *et al.* (2018)¹²⁶, Subissi *et al.* (2018)¹³¹), or both PRNT and IgG (Moreira-Soto *et al.* (2018)) maternal antibody¹²⁷.

In meta-analysis, we found that the odds of adverse congenital outcomes (microcephaly or congenital abnormalities) were 3.8 times higher in ZIKV-infected mothers (95% CI: 1.7-8.7, $\tau^2=0.18$, $I^2=19.8\%$, Figure 4). Moreira-Soto *et al.* (2018) found that in Bahia, Brazil, Chikungunya infection was also associated with being a case¹²⁷.

In two matched case-control studies, exposure to ZIKV was assessed in infants; Araujo *et al.* found a 73.1 (95% CI 13.0-Inf) times higher odds was reported for microcephaly when ZIKV infection was assessed by reverse transcription polymerase chain reaction (RT-PCR) in the neonate¹²⁶. Krow-Lucal *et al.* (2018) found an OR of 21.9 (95% CI: 7.0-109.3) based on evidence of recent Zika infection assessed using IgM followed by PRNT in infants in Paraiba, Brazil¹²⁸. When exposure

was assessed at the infant-level, the combined odds of adverse congenital outcomes was 37.4 times higher (95% CI: 11.0-127.1, $\tau^2=0$, $I^2=0\%$, Figure 4).

In this review period, one cohort study reported on strength of association, in 610 pregnant women returning from ZIKV-affected areas in Central and South America to the USA¹³⁸. Maternal ZIKV exposure was measured using RT-PCR or IgM followed by plaque reduction neutralisation test (PRNT). Among the 28 infants born to ZIKV-infected mothers, none was diagnosed with microcephaly and, one was born with a major malformation. In the ZIKV-unexposed group, eight out of 306 had major malformations. A complete overview of different outcomes assessed is presented in the extended data, Supplementary File 3¹⁷. During the review period up to January 18, 2017, we included two cohort studies, one in women with rash and fever (Brasil *et al.* (2016)) and one in unselected pregnant women (Pomar *et al.* (2017))^{273,274}. In meta-analysis of all three studies, we found that the risk of microcephaly was 3.5 times higher in ZIKV-infected mothers of babies (95% CI: 0.90-13.51, $\tau^2=0$, $I^2=0\%$, Figure 5).

Population level: At a population level, data from Mexico collected at different altitudes during the ZIKV outbreak, showed

Figure 3. PRISMA flow-chart of publications retrieved, screened and included between January 18, 2017 and July 1, 2019. Adapted from: Moher *et al.* (2009)¹⁸. The latest and previous versions of this figure are available as extended data¹⁶.

that the risk of microcephaly was increased in regions at altitudes below 2200m, in which ZIKV can circulate¹⁹⁶. Hay *et al.* (2018) reanalysed surveillance data from Colombia and northeast Brazil and concluded that time-dependent reporting changes might have caused apparent inconsistencies in the proportion of congenital abnormalities as a result of maternal ZIKV infection¹⁹⁷.

Dose response. Halai *et al.* (2017)¹²⁰ examined the severity of congenital outcomes according to measures of the severity of maternal ZIKV infection in a subset of mothers in the cohort presented by Brasil *et al.* (2016)²⁷⁴. They evaluated ZIKV load, assessed by RT-PCR using the cycle threshold (CT) as a measure of number of RNA copies, and a severity score of symptoms in 131 pregnant women. They concluded that neither higher viral load nor more severe symptoms was associated with more

severe congenital abnormalities¹³⁶. Moreira-Soto *et al.* found higher maternal antibody titers in microcephaly cases compared with controls¹²⁷. In previous review periods, Honein *et al.* (2016) compared outcomes in neonates born to symptomatic and asymptomatic infected pregnant women returning to the USA with possible ZIKV infection and found no differences²⁷⁵.

Specificity. Although some outcomes, such as lingual phenotype¹⁷⁷ or neurogenic bladder²⁷⁶, have been hypothesised as a specific phenotype for congenital ZIKV infection, no additional evidence was identified that certain congenital adverse findings are specific for congenital ZIKV infection.

Consistency. Geographical region: All four WHO geographic regions (the Africa region [AFRO], the American region [AMRO], the South-East Asian region [SEARO] and the Western

A

B

Figure 4. Forest plot and meta-analysis of case-control studies reporting on ZIKV infection assessed in mothers (**A**) and in infants (**B**) and adverse congenital outcomes (microcephaly, congenital malformations, central nervous system abnormalities). The odds ratio from the five case-control studies that assess exposure in mothers combined is 3.8 (95% CI: 1.7-8.7, $\tau^2=2.37$, $I^2=19.8\%$); the odds ratio for the studies that assess exposure in infants is 37.4 (95% CI: 11.0-127.1, $\tau^2=0$, $I^2=0\%$). The odds ratios are plotted on the log scale. Abbreviations: CSF, cerebrospinal fluid; PRNT, plaque reduction neutralisation test; RE, random effects; RT-PCR, reverse transcription polymerase chain reaction. The latest and previous versions of this figure are available as extended data¹⁶.

Figure 5. Forest plot and meta-analysis of cohort studies reporting on ZIKV infection and adverse congenital outcomes. The risk ratio from the random effects model is 3.5 (95% CI: 0.9-13.5, $\tau^2=0$, $I^2=0\%$). The risk ratios are provided on the log scale. Abbreviations: ZIKV, Zika virus; PRNT, plaque reduction neutralisation test; RE, random effects; RT-PCR, Reverse transcription polymerase chain reaction. The latest and previous versions of this figure are available as extended data.

Pacific region [WPRO]) with past or active ZIKV transmission have now reported congenital abnormalities due to ZIKV infection. During this review period, the first congenital abnormality due to infection with the Asian lineage of the virus on the African mainland occurred in a traveller returning from Angola⁴⁷. Possible cases of congenital abnormalities have occurred in Guinea-Bissau⁹⁶. In the most recent [WHO situation report from March 2017](#), two cases of microcephaly are documented in Thailand and one in Vietnam, which were also described in detail in other works^{24,54,107}. We identified another publication on congenital abnormalities due to endemic ZIKV in Cambodia¹¹⁰. The occurrence of congenital adverse outcomes in AFRO, SEARO, and WPRO seems sporadic, despite the endemic circulation of ZIKV. As noted above, the observed complication rate varied strongly between regions. Extended data, Supplementary File 3 provides a full overview of the published studies on congenital abnormalities per region and country¹⁷.

Traveller/non-traveller populations: In this update, we found further evidence that congenital abnormalities occurred in infants born to women travellers returning from ZIKV-affected areas and women remaining in those areas. In total, 25 publications report on 272 congenital abnormalities due to ZIKV infection in travellers^{27,29,30,32,34,36,38,42,45,56,58,61,89,94,98,109,117,122,123,137,140,151,153,166,173}, with 109 publications reporting congenital abnormalities due to ZIKV in 2652 non travellers^{24–26,28,31,33,35,37,39–41,43,44,46–48,50,51,54,57,60,62–79,81,83–85,87,88,90–93,95–100,101,104–106,110–113,115,116,118,119,121,124–135,142–147,149,152,154,156–164,167,168,171,172,175–180,182,186}.

In this review period, evidence emerged that transmission through sexual contact with infected travellers also resulted in foetal infection^{58,59}.

Study designs: The association between ZIKV infection and congenital abnormalities was consistent across different study designs (Table 2).

Lineages: We found no new evidence of consistency across different lineages from observational studies. The currently observed adverse congenital outcomes are linked to the ZIKV of the Asian lineage.

Risk of bias assessment

In all case-control studies, uncertainty about the exposure status due to imperfect tests could result in a bias towards the null. Some studies might suffer from recall bias where exposure was assessed by retrospectively asking about symptoms^{125,131}. For the cohort studies^{138,274}, the enrolment criteria were based on symptomatology. As a result, even in the absence of evidence of ZIKV, the unexposed groups might have had conditions that were unfavourable to their pregnancy. We expect this to bias the results towards the null or underestimate the true effect. Owing to imperfect diagnostic techniques, both false positives (IgM, cross reactivity) and false negatives (due to the limited detection window for RT-PCR) might occur, potentially resulting in bias; the direction of this bias would often be towards the null. None of the studies controlled

for potential confounding. Extended data, Supplementary File 4 provides the full risk of bias assessment of the studies included in the meta-analysis¹⁷.

GBS

During this review period, we included 17 case reports^{44,218–233}, 22 case series^{118,234–254}, seven case-control studies^{4,255–260}, one ecological study²⁶⁴, one modelling study²⁶⁵ and eight outbreak reports^{201,203,206,266–270} that reported on ZIKV infection and GBS.

Causality dimensions

Strength of association. Individual level. The number of studies reporting on the strength of association between ZIKV infection and GBS at an individual level increased substantially. We identified five case-control studies^{255–259} published since the previous update, which included one case-control study from French Polynesia²⁷⁷. All studies were matched for age and place of residence. In the studies from Brazil, Colombia, Puerto Rico and New Caledonia, temporal clustering of cases in association with ZIKV circulation was documented^{255–258}. In Bangladesh, ZIKV transmission was endemic²⁵⁹. Exposure assessment was based on serology^{255,256} or a combination of RT-PCR and serology^{257–259}. Extended data, Supplementary File 3 shows the variability in ORs according to criteria for ZIKV exposure assessment, based on unmatched crude data extracted from each case-control study¹⁷.

Figure 6 shows the association between GBS and ZIKV infection, using the diagnostic criteria that were most similar across studies. Heterogeneity was considerable ($I^2=78.3\%$), but was reduced slightly after stratification based on the method of selection of controls. The summary OR was higher in studies that enrolled controls from hospital (OR: 55.8, 95% CI: 17.2–181.7, $\tau^2=0$, $I^2=0\%$)^{258,277} than in studies that enrolled controls at random from within the same community^{255–257} or from the same household²⁵⁹ (OR: 2.0, 95% CI: 0.8–5.4, $\tau^2=0.46$, $I^2=74.6\%$). Amongst studies with community controls, ORs were lower when enrolment and assessment took place several months after onset of symptoms^{255,256} than in studies with contemporaneous enrolment^{257,259}. To further illustrate the heterogeneity in exposure assessment between and within the studies, we provide additional aggregations of the data in Extended data, Supplementary File 3¹⁷.

Population level. At a population level, Mier-Y-Teran-Romero *et al.* (2018) found that the estimated incidence of GBS ranged between 1.4 (0.4–2.5) and 2.2 (0.8–5.0) per 10,000 ZIKV infections comparing surveillance/reported cases from Brazil, Colombia, Dominican Republic, El Salvador, French, Honduras, Puerto Rico, Suriname, Venezuela, and Micronesia. The across-location minimum and maximum estimates were used to estimate an average risk of having GBS and being reported after ZIKV infection across locations of approximately 2.0 GBS cases per 10,000 infections (95% credible interval 0.5–4.5 per 10,000 ZIKV infections)²⁶⁵.

Dose response. In a case-control study, Lynch *et al.* (2018) found higher titres of neutralising antibodies in ZIKV-infected

Figure 6. Forest plot of six included case-control studies and their exposure assessment. Odds ratios (ORs) are shown on the log-scale. The meta-analysis is stratified by the selection of controls: Hospital controls, or community/household controls. Most similar exposure assessment measures are compared (IgM^{256,258,259,277}, recent flavivirus infection²⁵⁵, or IgM and/or RT-PCR²⁵⁷). OR: 7.0 [95% CI: 1.7-28.8, tau²=2.78, I²=78.3%]. ORs from studies marked with an asterisk (*) are matched ORs, unmarked studies provided crude ORs. The latest and previous versions of this figure are available as extended data¹⁶.

GBS cases than in patients with symptomatic ZIKV infection but without GBS²⁶⁰.

Specificity. Dirlikov *et al.* (2018) compared Puerto Rican GBS cases reported through public health surveillance that were preceded by ZIKV and cases that were not preceded by ZIKV infection²⁴⁹. Clinical features involving cranial nerves were observed more frequently in ZIKV-related cases and, at a six-month follow-up visit, residual cranial neuropathy was noted more often in this group. However, clinical symptoms did not allow a distinction to be made between ZIKV and non-ZIKV related GBS.

Consistency. Geographical region: During this review period, GBS likely due to ZIKV infection was reported in Asia; including Thailand, Bangladesh, Singapore and India^{4,48,252,259}. Publication in the WHO Region of the Americas followed the pattern as observed before and no GBS linked to ZIKV infection was reported in Africa. Extended data, Supplementary File 3 provides a full overview of the published studies on congenital abnormalities by region and country¹⁷. In a reanalysis of surveillance data from the Region of the Americas, Ikejezie *et al.* (2016) found consistent time trends between GBS incidence and ZIKV incidence²⁶⁴.

Traveller/non-traveller populations: In studies included in this update, we found additional evidence of GBS in both travellers and non-travellers with ZIKV infection. Ten publications report on 11 travellers^{218,220,222–224,227,229,232–234},

while 34 publications report GBS due to ZIKV in 402 non travellers^{4,44,118,219,221,225,226,228,230,231,235–237,239–247,249,251,253–260,262,263}.

Study designs: Across the different study designs, the relation between GBS and ZIKV is consistently shown. Table 2 and Extended data, Supplementary File 3 provide an overview of the included study designs¹⁷.

Lineages: We still lack evidence on the consistency of the relation between GBS and ZIKV across different lineages from observational studies. The observed cases of GBS were linked to ZIKV of the Asian lineage.

Risk of bias assessment

Potential selection bias in case-control studies was introduced by the selection of controls from hospitals rather than from the communities in which the cases arose^{258,277}. Uncertainty about the exposure status due to imperfect tests would tend to result in a bias towards the null. Two case-control studies did not conduct a matched analysis although controls were matched, and no study controlled for potential confounding by factors other than those used for matching. Exclusion criteria and participation rate, especially of the controls, were poorly reported. Extended data, Supplementary File 4 provides the full risk of bias assessment of the studies included in the meta-analysis¹⁷.

Discussion

In this living systematic review, we summarised the evidence from 249 observational studies in humans on four dimensions

of the causal relationship between ZIKV infection and adverse congenital outcomes and GBS, published between January 18, 2017 and July 1, 2019.

Strengths and limitations

The strengths of this living systematic review are, first, that we automated much of the workflow¹⁰; we searched both international and regional databases daily and we screen papers for eligibility as they became available, so publication bias is unlikely. Second, we have quantified the strength of association between ZIKV infection and congenital abnormalities and GBS and investigated heterogeneity of outcome and exposure assessment within and between studies. Third, for congenital outcomes, we included studies with both microcephaly and other possible adverse outcomes, acknowledging the spectrum of congenital adverse outcomes caused by ZIKV. This work also has several limitations. First, we have not assessed the dimensions of the causality framework that involve laboratory studies, so we have not updated the pathobiology of ZIKV complications, which was addressed in the baseline review⁸ and the first update to January 2017¹⁰. Limiting the review to epidemiological domains has allowed more detailed analyses of these studies and we hope that laboratory scientists will continue to review advances in these domains. Second, the rate of publications on ZIKV remains high so, despite the reduced scope and automation, maintenance of the review is time-consuming and data extraction cannot be automated. Third, this review may suffer from continuity bias, which is important for the conduct and interpretation of living systematic reviews and results from changes in the author team. Careful adherence to the protocol will reduce this risk.

Interpretation of the findings

ZIKV and congenital abnormalities: Since the earlier versions of the review^{8,10}, evidence on the causal relationship between ZIKV infection and congenital abnormalities has expanded. Unfortunately, the total number of cases investigated in the published cohort or case-control studies remains small. In case-control studies in which infants with microcephaly or other congenital abnormalities are compared with unaffected infants, the strength of association differs according to whether exposure to ZIKV is assessed in the mother (OR 3.8, 95% CI: 1.7-8.7, $\tau^2=0.18$, $I^2=19.8\%$) or the foetus/infant (OR 37.4, 95% CI: 11.0-127.1, $\tau^2=0$, $I^2=0\%$). This large difference in effect size can be attributed to the fact that not all maternal ZIKV infections result in foetal infection. In cohort studies, the risk of congenital abnormalities was 3.5 times higher (95% CI: 0.9-13.5, $I^2=0\%$, $\tau^2=0$) in mothers with evidence of ZIKV infection than without, which is similar to the OR for maternal exposure to ZIKV estimated from case-control studies. Further research is needed to understand the drivers of mother to child transmission. Higher maternal antibody titres were correlated with a higher incidence of adverse congenital outcomes in one case-control study¹²⁷. However, amongst ZIKV-infected mothers followed prospectively, severity of ZIKV infection was not associated with more severe congenital abnormalities¹³⁶. Convincing evidence on a dose-response relation is therefore still lacking.

ZIKV and GBS: Evidence on the causal relation between ZIKV infection and GBS has grown since our last review¹⁰. The body of evidence is still smaller than that for congenital abnormalities, possibly because GBS is a rare complication, estimated to occur in 0.24 per 1000 ZIKV infections²⁷⁷. In this review, the strength of association between GBS and ZIKV infection, estimated in case-control studies, tended to be lower than observed in the first case-control study reported by Cao-Lormeau (2016) in French Polynesia²⁷⁷. It is possible that the finding by Cao-Lormeau *et al.* was a 'random high', a chance finding²⁷⁸. Simon *et al.*, however, found a similarly strong association in a case-control study in New Caledonia²⁵⁸. In both these studies, controls were patients in the same hospital. Although matched for place of residence, it is possible that they were less likely to have been exposed to ZIKV than the cases, resulting in an overestimation of the OR. In case-control studies in which controls were enrolled from the same communities as the cases, estimated ORs were lower, presumably because exposure to ZIKV amongst community-enrolled controls is less biased than amongst hospital controls²⁷⁹. Under-ascertainment of ZIKV infection in case-control studies in which enrolment occurred several months after the onset of symptoms^{255,256} is also likely to have reduced the observed strength of association. There is also possible evidence of a dose-response relationship, with higher levels of neutralising antibodies to both ZIKV and dengue in people with GBS²⁶⁰. However, the level of antibody titre might not be an appropriate measure of viral titre, and merely a reflection of the intensity of the immune response. Taking into account the entire body of evidence, inference to the best explanation²⁸⁰ supports the conclusion that ZIKV is a cause of GBS. The prospect of more precise and robust estimates of the strength of association between ZIKV and GBS is low because outbreaks need to be sufficiently large to enrol enough people with GBS. In the large populations that were exposed during the 2015–2017 outbreak, herd immunity will limit future ZIKV outbreaks.

Implications for future research

The sample sizes of studies published to date are smaller than those recommended by WHO for obtaining precise estimates of associations between ZIKV and adverse outcomes [Harmonization of ZIKV Research Protocols to Address Key Public Health]. Given the absence of large new outbreaks of ZIKV infection in 2017–2019, there is a need for consortia of researchers to analyse their data in meta-analyses based on individual participant data [Individual Participant Data Meta-analysis of Zika-virus related cohorts of pregnant women (ZIKV IPD-MA)]. Future collaborative efforts will help to quantify the absolute risks of different adverse congenital outcomes and allow investigation of heterogeneity between studies^{136,149,275}.

This review highlights additional research gaps. We did not assess the complication rates within the infected group in studies without an unexposed comparison group; the adverse outcomes are not pathognomonic for ZIKV infection, making an appropriate comparison group necessary. Although there are no individual features of ZIKV infection that are completely specific, the growing number of publications on ZIKV will

allow better ascertainment of the features of a congenital Zika syndrome²⁸¹. In this review, we did not take into account the performance of the diagnostic tests in assessing the strength of association. Future research should include robust validation studies, and improved understanding of contextual factors in the performance of diagnostic tests, including the influence of previous circulation of other flaviviruses, the prevalence of ZIKV and the test used.

This living systematic review will continue to follow studies of adverse outcomes originating from ZIKV circulation in the Americas, but research in regions with endemic circulation of ZIKV is expected to increase. Such studies will clarify whether ZIKV circulation in Africa and Asia also results in adverse outcomes, as suggested by the case-control study of GBS from Bangladesh²⁵⁹. Increased awareness might improve the evidence-base in these regions, where misperceptions about the potential risks of ZIKV-associated disease with different virus lineages has been reported²⁸². An important outstanding question remains whether the absence of reported cases of congenital abnormalities or GBS in these regions represent a true absence of complications or is this due to weaker surveillance systems or reporting²⁸³. The conclusions that ZIKV infection causes adverse congenital outcomes and GBS are reinforced with the evidence published between January 18, 2017 and July 1, 2019.

Data availability

Underlying data

All data underlying the results are available as part of the article and no additional source data are required.

Extended data

Harvard dataverse: Living systematic review on adverse outcomes of Zika - Supplementary Material. <https://doi.org/10.7910/DVN/S7USUI>¹⁷

This project contains the following extended data:

- SupplementaryFile1Prisma.docx (PRISMA checklist)

- SupplementaryFile2Methods.docx (Supplementary file 2, additional information to the Methods)
- SupplementaryFile3Results.docx (Supplementary file 3, additional information to the Results)
- SupplementaryFile4ROB.tab (Risk of bias assessment)

Harvard dataverse: Living systematic review on adverse outcomes of Zika - Figures and Table. <https://doi.org/10.7910/DVN/DLP5AN>¹⁶

This project contains the following extended data:

- Fig1.pdf (Most recent version of Figure 1)
- Fig2.pdf (Most recent version of Figure 3, PRISMA flowchart)
- Fig3A.pdf (Most recent version of Figure 4A)
- Fig3B.pdf (Most recent version of Figure 4B)
- Fig4.pdf (Most recent version of Figure 5)
- Fig5.pdf (Most recent version of Figure 6)
- Table1.pdf (Most recent version of Table 1)
- Table2.pdf (Most recent version of Table 2)

Reporting guidelines

PRISMA checklist and flow diagram for 'Zika virus infection as a cause of congenital brain abnormalities and Guillain-Barré syndrome: A living systematic review', <https://doi.org/10.7910/DVN/S7USUI> and Figure 2.

Disclaimer

The views expressed in this article are those of the authors and do not necessarily represent the official positions of the Centers for Disease Control and Prevention.

References

- Butler D: **Drop in cases of Zika threatens large-scale trials.** *Nature*. 2017; **545**(7655): 396–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Colón-González FJ, Peres CA, Steiner São Bernardo C, et al.: **After the epidemic: Zika virus projections for Latin America and the Caribbean.** *PLoS Negl Trop Dis*. 2017; **11**(11): e0006007.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Hamer DH, Chen LH: **Zika in Angola and India.** *J Travel Med*. 2019; **26**(5): taz012.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Umapathi T, Kam YW, Ohnmar O, et al.: **The 2016 Singapore Zika virus outbreak did not cause a surge in Guillain-Barré syndrome.** *J Peripher Nerv Syst*. 2018; **23**(3): 197–201.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Ruchusatsawat K, Wongjaroen P, Posanacharoen A, et al.: **Long-term circulation of Zika virus in Thailand: an observational study.** *Lancet Infect Dis*. 2019; **19**(4): 439–46.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Althouse BM, Vasilakis N, Sall AA, et al.: **Potential for Zika Virus to Establish a Sylvatic Transmission Cycle in the Americas.** *PLoS Negl Trop Dis*. 2016; **10**(12): e0005055.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Heymann DL, Hodgson A, Sall AA, et al.: **Zika virus and microcephaly: why is this situation a PHEIC?** *Lancet*. 2016; **387**(10020): 719–21.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Krauer F, Riesen M, Reveiz L, et al.: **Zika Virus Infection as a Cause of Congenital Brain Abnormalities and Guillain-Barré Syndrome: Systematic**

- Review.** *PLoS Med.* 2017; 14(1): e1002203.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
9. Elliott JH, Turner T, Clavisi O, *et al.*: **Living systematic reviews: an emerging opportunity to narrow the evidence-practice gap.** *PLoS Med.* 2014; 11(2): e1001603.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 10. Counotte M, Egli-Gany D, Riesen M, *et al.*: **Zika virus infection as a cause of congenital brain abnormalities and Guillain-Barré syndrome: From systematic review to living systematic review [version 1; peer review: 2 approved, 1 approved with reservations].** *F1000Res.* 2018; 7: 196.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 11. Devakumar D, Bamford A, Ferreira MU, *et al.*: **Infectious causes of microcephaly: epidemiology, pathogenesis, diagnosis, and management.** *Lancet Infect Dis.* 2018; 18(1): e1–e13.
[PubMed Abstract](#) | [Publisher Full Text](#)
 12. Frenkel LD, Gomez F, Sabahi F: **The pathogenesis of microcephaly resulting from congenital infections: why is my baby's head so small?** *Eur J Clin Microbiol Infect Dis.* 2018; 37(2): 209–26.
[PubMed Abstract](#) | [Publisher Full Text](#)
 13. Koopmans M, de Lamballerie X, Jaenisch T, *et al.*: **Familial barriers still unresolved—a perspective on the Zika virus outbreak research response.** *Lancet Infect Dis.* 2019; 19(2): e59–e62.
[PubMed Abstract](#) | [Publisher Full Text](#)
 14. Fischer C, Pedrosa C, Mendrone A Jr, *et al.*: **External Quality Assessment for Zika Virus Molecular Diagnostic Testing, Brazil.** *Emerg Infect Dis.* 2018; 24(5): 888–892.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 15. Charrel R, Mogling R, Pas S, *et al.*: **Variable Sensitivity in Molecular Detection of Zika Virus in European Expert Laboratories: External Quality Assessment, November 2016.** *J Clin Microbiol.* 2017; 55(11): 3219–26.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 16. Counotte MJ: **Living systematic review on adverse outcomes of Zika - Figures and Table.** Harvard Dataverse, V3. 2019.
<http://www.doi.org/10.7910/DVN/DLP5AN>
 17. Counotte MJ: **Living systematic review on adverse outcomes of Zika - Supplementary Material.** Harvard Dataverse, V1, UNF:6: sAGbGceAYGoHLIT7sDtDsw== [fileUNF]. 2019.
<http://www.doi.org/10.7910/DVN/S7USUI>
 18. Moher D, Liberati A, Tetzlaff J, *et al.*: **Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement.** *PLoS Med.* 2009; 6(7): e1000097.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 19. Harris PA, Taylor R, Thielke R, *et al.*: **Research electronic data capture (REDCap)—a metadata-driven methodology and workflow process for providing translational research informatics support.** *J Biomed Inform.* 2009; 42(2): 377–81.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 20. Viechtbauer W: **Conducting Meta-Analyses in R with the metafor Package.** *J Stat Softw.* 2010; 36(3): 1–48.
[Publisher Full Text](#)
 21. Higgins JP, Thompson SG: **Quantifying heterogeneity in a meta-analysis.** *Stat Med.* 2002; 21(11): 1539–58.
[PubMed Abstract](#) | [Publisher Full Text](#)
 22. R Core Team: **R: A Language and Environment for Statistical Computing.** Vienna, Austria. 2018.
[Reference Source](#)
 23. Hernán MA, Hernández-Díaz S, Robins JM: **A structural approach to selection bias.** *Epidemiology.* 2004; 15(5): 615–25.
[PubMed Abstract](#) | [Publisher Full Text](#)
 24. Moi ML, Nguyen TT, Nguyen CT, *et al.*: **Zika virus infection and microcephaly in Vietnam.** *Lancet Infect Dis.* 2017; 17(8): 805–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
 25. Santos VS, Oliveira SJG, Gurgel RQ, *et al.*: **Case Report: Microcephaly in Twins due to the Zika Virus.** *Am J Trop Med Hyg.* 2017; 97(1): 151–4.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 26. Mattar S, Ojeda C, Arboleda J, *et al.*: **Case report: microcephaly associated with Zika virus infection, Colombia.** *BMC Infect Dis.* 2017; 17(1): 423.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 27. Zacharias N, Whitty J, Noblin S, *et al.*: **First Neonatal Demise with Travel-Associated Zika Virus Infection in the United States of America.** *AJP Rep.* 2017; 7(2): e68–e73.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 28. Benjamin I, Fernández G, Figueira JV, *et al.*: **Zika virus detected in amniotic fluid and umbilical cord blood in an *in vitro* fertilization-conceived pregnancy in Venezuela.** *Fertil Steril.* 2017; 107(6): 1319–22.
[PubMed Abstract](#) | [Publisher Full Text](#)
 29. Kaur G, Manganas L: **EEG findings in a case of congenital zika virus syndrome.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
 30. Saulino D, Gaston E, Younke B, *et al.*: **The first zika-related infant mortality in the United States: An autopsy case report.** *Laboratory Investigation.* 2017; 97: 10A.
 31. Zuanazzi D, Arts EJ, Jorge PK, *et al.*: **Postnatal Identification of Zika Virus Peptides from Saliva.** *J Dent Res.* 2017; 96(10): 1078–84.
[PubMed Abstract](#) | [Publisher Full Text](#)
 32. Lovagnini Frutos MG, Ochoa JH, Barbás MG, *et al.*: **New Insights into the Natural History of Congenital Zika Virus Syndrome.** *Fetal Diagn Ther.* 2018; 44(1): 72–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
 33. Villamil-Gomez WE, Guijarro E, Castellanos J, *et al.*: **Congenital Zika syndrome with prolonged detection of Zika virus RNA.** *J Clin Virol.* 2017; 95: 52–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
 34. Rodó C, Suy A, Sulleiro E, *et al.*: **In utero negativization of Zika virus in a foetus with serious central nervous system abnormalities.** *Clin Microbiol Infect.* 2018; 24(5): 549 e1–e3.
[PubMed Abstract](#) | [Publisher Full Text](#)
 35. Jucá E, Pessoa A, Ribeiro E, *et al.*: **Hydrocephalus associated to congenital Zika syndrome: does shunting improve clinical features?** *Childs Nerv Syst.* 2018; 34(1): 101–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
 36. Raymond A, Jakus J: **Cerebral Infarction and Refractory Seizures in a Neonate with Suspected Zika Virus Infection.** *Pediatr Infect Dis J.* 2018; 37(4): e112–e4.
[PubMed Abstract](#) | [Publisher Full Text](#)
 37. Rabelo K, de Souza Campos Fernandes RC, de Souza LJ, *et al.*: **Placental Histopathology and Clinical Presentation of Severe Congenital Zika Syndrome in a Human Immunodeficiency Virus-Exposed Uninfected Infant.** *Front Immunol.* 2017; 8: 1704.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 38. Angelidou A, Michael Z, Hotz A, *et al.*: **Is There More to Zika? Complex Cardiac Disease in a Case of Congenital Zika Syndrome.** *Neonatology.* 2018; 113(2): 177–82.
[PubMed Abstract](#) | [Publisher Full Text](#)
 39. de Freitas Ribeiro BN, Muniz BC, Gasparetto EL, *et al.*: **Congenital involvement of the central nervous system by the Zika virus in a child without microcephaly - spectrum of congenital syndrome by the Zika virus.** *J Neuroradiol.* 2018; 45(2): 152–3.
[PubMed Abstract](#) | [Publisher Full Text](#)
 40. Chimelli L, Moura Pone S, Avvad-Portari E, *et al.*: **Persistence of Zika Virus After Birth: Clinical, Virological, Neuroimaging, and Neuropathological Documentation in a 5-Month Infant With Congenital Zika Syndrome.** *J Neuropathol Exp Neurol.* 2018; 77(3): 193–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 41. Regadas VC, Silva MCE, Abud LG, *et al.*: **Microcephaly caused by congenital Zika virus infection and viral detection in maternal urine during pregnancy.** *Rev Assoc Med Bras (1992).* 2018; 64(1): 11–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
 42. Schwartz KL, Chan T, Rai N, *et al.*: **Zika virus infection in a pregnant Canadian traveler with congenital fetal malformations noted by ultrasonography at 14-weeks gestation.** *Trop Dis Travel Med Vaccines.* 2018; 4: 2.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 43. Prata-Barbosa A, Cleto-Yamane TL, Robaina JR, *et al.*: **Co-infection with Zika and Chikungunya viruses associated with fetal death-A case report.** *Int J Infect Dis.* 2018; 72: 25–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
 44. Rabelo K, Souza LJ, Salomão NG, *et al.*: **Placental Inflammation and Fetal Injury in a Rare Zika Case Associated With Guillain-Barré Syndrome and Abortion.** *Front Microbiol.* 2018; 9: 1018.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 45. Guevara JG, Agarwal-Sinha S: **Ocular abnormalities in congenital Zika syndrome: a case report, and review of the literature.** *J Med Case Rep.* 2018; 12(1): 161.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 46. Giovanetti M, Goes de Jesus J, Lima de Maia M, *et al.*: **Genetic evidence of Zika virus in mother's breast milk and body fluids of a newborn with severe congenital defects.** *Clin Microbiol Infect.* 2018; 24(10): 1111–2.
[PubMed Abstract](#) | [Publisher Full Text](#)
 47. Sassetti M, Zé-Zé L, Franco J, *et al.*: **First case of confirmed congenital Zika syndrome in continental Africa.** *Trans R Soc Trop Med Hyg.* 2018; 112(10): 458–62.
[PubMed Abstract](#) | [Publisher Full Text](#)
 48. Brito CAA, Henriques-Souza A, Soares CRP, *et al.*: **Persistent detection of Zika virus RNA from an infant with severe microcephaly - a case report.** *BMC Infect Dis.* 2018; 18(1): 388.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 49. Gunturiz ML, Cortés L, Cuevas EL, *et al.*: **Congenital cerebral toxoplasmosis, Zika and chikungunya virus infections: a case report.** *Biomedica.* 2018; 38(2): 144–52.
[PubMed Abstract](#) | [Publisher Full Text](#)
 50. Valdespino-Vázquez MY, Sevilla-Reyes EE, Lira R, *et al.*: **Congenital Zika Syndrome and Extra-Central Nervous System Detection of Zika Virus in a Pre-term Newborn in Mexico.** *Clin Infect Dis.* 2019; 68(6): 903–12.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 51. Ventura CV, Bandstra ES, Fernandez MP, *et al.*: **First Locally Acquired Congenital Zika Syndrome Case in the United States: Neonatal Clinical Manifestations.** *Ophthalmic Surg Lasers Imaging Retina.* 2018; 49(9): e93–e8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 52. Lemos de Carvalho A, Brites C, Taguchi TB, *et al.*: **Congenital Zika Virus Infection**

- with Normal Neurodevelopmental Outcome, Brazil. *Emerg Infect Dis.* 2018; 24(11): 2128–30.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
53. Ho CY, Castillo N, Encinales L, *et al.*: Second-trimester Ultrasound and Neuropathologic Findings in Congenital Zika Virus Infection. *Pediatr Infect Dis J.* 2018; 37(12): 1290–3.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 54. Wongsurawat T, Jenjaroenpun P, Athipanyasilp N, *et al.*: Genome Sequences of Zika Virus Strains Recovered from Amniotic Fluid, Placenta, and Fetal Brain of a Microcephaly Patient in Thailand, 2017. *Microbiol Resour Anounc.* 2018; 7(11): pii: e01020-18.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 55. Ribeiro BNF, Marchiori E: Congenital Zika syndrome associated with findings of cerebellar cortical dysplasia - Broadening the spectrum of presentation of the syndrome. *J Neuroradiol.* 2018; pii: S0150-9861(18)30261-X.
[PubMed Abstract](#) | [Publisher Full Text](#)
 56. Lockrow J, Tully H, Saneto RP: Epileptic spasms as the presenting seizure type in a patient with a new “O” of TORCH, congenital Zika virus infection. *Epilepsy Behav Case Rep.* 2018; 11: 1–3.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 57. Davila-Castrod NM, Reyes-Bou Z, Correa-Rivas M, *et al.*: First Autopsy of a Newborn with Congenital Zika Syndrome in Puerto Rico. *P R Health Sci J.* 2018; 37(Special Issue): S81–S4.
[PubMed Abstract](#)
 58. Yarrington CD, Hamer DH, Kuohung W, *et al.*: Congenital Zika syndrome arising from sexual transmission of Zika virus, a case report. *Fertil Res Pract.* 2019; 5: 1.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 59. Khatib A, Showler AJ, Kain D, *et al.*: A diagnostic gap illuminated by a sexually-transmitted case of congenital Zika virus infection. *Travel Med Infect Dis.* 2019; 27: 117–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 60. Santos GR, Pinto CAL, Prudente RCS, *et al.*: Case Report: Histopathologic Changes in Placental Tissue Associated With Vertical Transmission of Zika Virus. *Int J Gynecol Pathol.* 2019.
[PubMed Abstract](#) | [Publisher Full Text](#)
 61. Sulleiro E, Frick MA, Rodó C, *et al.*: The challenge of the laboratory diagnosis in a confirmed congenital Zika virus syndrome in utero: A case report. *Medicine (Baltimore).* 2019; 98(20): e15532.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 62. de Paula Freitas B, Zin A, Ko A, *et al.*: Anterior-Segment Ocular Findings and Microphthalmia in Congenital Zika Syndrome. *Ophthalmology.* 2017; 124(12): 1876–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 63. Linden VV, Linden HV Junior, Leal MC, *et al.*: Discordant clinical outcomes of congenital Zika virus infection in twin pregnancies. *Arq Neuropsiquiatr.* 2017; 75(6): 381–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
 64. Leal MC, van der Linden V, Bezerra TP, *et al.*: Characteristics of Dysphagia in Infants with Microcephaly Caused by Congenital Zika Virus Infection, Brazil, 2015. *Emerg Infect Dis.* 2017; 23(8): 1253–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 65. Parra-Saavedra M, Reefhuis J, Piraquive JP, *et al.*: Serial Head and Brain Imaging of 17 Fetuses With Confirmed Zika Virus Infection in Colombia, South America. *Obstet Gynecol.* 2017; 130(1): 207–12.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 66. Aragao MFVV, Holanda AC, Brainer-Lima AM, *et al.*: Nonmicrocephalic Infants with Congenital Zika Syndrome Suspected Only after Neuroimaging Evaluation Compared with Those with Microcephaly at Birth and Postnatally: How Large Is the Zika Virus “Iceberg”? *AJNR Am J Neuroradiol.* 2017; 38(7): 1427–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
 67. Cabral CM, Nóbrega M, Leite PLE, *et al.*: Clinical-epidemiological description of live births with microcephaly in the state of Sergipe, Brazil, 2015. *Epidemiol Serv Saude.* 2017; 26(2): 245–54.
[PubMed Abstract](#) | [Publisher Full Text](#)
 68. Sousa AQ, Cavalcante DIM, Franco LM, *et al.*: Postmortem Findings for 7 Neonates with Congenital Zika Virus Infection. *Emerg Infect Dis.* 2017; 23(7): 1164–7.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 69. Ventura LO, Ventura CV, Lawrence L, *et al.*: Visual impairment in children with congenital Zika syndrome. *J AAPOS.* 2017; 21(4): 295–299.e2.
[PubMed Abstract](#) | [Publisher Full Text](#)
 70. Ramalho FS, Yamamoto AY, da Silva LL, *et al.*: Congenital Zika Virus Infection Induces Severe Spinal Cord Injury. *Clin Infect Dis.* 2017; 65(4): 687–90.
[PubMed Abstract](#) | [Publisher Full Text](#)
 71. Cavalcanti DD, Alves LV, Furtado GJ, *et al.*: Echocardiographic findings in infants with presumed congenital Zika syndrome: Retrospective case series study. *PLoS One.* 2017; 12(4): e0175065.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 72. Yopez JB, Murati FA, Pettito M, *et al.*: Ophthalmic Manifestations of Congenital Zika Syndrome in Colombia and Venezuela. *JAMA Ophthalmol.* 2017; 135(5): 440–5.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 73. Aragao MFVV, Brainer-Lima AM, Holanda AC, *et al.*: Spectrum of Spinal Cord, Spinal Root, and Brain MRI Abnormalities in Congenital Zika Syndrome with and without Arthrogryposis. *AJNR Am J Neuroradiol.* 2017; 38(5): 1045–53.
[PubMed Abstract](#) | [Publisher Full Text](#)
 74. Chimelli L, Melo ASO, Avvad-Portari E, *et al.*: The spectrum of neuropathological changes associated with congenital Zika virus infection. *Acta Neuropathol.* 2017; 133(6): 983–99.
[PubMed Abstract](#) | [Publisher Full Text](#)
 75. Meneses JDA, Ishigami AC, de Mello LM, *et al.*: Lessons Learned at the Epicenter of Brazil's Congenital Zika Epidemic: Evidence From 87 Confirmed Cases. *Clin Infect Dis.* 2017; 64(10): 1302–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 76. Del Campo M, Feitosa IM, Ribeiro EM, *et al.*: The phenotypic spectrum of congenital Zika syndrome. *Am J Med Genet A.* 2017; 173(4): 841–57.
[PubMed Abstract](#) | [Publisher Full Text](#)
 77. Acosta-Reyes J, Navarro E, Herrera MJ, *et al.*: Severe Neurologic Disorders in 2 Fetuses with Zika Virus Infection, Colombia. *Emerg Infect Dis.* 2017; 23(6): 982–4.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 78. Sanín-Blair JE, Gutiérrez-Márquez C, Herrera DA, *et al.*: Fetal Magnetic Resonance Imaging Findings in Prenatal Zika Virus Infection. *Fetal Diagn Ther.* 2017; 42(2): 153–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
 79. Schaub B, Vouga M, Najjoulah F, *et al.*: Analysis of blood from Zika virus-infected fetuses: a prospective case series. *Lancet Infect Dis.* 2017; 17(5): 520–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
 80. Tse C, Picon M, Rodriguez P, *et al.*: The Effects of Zika in Pregnancy: The Miami Experience [20M]. *Obstet Gynecol.* 2017; 129: 137s-8s.
[Publisher Full Text](#)
 81. Aleman TS, Ventura CV, Cavalcanti MM, *et al.*: Quantitative Assessment of Microstructural Changes of the Retina in Infants With Congenital Zika Syndrome. *JAMA Ophthalmol.* 2017; 135(10): 1069–76.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 82. Mejdoubi M, Monthieux A, Cassan T, *et al.*: Brain MRI in Infants after Maternal Zika Virus Infection during Pregnancy. *N Engl J Med.* 2017; 377(14): 1399–400.
[PubMed Abstract](#) | [Publisher Full Text](#)
 83. Fernandez MP, Parra Saad E, Ospina Martinez M, *et al.*: Ocular Histopathologic Features of Congenital Zika Syndrome. *JAMA Ophthalmol.* 2017; 135(11): 1163–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 84. Petribu NCL, Aragao MFV, van der Linden V, *et al.*: Follow-up brain imaging of 37 children with congenital Zika syndrome: case series study. *BMJ.* 2017; 359: j4188.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 85. Schaub B, Gueneret M, Jolivet E, *et al.*: Ultrasound imaging for identification of cerebral damage in congenital Zika virus syndrome: a case series. *Lancet Child Adolesc Health.* 2017; 1(1): 45–55.
[PubMed Abstract](#) | [Publisher Full Text](#)
 86. James-Powell T, Brown Y, Christie CDC, *et al.*: Trends of Microcephaly and Severe Arthrogryposis in Three Urban Hospitals following the Zika, Chikungunya and Dengue Fever Epidemics of 2016 in Jamaica. *West Indian Med J.* 2017; 66(1): 10–9.
[Publisher Full Text](#)
 87. Contreras-Capetillo SN, Valadéz-González N, Manrique-Saide P, *et al.*: Birth Defects Associated With Congenital Zika Virus Infection in Mexico. *Clin Pediatr (Phila).* 2018; 57(8): 927–36.
[PubMed Abstract](#) | [Publisher Full Text](#)
 88. Castro JDV, Pereira LP, Dias DA, *et al.*: Presumed Zika virus-related congenital brain malformations: the spectrum of CT and MRI findings in fetuses and newborns. *Arq Neuropsiquiatr.* 2017; 75(10): 703–10.
[PubMed Abstract](#) | [Publisher Full Text](#)
 89. Mulkey SB, Vezina G, Bulas DI, *et al.*: Neuroimaging Findings in Normocephalic Newborns With Intrauterine Zika Virus Exposure. *Pediatr Neurol.* 2018; 78: 75–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
 90. Pires P, Jungmann P, Galvão JM, *et al.*: Neuroimaging findings associated with congenital Zika virus syndrome: case series at the time of first epidemic outbreak in Pernambuco State, Brazil. *Childs Nerv Syst.* 2018; 34(5): 957–63.
[PubMed Abstract](#) | [Publisher Full Text](#)
 91. Felix A, Hallet E, Favre A, *et al.*: Cerebral injuries associated with Zika virus in utero exposure in children without birth defects in French Guiana: Case report. *Medicine (Baltimore).* 2017; 96(51): e9178.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 92. Ramos CL, Moreno-Carvalho OA, Nascimento-Carvalho CM: Cerebrospinal fluid aspects of neonates with or without microcephaly born to mothers with gestational Zika virus clinical symptoms. *J Infect.* 2018; 76(6): 563–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
 93. Soares-Marangoni DA, Tedesco NM, Nascimento AL, *et al.*: General movements and motor outcomes in two infants exposed to Zika virus: brief report. *Dev Neurorehabil.* 2019; 22(1): 71–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
 94. Howard A, Visintine J, Fergie J, *et al.*: Two Infants with Presumed Congenital Zika Syndrome, Brownsville, Texas, USA, 2016-2017. *Emerg Infect Dis.* 2018; 24(4): 625–30.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

95. De Fatima Viana Vasco Aragao M, Van Der Linden V, Petribu NC, *et al.*: **Congenital Zika Syndrome: Comparison of brain CT scan with postmortem histological sections from the same subjects.** *Neuroradiology*. 2018; 60(1 Supplement 1): 367–8.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
96. Rosenstierne MW, Schalltz-Buchholzer F, Bruzadelli F, *et al.*: **Zika Virus IgG in Infants with Microcephaly, Guinea-Bissau, 2016.** *Emerg Infect Dis*. 2018; 24(5): 948–50.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
97. Oliveira-Filho J, Felzemburgh R, Costa F, *et al.*: **Seizures as a Complication of Congenital Zika Syndrome in Early Infancy.** *Am J Trop Med Hyg*. 2018; 98(6): 1860–2.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
98. Walker CL, Merriam AA, Ohuma EO, *et al.*: **Femur-sparing pattern of abnormal fetal growth in pregnant women from New York City after maternal Zika virus infection.** *Am J Obstet Gynecol*. 2018; 219(2): 187.e1–187.e20.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
99. Peixoto Filho AAA, de Freitas SB, Ciosaki MM, *et al.*: **Computed tomography and magnetic resonance imaging findings in infants with microcephaly potentially related to congenital Zika virus infection.** *Radiol Bras*. 2018; 51(2): 119–22.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
100. De Alcantara T, La Beaud AD, Aronoff D, *et al.*: **CT Scan Findings in Microcephaly Cases During 2015–2016 Zika Outbreak: A Cohort Study.** *Neurology*. 2018; 90(15 Supplement 1).
[Reference Source](#)
101. Cardoso TF Jr, Santos RSD, Corrêa RM, *et al.*: **Congenital Zika infection: neurology can occur without microcephaly.** *Arch Dis Child*. 2019; 104(2): 199–200.
[PubMed Abstract](#) | [Publisher Full Text](#)
102. Alves LV, Mello MJG, Bezerra PG, *et al.*: **Congenital Zika Syndrome and Infantile Spasms: Case Series Study.** *J Child Neurol*. 2018; 33(10): 664–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
103. De Moraes CG, Pettito M, Yepez JB, *et al.*: **Optic neuropathy and congenital glaucoma associated with probable Zika virus infection in Venezuelan patients.** *JMM Case Rep*. 2018; 5(5): e005145.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
104. Figueredo LF, Franco-Zuluaga JA, Carrere-Rivera C, *et al.*: **Anatomical Findings of fetuses Vertically-infected with Zika Virus.** *FASEB J*. 2018; 32(1).
[Reference Source](#)
105. De Alcantara T, Da Silva Maia JT, Aronoff D, *et al.*: **Radiological findings and neurological disorders in microcephaly cases related to Zika virus: A cohort study.** *Neurology*. 2018; 90(15 Supplement 1).
[Reference Source](#)
106. Almeida IMLM, Ramos CV, Rodrigues DC, *et al.*: **Clinical and epidemiological aspects of microcephaly in the state of Piauí, northeastern Brazil, 2015-2016.** *J Pediatr (Rio J)*. 2019; 95(4): 466–474.
[PubMed Abstract](#) | [Publisher Full Text](#)
107. Wongsurawat T, Athipanyasilp N, Jenjaroenpun P, *et al.*: **Case of Microcephaly after Congenital Infection with Asian Lineage Zika Virus, Thailand.** *Emerg Infect Dis*. 2018; 24(9): 1758–1761.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
108. Rajapakse NS, Ellsworth K, Liesman RM, *et al.*: **Unilateral Phrenic Nerve Palsy in Infants with Congenital Zika Syndrome.** *Emerg Infect Dis*. 2018; 24(8): 1422–1427.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
109. Beaufriere A, Bessieres B, Bonniere M, *et al.*: **A clinical and histopathological study of malformations observed in fetuses infected by the Zika virus.** *Brain Pathol*. 2019; 29(1): 114–125.
[PubMed Abstract](#) | [Publisher Full Text](#)
110. Chu V, Petersen LR, Moore CA, *et al.*: **Possible Congenital Zika Syndrome in Older Children Due to Earlier Circulation of Zika Virus.** *Am J Med Genet A*. 2018; 176(9): 1882–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
111. Vouga M, Baud D, Jolivet E, *et al.*: **Congenital Zika virus syndrome...what else? Two case reports of severe combined fetal pathologies.** *BMC Pregnancy Childbirth*. 2018; 18(1): 356.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
112. de Noronha L, Zanluca C, Burger M, *et al.*: **Zika Virus Infection at Different Pregnancy Stages: Anatomopathological Findings, Target Cells and Viral Persistence in Placental Tissues.** *Front Microbiol*. 2018; 9: 2266.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
113. Martins RS, Froes MH, Saad LDC, *et al.*: **Descriptive report of cases of congenital syndrome associated with Zika virus infection in the state of São Paulo, Brazil, from 2015 to 2017.** *Epidemiol Serv Saude*. 2018; 27(3): e2017382.
[PubMed Abstract](#) | [Publisher Full Text](#)
114. Rodriguez J, Diaz M, Montalvo A, *et al.*: **Case Series: Congenital Zika Virus Infection Associated with Epileptic Spasms.** *Ann Neurol*. 2018; 84(Supplement 22): S401–S.
[Publisher Full Text](#)
115. Azevedo RSS, Araujo MT, Oliveira CS, *et al.*: **Zika Virus Epidemic in Brazil. II. Post-Mortem Analyses of Neonates with Microcephaly, Stillbirths, and Miscarriage.** *J Clin Med*. 2018; 7(12): pii: E496.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
116. Petribu NCL, Fernandes ACV, Abath MB, *et al.*: **Common findings on head computed tomography in neonates with confirmed congenital Zika syndrome.** *Radiol Bras*. 2018; 51(6): 366–71.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
117. Seferovic MD, Turley M, Valentine GC, *et al.*: **Clinical Importance of Placental Testing among Suspected Cases of Congenital Zika Syndrome.** *Int J Mol Sci*. 2019; 20(3): pii: E712.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
118. Cano M, Esquivel R: **Zika virus infection in Hospital del Niño 'Dr José Renán Esquivel' (Panamá): Case Review since the introduction in Latin America.** *Pediatr Panamá*. 2018; 47(3): 15–9.
[Reference Source](#)
119. de Fatima Viana Vasco Aragao M, van der Linden V, Petribu NC, *et al.*: **Congenital Zika Syndrome: The Main Cause of Death and Correspondence Between Brain CT and Postmortem Histological Section Findings From the Same Individuals.** *Top Magn Reson Imaging*. 2019; 28(1): 29–33.
[PubMed Abstract](#) | [Publisher Full Text](#)
120. Santana MB, Lamas CC, Athayde JG, *et al.*: **Congenital Zika syndrome: is the heart part of its spectrum?** *Clin Microbiol Infect*. 2019; 25(8): 1043–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
121. Venturi G, Fortuna C, Alves RM, *et al.*: **Epidemiological and clinical suspicion of congenital Zika virus infection: Serological findings in mothers and children from Brazil.** *J Med Virol*. 2019; 91(9): 1577–1583.
[PubMed Abstract](#) | [Publisher Full Text](#)
122. Lee EH, Cooper H, Iwamoto M, *et al.*: **First 12 Months of Life for Infants in New York City, New York, With Possible Congenital Zika Virus Exposure.** *J Pediatric Infect Dis Soc*. 2019; pii: piz027.
[PubMed Abstract](#) | [Publisher Full Text](#)
123. Merriam AA, Nhan-Chang CL, Huerta-Bogdan BI, *et al.*: **A Single-Center Experience with a Pregnant Immigrant Population and Zika Virus Serologic Screening in New York City.** *Am J Perinatol*. 2019.
[PubMed Abstract](#) | [Publisher Full Text](#)
124. Zambrano H, Waggoner J, Leon K, *et al.*: **High incidence of Zika virus infection detected in plasma and cervical cytology specimens from pregnant women in Guayaquil, Ecuador.** *Am J Reprod Immunol*. 2017; 77(2): e12630.
[PubMed Abstract](#) | [Publisher Full Text](#)
125. Santa Rita TH, Barra RB, Peixoto GP, *et al.*: **Association between suspected Zika virus disease during pregnancy and giving birth to a newborn with congenital microcephaly: a matched case-control study.** *BMC Res Notes*. 2017; 10(1): 457.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
126. de Araujo TVB, Ximenes RAA, Miranda-Filho DB, *et al.*: **Association between microcephaly, Zika virus infection, and other risk factors in Brazil: final report of a case-control study.** *Lancet Infect Dis*. 2018; 18(3): 328–36.
[PubMed Abstract](#) | [Publisher Full Text](#)
127. Moreira-Soto A, Sarno M, Pedrosa C, *et al.*: **Evidence for Congenital Zika Virus Infection From Neutralizing Antibody Titers in Maternal Sera, Northeastern Brazil.** *J Infect Dis*. 2017; 216(12): 1501–4.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
128. Krow-Lucal ER, de Andrade MR, Cananéia JNA, Moore CA, *et al.*: **Association and birth prevalence of microcephaly attributable to Zika virus infection among infants in Paraíba, Brazil, in 2015-16: a case-control study.** *The Lancet Child & Adolescent Health*. 2018; 2(3): 205–13.
[PubMed Abstract](#) | [Publisher Full Text](#)
129. Ventura LO, Ventura CV, Dias NC, *et al.*: **Visual impairment evaluation in 119 children with congenital Zika syndrome.** *J AAPOS*. 2018; 22(3): 218–22 e1.
[PubMed Abstract](#) | [Publisher Full Text](#)
130. Moreira-Soto A, Cabral R, Pedrosa C, *et al.*: **Exhaustive TORCH Pathogen Diagnostics Corroborate Zika Virus Etiology of Congenital Malformations in Northeastern Brazil.** *mSphere*. 2018; 3(4): pii: e00278-18.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
131. Subissi L, Dub T, Besnard M, *et al.*: **Zika Virus Infection during Pregnancy and Effects on Early Childhood Development, French Polynesia, 2013-2016.** *Emerg Infect Dis*. 2018; 24(10): 1850–8.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
132. Lima GP, Rozenbaum D, Pimentel C, *et al.*: **Factors associated with the development of Congenital Zika Syndrome: a case-control study.** *BMC Infect Dis*. 2019; 19(1): 277.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
133. Pedrosa C, Fischer C, Feldmann M, *et al.*: **Cross-Protection of Dengue Virus Infection against Congenital Zika Syndrome, Northeastern Brazil.** *Emerg Infect Dis*. 2019; 25(8): 1485–1493.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
134. Zin AA, Tsui I, Rossetto J, *et al.*: **Screening Criteria for Ophthalmic Manifestations of Congenital Zika Virus Infection.** *JAMA Pediatr*. 2017; 171(9): 847–54.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
135. Vercosa I, Carneiro P, Vercosa R, *et al.*: **The visual system in infants with microcephaly related to presumed congenital Zika syndrome.** *J AAPOS*. 2017; 21(4): 300–4 e1.
[PubMed Abstract](#) | [Publisher Full Text](#)
136. Halai UA, Nielsen-Saines K, Moreira ML, *et al.*: **Maternal Zika Virus Disease Severity, Virus Load, Prior Dengue Antibodies, and Their Relationship to Birth Outcomes.** *Clin Infect Dis*. 2017; 65(6): 877–83.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
137. Reynolds MR, Jones AM, Petersen EE, *et al.*: **Vital Signs: Update on Zika Virus-Associated Birth Defects and Evaluation of All U.S. Infants with Congenital Zika Virus Exposure - U.S. Zika Pregnancy Registry, 2016.** *MMWR Morb Mortal Wkly Rep*. 2017; 66(13): 366–73.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

138. Adhikari EH, Nelson DB, Johnson KA, *et al.*: **Infant outcomes among women with Zika virus infection during pregnancy: results of a large prenatal Zika screening program.** *Am J Obstet Gynecol.* 2017; **216**(3): 292 e1–e8.
[PubMed Abstract](#) | [Publisher Full Text](#)
139. Spiliopoulos D, Wootton G, Economides DL, *et al.*: **Surveillance of pregnant women exposed to Zika virus areas.** *Bjog-Int J Obstet Gy.* 2017; **124**: 17–49.
[Publisher Full Text](#)
140. Eppes C, Rac M, Dempster C, *et al.*: **Zika Virus in a Non-Endemic Urban Population: Patient Characteristics and Ultrasound Findings.** *Obstet Gynecol.* 2017; **129**: 135s–s.
[Publisher Full Text](#)
141. Sohan K, Cyrus CA: **Ultrasonographic observations of the fetal brain in the first 100 pregnant women with Zika virus infection in Trinidad and Tobago.** *Int J Gynaecol Obstet.* 2017; **139**(3): 278–83.
[PubMed Abstract](#) | [Publisher Full Text](#)
142. Kam YW, Leite JA, Lum FM, *et al.*: **Specific Biomarkers Associated With Neurological Complications and Congenital Central Nervous System Abnormalities From Zika Virus-Infected Patients in Brazil.** *J Infect Dis.* 2017; **216**(2): 172–81.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
143. Ximenes ASFC, Pires P, Werner H, *et al.*: **Neuroimaging findings using transfontanelar ultrasound in newborns with microcephaly: a possible association with congenital Zika virus infection.** *J Matern Fetal Neonatal Med.* 2019; **32**(3): 493–501.
[PubMed Abstract](#) | [Publisher Full Text](#)
144. Terzian ACB, Estofetele CF, Alves da Silva R, *et al.*: **Long-Term Viruria in Zika Virus-Infected Pregnant Women, Brazil, 2016.** *Emerg Infect Dis.* 2017; **23**(11): 1891–3.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
145. Nogueira ML, Nery Junior NRR, Estofetele CF, *et al.*: **Adverse birth outcomes associated with Zika virus exposure during pregnancy in São José do Rio Preto, Brazil.** *Clin Microbiol Infect.* 2018; **24**(6): 646–52.
[PubMed Abstract](#) | [Publisher Full Text](#)
146. Sanz Cortes M, Rivera AM, Yopez M, *et al.*: **Clinical assessment and brain findings in a cohort of mothers, fetuses and infants infected with ZIKA virus.** *Am J Obstet Gynecol.* 2018; **218**(4): 440 e1–e36.
[PubMed Abstract](#) | [Publisher Full Text](#)
147. Maykin M, Avaad-Portari E, Esquivel M, *et al.*: **Placental Histopathologic Findings in Zika-infected Pregnancies.** *Am J Obstet Gynecol.* 2018; **218**(1): S520–S1.
[Publisher Full Text](#)
148. Adhikari EH, McKiever M, Nelson DB, *et al.*: **Neonatal surveillance among asymptomatic Zika-exposed infants through 6 months of life.** *Am J Obstet Gynecol.* 2018; **218**(1): S512–S3.
[Publisher Full Text](#)
149. Hoen B, Schaub B, Funk AL, *et al.*: **Pregnancy Outcomes after ZIKV Infection in French Territories in the Americas.** *N Engl J Med.* 2018; **378**(11): 985–94.
[PubMed Abstract](#) | [Publisher Full Text](#)
150. Collier ARY, Barouch DH: **Maternal Immune Response to Zika Virus.** *Reproductive Sciences.* 2018; **25**(1): 163a–4a.
151. Bulas D, Mulkey S, Vezina G, *et al.*: **Fetal and postnatal brain imaging for the detection of ZIKV encephalopathy in the fetus/newborn.** *Pediatric Radiology.* 2018; **48**(1 Supplement 1): S141.
152. Rodríguez-Morales AJ, Cardona-Ospina JA, Ramírez-Jaramillo V, *et al.*: **Diagnosis and outcomes of pregnant women with Zika virus infection in two municipalities of Risaralda, Colombia: Second report of the ZIKERNOL study.** *Travel Med Infect Dis.* 2018; **25**: 20–5.
[PubMed Abstract](#) | [Publisher Full Text](#)
153. Rice ME, Galang RR, Roth NM, *et al.*: **Vital Signs: Zika-Associated Birth Defects and Neurodevelopmental Abnormalities Possibly Associated with Congenital Zika Virus Infection - U.S. Territories and Freely Associated States, 2018.** *MMWR Morb Mortal Wkly Rep.* 2018; **67**(31): 858–67.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
154. Tsui I, Moreira MEL, Rossetto JD, *et al.*: **Eye Findings in Infants With Suspected or Confirmed Antenatal Zika Virus Exposure.** *Pediatrics.* 2018; **142**(4): pii: e20181104.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
155. Dávila-Camargo A, Durán-Nah JJ, Dupinet-Sánchez A: **Ophthalmologic findings in newborns of women with Zika virus infection during pregnancy: A case series.** *Revista Mexicana de Oftalmología.* (English Edition) 2018; **92**(4): 159–62.
[Publisher Full Text](#)
156. Pomar L, Vouga M, Lambert V, *et al.*: **Maternal-fetal transmission and adverse perinatal outcomes in pregnant women infected with Zika virus: prospective cohort study in French Guiana.** *BMJ.* 2018; **363**: k4431.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
157. Brock M, Magalhaes AQ, Di Tommaso Leao J, *et al.*: **Zika virus infection in pregnant women in Manaus.** *Int J Gynaecol Obstet.* 2018; **143**(Supplement 3): 725–6.
[Publisher Full Text](#)
158. Caixeta R, Magalhaes AC, De Brito WI, *et al.*: **Vertical transmission of zika virus and perinatal microcephaly.** *Int J Gynaecol Obstet.* 2018; **143**(Supplement 3): 725.
[Publisher Full Text](#)
159. Rosado L, Gomes MBF, Lacerda FA, *et al.*: **Cohort of infected Zika Virus pregnant women from central Brazil: Preliminary report.** *Int J Gynaecol Obstet.* 2018; **143**(Supplement 3): 228.
[Publisher Full Text](#)
160. Mulkey SB, Bulas DI, Vezina G, *et al.*: **Sequential Neuroimaging of the Fetus and Newborn With In Utero Zika Virus Exposure.** *JAMA Pediatr.* 2019; **173**(1): 52–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
161. Gely-Rojas L, Pérez R, García-Fragoso L, *et al.*: **Association of Zika Virus Exposure in Utero with Ocular Phenotypes in a Group of Newborns in Puerto Rico Exposure with ocular phenotypes in newborns in Puerto Rico.** *P R Health Sci J.* 2018; **37**(Special Issue): S77–S80.
[PubMed Abstract](#)
162. Gely-Rojas L, García-Fragoso L, Negrón J, *et al.*: **Congenital Zika Syndrome in Puerto Rico, Beyond Microcephaly, A Multiorgan Approach.** *P R Health Sci J.* 2018; **37**(Special Issue): S73–S6.
[PubMed Abstract](#)
163. Pereira JP Jr, Maykin MM, Vasconcelos Z, *et al.*: **The Role of Amniocentesis in the Diagnosis of Congenital Zika Syndrome.** *Clin Infect Dis.* 2019; **69**(4): 713–716.
[PubMed Abstract](#) | [Publisher Full Text](#)
164. Pereira JP Jr, Nielsen-Saines K, Sperling J, *et al.*: **Association of Prenatal Ultrasonographic Findings With Adverse Neonatal Outcomes Among Pregnant Women With Zika Virus Infection in Brazil.** *JAMA Netw Open.* 2018; **1**(8): e186529.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
165. Del Carpio-Orantes L, Rosas-Lozano AL, García-Méndez S: **Zika virus infection in pregnant women in a General Hospital of Veracruz, Mexico.** *J Matern Fetal Neonatal Med.* 2019; 1–5.
[PubMed Abstract](#) | [Publisher Full Text](#)
166. Rodó C, Suy A, Sulleiro E, *et al.*: **Pregnancy outcomes after maternal Zika virus infection in a non-endemic region: prospective cohort study.** *Clin Microbiol Infect.* 2019; **25**(5): 633.e5–633.e9.
[PubMed Abstract](#) | [Publisher Full Text](#)
167. Calle-Giraldo JP, Rojas CA, Hurtado IC, *et al.*: **Outcomes of Congenital Zika Virus Infection During an Outbreak in Valle del Cauca, Colombia.** *Pediatr Infect Dis J.* 2019; **38**(7): 735–40.
[PubMed Abstract](#) | [Publisher Full Text](#)
168. Baran LCP, da Costa MF, Vidal KS, *et al.*: **Alterations in visual acuity and visual development in infants 1-24 months old either exposed to or infected by Zika virus during gestation, with and without microcephaly.** *J AAPOS.* 2019; pii: S1091-8531(19)30137-5.
[PubMed Abstract](#) | [Publisher Full Text](#)
169. de Magalhães-Barbosa MC, Prata-Barbosa A, Robaina JR, *et al.*: **Prevalence of microcephaly in eight south-eastern and midwestern Brazilian neonatal intensive care units: 2011-2015.** *Arch Dis Child.* 2017; **102**(8): 728–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
170. Merriam AA, Nhan-Chang CL, Huerta-Bogdan BI, *et al.*: **393: A single-center experience with a pregnant immigrant population and zika virus in new york city.** *Am J Perinatol.* 2017; **216**(1): S236-S.
[Publisher Full Text](#)
171. Gregianini TS, Rianieri T, Favreto C, *et al.*: **Emerging arboviruses in Rio Grande do Sul, Brazil: Chikungunya and Zika outbreaks, 2014-2016.** *Rev Med Virol.* 2017; **27**(6).
[PubMed Abstract](#) | [Publisher Full Text](#)
172. Netto EM, Moreira-Soto A, Pedrosa C, *et al.*: **High Zika Virus Seroprevalence in Salvador, Northeastern Brazil Limits the Potential for Further Outbreaks.** *MBio.* 2017; **8**(6): pii: e01390-17.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
173. Shiu C, Starker R, Kwal J, *et al.*: **Zika Virus Testing and Outcomes during Pregnancy, Florida, USA, 2016.** *Emerg Infect Dis.* 2018; **24**(1): 1–8.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
174. Mletzko J, Schildgen O: **Absence of Zika virus in abortion and placental tissue in a German cohort.** *Rev Med Microbiol.* 2018; **29**(1): 17–9.
[Reference Source](#)
175. Marques Abramov D, Saad T, Gomes-Junior SC, *et al.*: **Auditory brainstem function in microcephaly related to Zika virus infection.** *Neurology.* 2018; **90**(7): e606–e14.
[PubMed Abstract](#) | [Publisher Full Text](#)
176. Orofino DHG, Passos SRL, de Oliveira RVC, *et al.*: **Cardiac findings in infants with in utero exposure to Zika virus- a cross sectional study.** *PLoS Negl Trop Dis.* 2018; **12**(3): e0006362.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
177. Fonteles CSR, Marques Ribeiro E, Sales Aragão Santos M, *et al.*: **Lingual Frenulum Phenotypes in Brazilian Infants With Congenital Zika Syndrome.** *Cleft Palate Craniofac J.* 2018; **55**(10): 1391–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
178. Ferreira HNC, Schiariti V, Regalado ICR, *et al.*: **Functioning and Disability Profile of Children with Microcephaly Associated with Congenital Zika Virus Infection.** *Int J Environ Res Public Health.* 2018; **15**(6): pii: E1107.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
179. Da Maia JTS, Vidal SJA, Mendes TV, *et al.*: **Perinatal Case Fatality Rate in Cases of Congenital Zika Syndrome: a Cross-Sectional Study.** *Neurology.* 2018; **90**(15 Supplement 1).
[Reference Source](#)

180. João EC, Ferreira ODC Jr, Gouvêa MI, *et al.*: **Pregnant women co-infected with HIV and Zika: Outcomes and birth defects in infants according to maternal symptomatology.** *PLoS One*. 2018; 13(7): e0200168.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
181. Herber S, Silva AA, Sanseverino MTV, *et al.*: **Prevalence and causes of congenital microcephaly in the absence of a Zika virus outbreak in southern Brazil.** *J Pediatr (Rio J)*. 2018; pii: S0021-7557(18)30119-0.
[PubMed Abstract](#) | [Publisher Full Text](#)
182. Zin AA, Tsui I, Rossetto JD, *et al.*: **Visual function in infants with antenatal Zika virus exposure.** *J AAPOS*. 2018; 22(6): 452–456.e1.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
183. Kikuti M, Cardoso CW, Prates APB, *et al.*: **Congenital brain abnormalities during a Zika virus epidemic in Salvador, Brazil, April 2015 to July 2016.** *Euro Surveill*. 2018; 23(45): 1700757.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
184. Alayed MS, Qureshi MA, Ahmed S, *et al.*: **Seroprevalence of Zika virus among asymptomatic pregnant mothers and their newborns in the Najran region of southwest Saudi Arabia.** *Ann Saudi Med*. 2018; 38(6): 408–12.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
185. Peña F, Pimentel R, Khosla S, *et al.*: **Zika Virus Epidemic in Pregnant Women, Dominican Republic, 2016–2017.** *Emerg Infect Dis*. 2019; 25(2): 247–55.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
186. C Lage ML, Carvalho AL, Ventura PA, *et al.*: **Clinical, Neuroimaging, and Neurophysiological Findings in Children with Microcephaly Related to Congenital Zika Virus Infection.** *Int J Environ Res Public Health*. 2019; 16(3): pii: E309.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
187. Carvalho FR, Medeiros T, Vianna RAO, *et al.*: **Simultaneous circulation of arboviruses and other congenital infections in pregnant women in Rio de Janeiro, Brazil.** *Acta Trop*. 2019; 192(NA): 49–54.
[PubMed Abstract](#) | [Publisher Full Text](#)
188. Jaenisch T, Rosenberger KD, Brito C, *et al.*: **Risk of microcephaly after Zika virus infection in Brazil, 2015 to 2016.** *Bull World Health Organ*. 2017; 95(3): 191–8.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
189. Souza WV, Albuquerque MFPM, Vazquez E, *et al.*: **Microcephaly epidemic related to the Zika virus and living conditions in Recife, Northeast Brazil.** *BMC Public Health*. 2018; 18(1): 130.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
190. Vissoei JRN, Rocha TAH, Silva NCD, *et al.*: **Zika virus infection and microcephaly: Evidence regarding geospatial associations.** *PLoS Negl Trop Dis*. 2018; 12(4): e0006392.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
191. Souza AI, de Siqueira MT, Ferreira ALCG, *et al.*: **Geography of Microcephaly in the Zika Era: A Study of Newborn Distribution and Socio-environmental Indicators in Recife, Brazil, 2015–2016.** *Public Health Rep*. 2018; 133(4): 461–71.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
192. Majumder MS, Hess R, Ross R, *et al.*: **Seasonality of birth defects in West Africa: could congenital Zika syndrome be to blame?** [version 2; peer review: 2 approved, 1 approved with reservations] *F1000Res*. 2018; 7: 159.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
193. Campos MC, Dombrowski JG, Phelan J, *et al.*: **Zika might not be acting alone: Using an ecological study approach to investigate potential co-acting risk factors for an unusual pattern of microcephaly in Brazil.** *PLoS One*. 2018; 13(8): e0201452.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
194. Brady OJ, Osgood-Zimmerman A, Kassebaum NJ, *et al.*: **The association between Zika virus infection and microcephaly in Brazil 2015–2017: An observational analysis of over 4 million births.** *PLoS Med*. 2019; 16(3): e1002755.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
195. Bautista LE: **Maternal Zika virus infection and newborn microcephaly—an analysis of the epidemiological evidence.** *Ann Epidemiol*. 2018; 28(2): 111–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
196. Hernández-Ávila JE, Palacio-Mejía LS, López-Gatell H, *et al.*: **Zika virus infection estimates, Mexico.** *Bull World Health Organ*. 2018; 96(5): 306–13.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
197. Hay JA, Nouvellet P, Donnelly CA, *et al.*: **Potential inconsistencies in Zika surveillance data and our understanding of risk during pregnancy.** *PLoS Negl Trop Dis*. 2018; 12(12): e0006991.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
198. Hurtado-Villa P, Puerto AK, Victoria S, *et al.*: **Raised Frequency of Microcephaly Related to Zika Virus Infection in Two Birth Defects Surveillance Systems in Bogotá and Cali, Colombia.** *Pediatr Infect Dis J*. 2017; 36(10): 1017–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
199. de Oliveira WK, de França GVA, Carmo EH, *et al.*: **Infection-related microcephaly after the 2015 and 2016 Zika virus outbreaks in Brazil: a surveillance-based analysis.** *Lancet*. 2017; 390(10097): 861–70.
[PubMed Abstract](#) | [Publisher Full Text](#)
200. Shapiro-Mendoza CK, Rice ME, Galang RR, *et al.*: **Pregnancy Outcomes After Maternal Zika Virus Infection During Pregnancy - U.S. Territories, January 1, 2016–April 25, 2017.** *MMWR Morb Mortal Wkly Rep*. 2017; 66(23): 615–21.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
201. de Oliveira WK, Carmo EH, Henriques CM, *et al.*: **Zika Virus Infection and Associated Neurologic Disorders in Brazil.** *N Engl J Med*. 2017; 376(16): 1591–3.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
202. Magalhães-Barbosa MC, Prata-Barbosa A, Robaina JR, *et al.*: **New trends of the microcephaly and Zika virus outbreak in Brazil, July 2016–December 2016.** *Travel Med Infect Dis*. 2017; 16: 52–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
203. Jounel I, Andrécy LL, Metellus D, *et al.*: **Transmission of Zika Virus - Haiti, October 12, 2015–September 10, 2016.** *MMWR Morb Mortal Wkly Rep*. 2017; 66(6): 172–6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
204. Neto NNM, Da Silva Maia JT, Zacarkim MR, *et al.*: **Mortality in newborns with microcephaly due to maternal Zika virus infection in Rio Grande Do Norte state-northeast Brazil: A cross-sectional study.** *Neurology*. 2017; 88(16 Supplement 1).
[Reference Source](#)
205. Hall NB, Broussard K, Evert N, *et al.*: **Notes from the Field: Zika Virus-Associated Neonatal Birth Defects Surveillance - Texas, January 2016–July 2017.** *MMWR Morb Mortal Wkly Rep*. 2017; 66(31): 835–6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
206. Méndez N, Oviedo-Pastrana M, Mattar S, *et al.*: **Zika virus disease, microcephaly and Guillain-Barré syndrome in Colombia: epidemiological situation during 21 months of the Zika virus outbreak, 2015–2017.** *Arch Public Health*. 2017; 75: 65.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
207. Delaney A, Mai C, Smoots A, *et al.*: **Population-Based Surveillance of Birth Defects Potentially Related to Zika Virus Infection - 15 States and U.S. Territories, 2016.** *MMWR Morb Mortal Wkly Rep*. 2018; 67(3): 91–6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
208. Ribeiro IG, Andrade MR, Silva JM, *et al.*: **Microcephaly in Piauí, Brazil: descriptive study during the Zika virus epidemic, 2015–2016.** *Epidemiol Serv Saude*. 2018; 27(1): e20163692.
[PubMed Abstract](#) | [Publisher Full Text](#)
209. Mendes Neto NN, da Silva Maia JT, Zacarkim MR, *et al.*: **Perinatal Case Fatality Rate Related to Congenital Zika Syndrome in Brazil: A Cross-Sectional Study.** *Pediatr Neurol*. 2018; 81: 47–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
210. Sowunmi S, Eckert V, Griffin A: **58th Annual Teratology Society Meeting.** *Birth Defects Res*. 2018; 110(9): 667–822.
[PubMed Abstract](#) | [Publisher Full Text](#)
211. Tellechea AL, Luppo V, Morales MA, *et al.*: **Surveillance of microcephaly and selected brain anomalies in Argentina: Relationship with Zika virus and other congenital infections.** *Birth Defects Res*. 2018; 110(12): 1016–26.
[PubMed Abstract](#) | [Publisher Full Text](#)
212. França GVA, Pedit VD, Garcia MHO, *et al.*: **Congenital syndrome associated with Zika virus infection among live births in Brazil: a description of the distribution of reported and confirmed cases in 2015–2016.** *Epidemiol Serv Saude*. 2018; 27(2): e2017473.
[PubMed Abstract](#) | [Publisher Full Text](#)
213. Porse CC, Messenger S, Vugia DJ, *et al.*: **Travel-Associated Zika Cases and Threat of Local Transmission during Global Outbreak, California, USA.** *Emerg Infect Dis*. 2018; 24(9): 1626–32.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
214. Silva JHD, Terças ACP, Pinheiro LCB, *et al.*: **Profile of congenital anomalies among live births in the municipality of Tangará da Serra, Mato Grosso, Brazil, 2006–2016.** *Epidemiol Serv Saude*. 2018; 27(3): e2018008.
[PubMed Abstract](#) | [Publisher Full Text](#)
215. Spiliopoulos D, Panchal M, Economides DL: **Surveillance of pregnant women with potential exposure to Zika virus following travel.** *G Chir*. 2019; 40(1): 58–65.
[PubMed Abstract](#)
216. Fernández Martínez B, Martínez Sánchez EV, Díaz García O, *et al.*: **Zika virus disease in Spain. Surveillance results and epidemiology on reported cases, 2015–2017.** *Med Clin (Barc)*. 2019; 153(1): 6–12.
[PubMed Abstract](#) | [Publisher Full Text](#)
217. Sulleiro E, Rando A, Alejo I, *et al.*: **Screening for Zika virus infection in 1057 potentially exposed pregnant women, Catalonia (northeastern Spain).** *Travel Med Infect Dis*. 2019; 29: 69–71.
[PubMed Abstract](#) | [Publisher Full Text](#)
218. Miller E, Becker Z, Shalev D, *et al.*: **Probable Zika virus-associated Guillain-Barré syndrome: Challenges with clinico-laboratory diagnosis.** *J Neurol Sci*. 2017; 375: 367–70.
[PubMed Abstract](#) | [Publisher Full Text](#)
219. Raboni SM, Bonfim C, Almeida BM, *et al.*: **Flavivirus cross-reactivity in serological tests and Guillain-Barré syndrome in a hematopoietic stem cell transplant patient: A case report.** *Transpl Infect Dis*. 2017; 19(4).
[PubMed Abstract](#) | [Publisher Full Text](#)
220. Tantillo G, Sclar G, Vasa C, *et al.*: **Zika associated Guillain-Barre syndrome in the United States.** *Neurology*. 2017; 88(16 Supplement 1).
[Reference Source](#)
221. Santos P, Nogueira F, Modenezi L, *et al.*: **Movement disorder development later after acute disseminated encephalomyelitis associated with Zika virus: Case report.** *Neurology*. 2017; 88(16 Supplement 1).
[Reference Source](#)
222. Beattie J, Parajuli S, Sanger M, *et al.*: **Zika Virus-Associated Guillain-Barre Syndrome In A Returning United States Traveler.** *Am J Respir Crit Care Med*. 2017; 195: A2008.
[Reference Source](#)

223. Wu Y, Cui X, Wu N, *et al.*: **A unique case of human Zika virus infection in association with severe liver injury and coagulation disorders.** *Sci Rep.* 2017; 7(1): 11393.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
224. Leonhard SE, Munts AG, van der Eijk AA, *et al.*: **Acute-onset chronic inflammatory demyelinating polyneuropathy after Zika virus infection.** *J Neurol Neurosurg Psychiatry.* 2017; 89(10): 1118–1119.
[PubMed Abstract](#) | [Publisher Full Text](#)
225. Dirlikov E, Torres JV, Martinez RB, *et al.*: **Postmortem Findings in Patient with Guillain-Barré Syndrome and Zika Virus Infection.** *Emerg Infect Dis.* 2018; 24(1): 114–7.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
226. Siwarit R: **Guillain-Barre syndrome in the Context of Zika Virus Infection: the First Report Case in Thailand.** 2017; 34(2).
[Reference Source](#)
227. Gibelin N, Romero J, Gregoire V, *et al.*: **Miller Fisher syndrome associated with a Zika virus infection.** *Eur J Neurol.* 2018; 25(2): e20–e1.
[PubMed Abstract](#) | [Publisher Full Text](#)
228. Gonzalez-Escobar G, Valadere AM, Adams R, *et al.*: **Prolonged Zika virus viremia in a patient with Guillain-Barré syndrome in Trinidad and Tobago.** *Rev Panam Salud Publica.* 2018; 41: e136.
[PubMed Abstract](#) | [Publisher Full Text](#)
229. Jones M: **Multidisciplinary approach to Guillain-Barre Syndrome and neurologic injuries after zika virus.** *J Spinal Cord Med.* 2018; 41(5): 588.
230. Mancera-Paez O, Román GC, Pardo-Turriago R, *et al.*: **Concurrent Guillain-Barré syndrome, transverse myelitis and encephalitis post-Zika: A case report and review of the pathogenic role of multiple arboviral immunity.** *J Neurol Sci.* 2018; 395: 47–53.
[PubMed Abstract](#) | [Publisher Full Text](#)
231. Cordeiro de Souza L, de Souza AA, de Almeida EEP, *et al.*: **Inspiratory Muscle Training with Isokinetic Device to Help Ventilatory Weaning in a Patient with Guillain-Barré Syndrome by Zika Virus.** *Case Rep Crit Care.* 2018; 2018: 9708451.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
232. Rivera-Concepción JR, Betancourt JP, Cerra J, *et al.*: **The Zika Virus: An Association to Guillain-Barré Syndrome in the United States - A Case Report.** *P R Health Sci J.* 2018; 37(Spec Issue): S93–S5.
[PubMed Abstract](#)
233. Wright JK, Castellani L, Lecce C, *et al.*: **Zika Virus-Associated Aseptic Meningitis and Guillain-Barre Syndrome in a Traveler Returning from Latin America: a Case Report and Mini-Review.** *Curr Infect Dis Rep.* 2019; 21(1): 3.
[PubMed Abstract](#) | [Publisher Full Text](#)
234. Boggild AK, Geduld J, Libman M, *et al.*: **Surveillance report of Zika virus among Canadian travellers returning from the Americas.** *CMAJ.* 2017; 189(9): E334–E40.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
235. Villamil-Gomez WE, Sánchez-Herrera ÁR, Hernandez H, *et al.*: **Guillain-Barré syndrome during the Zika virus outbreak in Sucre, Colombia, 2016.** *Travel Med Infect Dis.* 2017; 16: 62–3.
[PubMed Abstract](#) | [Publisher Full Text](#)
236. Ali A, Williams M: **Zik-V outbreak and Guillain-Barre syndrome in Jamaica.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
237. Francois R, Berkowitz A: **Zika-associated atypical guillain-barre variants in rural haiti.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
238. Barreira AA, Marques W, Marreco A, *et al.*: **Guillain-barre syndrome related to Zika virus infection in Brazil.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
239. Betances N, Luciano C, Carlo J, *et al.*: **Prominent distal demyelination is a feature of zika-associated guillain barre syndrome.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
240. Sebastián UU, Ricardo AVA, Alvarez BC, *et al.*: **Zika virus-induced neurological critical illness in Latin America: Severe Guillain-Barre Syndrome and encephalitis.** *J Crit Care.* 2017; 42: 275–81.
[PubMed Abstract](#) | [Publisher Full Text](#)
241. da Silva IRF, Frontera JA, Bispo de Filippis AM, *et al.*: **Neurologic Complications Associated With the Zika Virus in Brazilian Adults.** *JAMA Neurol.* 2017; 74(10): 1190–8.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
242. Del Carpio Orantes L, Juárez Rangel FJ, García-Méndez S: **Incidence of Guillain-Barré syndrome at a secondary centre during the 2016 zika outbreak.** *Neurologia.* 2017; pii: S0213-4853(17)30279-7.
[PubMed Abstract](#) | [Publisher Full Text](#)
243. Dourado ME, Fernandes U, Vital AL, *et al.*: **High Incidence of Guillain-Barre Syndrome after Zika Virus Infection in the State Rio Grande Do Norte, in Northeast Brazil.** *J Peripher Nerv Syst.* 2017; 22(3): 275–6.
244. Roze B, Najioullah F, Ferge JL, *et al.*: **Guillain-Barré Syndrome Associated With Zika Virus Infection in Martinique in 2016: A Prospective Study.** *Clin Infect Dis.* 2017; 65(9): 1462–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
245. Brito Ferreira ML, Antunes de Brito CA, Moreira ÁJP, *et al.*: **Guillain-Barré Syndrome, Acute Disseminated Encephalomyelitis and Encephalitis Associated with Zika Virus Infection in Brazil: Detection of Viral RNA and Isolation of Virus during Late Infection.** *Am J Trop Med Hyg.* 2017; 97(5): 1405–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
246. Resiere D, Ferge JL, Fergé J, *et al.*: **Cardiovascular complications in patients with Zika virus-induced Guillain-Barré syndrome.** *J Clin Virol.* 2018; 98: 8–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
247. Uncini A, Gonzalez-Bravo DC, Acosta-Ampudia YY, *et al.*: **Clinical and nerve conduction features in Guillain-Barré syndrome associated with Zika virus infection in Cúcuta, Colombia.** *Eur J Neurol.* 2018; 25(4): 644–50.
[PubMed Abstract](#) | [Publisher Full Text](#)
248. Mehta R, Soares CN, Medialdea-Carrera R, *et al.*: **The spectrum of neurological disease associated with Zika and chikungunya viruses in adults in Rio de Janeiro, Brazil: A case series.** *PLoS Negl Trop Dis.* 2018; 12(2): e0006212.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
249. Dirlikov E, Major CG, Medina NA, *et al.*: **Clinical Features of Guillain-Barré Syndrome With vs Without Zika Virus Infection, Puerto Rico, 2016.** *JAMA Neurol.* 2018; 75(9): 1089–97.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
250. Azevedo MB, Coutinho MSC, Silva MAD, *et al.*: **Neurologic manifestations in emerging arboviral diseases in Rio de Janeiro City, Brazil, 2015-2016.** *Rev Soc Bras Med Trop.* 2018; 51(3): 347–51.
[PubMed Abstract](#) | [Publisher Full Text](#)
251. Nóbrega MEBD, Araujo ELL, Wada MY, *et al.*: **Outbreak of Guillain-Barré syndrome possibly related to prior Zika virus infection, Metropolitan Region of Recife, Pernambuco, Brazil, 2015.** *Epidemiol Serv Saude.* 2018; 27(2): e2017039.
[PubMed Abstract](#) | [Publisher Full Text](#)
252. Baskar D, Amalnath D, Mandal J, *et al.*: **Antibodies to Zika virus, Campylobacter jejuni and gangliosides in Guillain-Barre syndrome: A prospective single-center study from southern India.** *Neurol India.* 2018; 66(5): 1324–31.
[PubMed Abstract](#) | [Publisher Full Text](#)
253. Zambrano LI, Fuentes-Barahona IC, Soto-Fernandez RJ, *et al.*: **Guillain-Barré syndrome associated with Zika virus infection in Honduras, 2016-2017.** *Int J Infect Dis.* 2019; 84: 136–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
254. Soto-Hernandez JL, Ponce de Leon Rosales S, Vargas Canas ES, *et al.*: **Guillain-Barré Syndrome Associated With Zika Virus Infection: A Prospective Case Series From Mexico.** *Front Neurol.* 2019; 10: 435.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
255. Styczynski AR, Malta JMAS, Krow-Lucal ER, *et al.*: **Increased rates of Guillain-Barré syndrome associated with Zika virus outbreak in the Salvador metropolitan area, Brazil.** *PLoS Negl Trop Dis.* 2017; 11(8): e0005869.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
256. Salinas JL, Walteros DM, Styczynski A, *et al.*: **Zika virus disease-associated Guillain-Barré syndrome-Barranquilla, Colombia 2015-2016.** *J Neurol Sci.* 2017; 381: 272–7.
[PubMed Abstract](#) | [Publisher Full Text](#)
257. Dirlikov E, Medina NA, Major CG, *et al.*: **Acute Zika Virus Infection as a Risk Factor for Guillain-Barré Syndrome in Puerto Rico.** *JAMA.* 2017; 318(15): 1498–500.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
258. Simon O, Acket B, Forfait C, *et al.*: **Zika virus outbreak in New Caledonia and Guillain-Barré syndrome: a case-control study.** *J Neurovirol.* 2018; 24(3): 362–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
259. GeurtsvanKessel CH, Islam Z, Islam MB, *et al.*: **Zika virus and Guillain-Barré syndrome in Bangladesh.** *Ann Clin Transl Neurol.* 2018; 5(5): 606–15.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
260. Lynch RM, Mantus G, Encinales L, *et al.*: **Augmented Zika and Dengue Neutralizing Antibodies Are Associated With Guillain-Barré Syndrome.** *J Infect Dis.* 2019; 219(1): 26–30.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
261. Munoz LS, Barreras P, Lizarazo J, *et al.*: **Neuroviruses Emerging in the Americas Study (NEAS): The Colombian experience during the 2016 outbreak of Zika virus infection.** *Neurology.* 2017; 88(16 Supplement 1).
[Reference Source](#)
262. Brito KGDS, Dos Santos EB, Lucas LDSM, *et al.*: **Prevalence of neurological complications associated with Zika virus in a Brazilian metropolis.** *Neurol Int.* 2018; 10(2): 7638.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
263. Del Carpio-Orantes L, Peniche Moguel KG, Sanchez Diaz JS, *et al.*: **Guillain-Barré syndrome associated with Zika virus infection: Analysis of a cohort from the region of northern Veracruz in 2016-2017.** *Neurologia.* 2018; pii: S0213-4853(18)30173-7.
[PubMed Abstract](#) | [Publisher Full Text](#)
264. Ikejezie J, Shapiro CN, Kim J, *et al.*: **Zika Virus Transmission - Region of the Americas, May 15, 2015-December 15, 2016.** *MMWR Morb Mortal Wkly Rep.* 2017; 66(12): 329–34.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
265. Mier-Y-Teran-Romero L, Delorey MJ, Sejvar JJ, *et al.*: **Guillain-Barré syndrome risk among individuals infected with Zika virus: a multi-country assessment.** *BMC Med.* 2018; 16(1): 67.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
266. Vieira MADCES, Cruz ACR, Barros ANM, *et al.*: **Guillain-Barré syndrome and dengue-like disease in 2015: temporal relationship in Piauí state and implications on Zika virus surveillance.** *Rev Inst Med Trop Sao Paulo.* 2017; 59: e22.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

267. Malta JM, Vargas A, Leite PL, *et al.*: **Guillain-Barré syndrome and other neurological manifestations possibly related to Zika virus infection in municipalities from Bahia, Brazil, 2015.** *Epidemiol Serv Saude.* 2017; **26**(1): 9–18.
[PubMed Abstract](#) | [Publisher Full Text](#)
268. Tolosa N, Tinker SC, Pacheco O, *et al.*: **Zika Virus Disease in Children in Colombia, August 2015 to May 2016.** *Paediatr Perinat Epidemiol.* 2017; **31**(6): 537–45.
[PubMed Abstract](#) | [Publisher Full Text](#)
269. Brenciaglia M, Noel TP, Fields PJ, *et al.*: **Clinical, Serological, and Molecular Observations from a Case Series Study during the Asian Lineage Zika Virus Outbreak in Grenada during 2016.** *Can J Infect Dis Med Microbiol.* 2018; **2018**: 4635647.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
270. Vieira MADCES, Costa CHN, Linhares ADC, *et al.*: **Potential role of dengue virus, chikungunya virus and Zika virus in neurological diseases.** *Mem Inst Oswaldo Cruz.* 2018; **113**(11): e170538.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
271. de Araujo TVB, Rodrigues LC, de Alencar Ximenes RA, *et al.*: **Association between Zika virus infection and microcephaly in Brazil, January to May, 2016: preliminary report of a case-control study.** *Lancet Infect Dis.* 2016; **16**(12): 1356–63.
[PubMed Abstract](#) | [Publisher Full Text](#)
272. Barreras P, Pamies D, Kumar A, *et al.*: **2016 Annual Meetings.** *Ann Neurol.* 2016; **80**(s20): S1–S432.
[PubMed Abstract](#) | [Publisher Full Text](#)
273. Pomar L, Malingier G, Benoist G, *et al.*: **Association between Zika virus and fetopathy: a prospective cohort study in French Guiana.** *Ultrasound Obstet Gynecol.* 2017; **49**(6): 729–36.
[PubMed Abstract](#) | [Publisher Full Text](#)
274. Brasil P, Pereira JP Jr, Moreira ME, *et al.*: **Zika Virus Infection in Pregnant Women in Rio de Janeiro.** *N Engl J Med.* 2016; **375**(24): 2321–34.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
275. Honein MA, Dawson AL, Petersen EE, *et al.*: **Birth Defects Among Fetuses and Infants of US Women With Evidence of Possible Zika Virus Infection During Pregnancy.** *JAMA.* 2017; **317**(1): 59–68.
[PubMed Abstract](#) | [Publisher Full Text](#)
276. Costa Monteiro LM, Cruz GNO, Fontes JM, *et al.*: **Neurogenic bladder findings in patients with Congenital Zika Syndrome: A novel condition.** *PLoS One.* 2018; **13**(3): e0193514.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
277. Cao-Lormeau VM, Blake A, Mons S, *et al.*: **Guillain-Barré Syndrome outbreak associated with Zika virus infection in French Polynesia: a case-control study.** *Lancet.* 2016; **387**(10027): 1531–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
278. Vandenbroucke JP: **Case reports in an evidence-based world.** *J R Soc Med.* 1999; **92**(4): 159–63.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
279. Kopec JA, Esdaile JM: **Bias in case-control studies. A review.** *J Epidemiol Community Health.* 1990; **44**(3): 179–86.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
280. Lipton P: **Inference to the best explanation.** Routledge; 2003.
[Reference Source](#)
281. Moore CA, Staples JE, Dobyns WB, *et al.*: **Characterizing the Pattern of Anomalies in Congenital Zika Syndrome for Pediatric Clinicians.** *JAMA Pediatr.* 2017; **171**(3): 288–95.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
282. Grubaugh ND, Ishtiaq F, Setoh YX, *et al.*: **Misperceived Risks of Zika-related Microcephaly in India.** *Trends Microbiol.* 2019; **27**(5): 381–383.
[PubMed Abstract](#) | [Publisher Full Text](#)
283. Nutt C, Adams P: **Zika in Africa-the invisible epidemic?** *Lancet.* 2017; **389**(10079): 1595–6.
[PubMed Abstract](#) | [Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 12 November 2019

<https://doi.org/10.5256/f1000research.21857.r55660>

© 2019 Veiga A. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Ana B.G. Veiga

Federal University of Health Sciences of Porto Alegre (UFCSPA), Porto Alegre, Brazil

The article is a well-written systematic review of studies that show that Zika virus infection is associated with congenital abnormalities, and with Guillain-Barré syndrome. Because it is a living systematic review, the study gives interesting and important updates.

There are a few grammar errors that must be corrected:

- In Methods, correct is "This review and subsequent updates will focus on four..."
- In the sentence "Araujo et al. found a 73.1 (95% CI 13.0–Inf) times higher odds was reported for microcephaly...", I would delete "was reported", so it would be better if written "Araujo et al. found a 73.1 (95% CI 13.0–Inf) times higher odds for microcephaly when ZIKV infection was assessed by reverse transcription polymerase chain reaction (RT-PCR) in the neonate." (page 6)
- PRNT (plaque reduction neutralisation test) should be defined when first mentioned.
- Correct non traveller to non-traveller (pages 9 and 10).

The text mentions Figure 4 as showing the combined adverse congenital outcomes, and Figure 5 as showing microcephaly as outcome. However, this is not clear in the figures. In addition, why are the diagnostic tests considered outcomes in Figure 5?

Figures should be self-explanatory, so I suggest mentioning GBS in the legend of Figure 6 so that the reader doesn't need to refer to the text. Also, VNT should be specified as virus neutralisation test in the figure legend.

Is the living method justified?

Yes

Have the search and update schedule been clearly defined and justified?

Yes

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Yes

Are sufficient details of the methods and analysis provided to allow replication by others?

Yes

Is the statistical analysis and its interpretation appropriate?

Yes

Are the conclusions drawn adequately supported by the results presented in the review?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Molecular epidemiology; arboviruses; respiratory viruses

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 18 October 2019

<https://doi.org/10.5256/f1000research.21857.r53510>

© 2019 Verma R. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Rajesh Verma

Department of Neurology, King George's Medical University, Lucknow, Uttar Pradesh, India

I think this is an excellent review written on the topic Zika virus and adverse fetal outcome and neurological complication (Guillain Barre Syndrome).

The studies interpretation in terms of statistical significance is outstanding.

The pathogenesis of these complications are not mentioned. How GBS develops after Zika infection? Whether immune mediated or virus has direct affinity for nervous system?

What precautions to be taken at community level to curb the menace of Zika virus infection?

Is the living method justified?

Yes

Have the search and update schedule been clearly defined and justified?

Yes

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Yes

Are sufficient details of the methods and analysis provided to allow replication by others?

Yes

Is the statistical analysis and its interpretation appropriate?

Yes

Are the conclusions drawn adequately supported by the results presented in the review?

Yes

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research