DATA NOTE

REVISÉD Supplementary data on virus-like particles in the brainstem of Parkinson's disease patients and controls

[version 2; peer review: 2 approved]

Robert R. Dourmashkin¹ , Peter Locker², Sherman A. McCall³,
Matthew J. Hannah⁴

¹Virus Reference Dept., National Infection Service, London, London, NW9 5EQ, UK

²London Metropolitan University, Tower Hamlets, London, E1 7QA, UK

³Deptment of Molecular Pathology, Armed Forces Institute of Pathology, Washington DC, USA

⁴Electron Microscopic Service, Virus Reference Dep't. National Infection Service, London, UK

V2 First published: 09 Jul 2020, 9:692
<https://doi.org/10.12688/f1000research.20504.1>
Latest published: 17 Jan 2022, 9:692
<https://doi.org/10.12688/f1000research.20504.2>

Abstract

In this study, we present 77 transmission electron microscopy (TEM) images of human brainstem tissue from 11 cases of late onset Parkinson's disease (PD). The tissues were fixed, embedded, sectioned, and stained for TEM application. In addition, we present 11 images from autopsy specimens of 1 case of human poliomyelitis infection as positive controls and 12 images from 8 cases of autopsy specimens of other conditions as negative controls. In the TEM images of the PD cases there were cytoplasmic inclusion bodies consisting of virus-like particles (VLP) 30 nm in diameter that were associated with endoplasmic reticulum membranes. In the nuclei of the PD neurons there were VLP ranging from 40 nm to 50 nm in diameter. In the poliomyelitis cases, similar particles as were observed in PD which were interpreted to be poliomyelitis virus particles. In the negative controls one case was identified which showed similar VLP (Figure 1, controls). A Lewy body was found in this "control" case (Figure 10) suggesting that this was an undiagnosed case of PD. Cytoplasmic ribosomes measuring approximately 17 nm were observed in the control neurons.

Keywords

Virus-like particles, Parkinson's disease, transmission electron microscope imaging

Open Peer Review

Approval Status

	1	2
version 2		
(revision)	view	view
17 Jan 2022		
version 1		
09 Jul 2020	view	view

1. **Doris Bucher**, New York Medical College, Valhalla, USA

2. **Marie-Eve Tremblay** , University of Victoria, Victoria, Canada

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Robert R. Dourmashkin (dourmashkinrobert@gmail.com)

Author roles: **Dourmashkin RR:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Validation, Visualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Locker P:** Visualization; **McCall SA:** Data Curation; **Hannah MJ:** Resources

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2022 Dourmashkin RR *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Dourmashkin RR, Locker P, McCall SA and Hannah MJ. **Supplementary data on virus-like particles in the brainstem of Parkinson's disease patients and controls [version 2; peer review: 2 approved]** F1000Research 2022, 9:692 <https://doi.org/10.12688/f1000research.20504.2>

First published: 09 Jul 2020, 9:692 <https://doi.org/10.12688/f1000research.20504.1>

REVISED Amendments from Version 1

Changes to the text:

- The existing figure numbers have been removed and updated.
- References to images with new arrows or descriptive text are updated.
- New consecutive figure numbers have been inserted into the text.

Revised/Updated Figures:

- The Parkinsons figures 16,17,20,61,67,68,71 have been removed from the original 84.
- New arrows and updated consecutive figure numbers have been assigned to the remaining Parkinsons figures. Nos. 1–77
- The Poliomyelitis figures 1, 2, 6 and 7 have the word “Arrows” added to the text.
- The Control figures Nos. 13 and 14 have been removed.
- The remaining Control figures. Nos. 1–12 have updated consecutive figure numbers.

Any further responses from the reviewers can be found at the end of the article

Introduction

In our previous communication, we presented a number of TEM images selected from our work on PD. We also presented our immunohistochemical results in which we detected enterovirus antigen in PD brainstem tissue¹. In order to assist in the interpretation of our TEM results, we now present a larger number of TEM images from PD archives together with relevant controls. We also include TEM images of Lewy bodies from the cases of PD, the diagnostic sign of PD (see *Underlying data*)².

Methods

The methods for TEM were the same as those employed in our previous communication¹. Included were 8 control cases, 1 case of poliomyelitis and 11 cases of Parkinson's disease. The tissue samples from the control cases were obtained from the John Radcliffe Hospital, Department of Neuropathology. The tissue samples from the PD cases and from the poliomyelitis case were from the Armed Forces Institute of Pathology, in Washington DC, now closed.

Demographic information controls

Controls: Case 06/126: 87 y. o. female, no cause of death known; Case 06/110: 70 y. o. male, prostate cancer; Case 06/112: 87 y. o. male, perforated gastric ulcer; Case 05/66: 26 y. o. female, cystic fibrosis; Case 05/152: 51 y. o. female, stomach cancer. All PD cases died of PD. The polio case was a 32 y. o. male that died of poliomyelitis.

Ethical clearance

Study of brain specimens had been cleared for ethical agreement by the National Ethics Committee for Oxford UK, rec. no. 07/H0606/85. The brain samples from human autopsy material were obtained from the pathology collections of the John Radcliffe Hospital, Oxford UK and the former Armed Forces Institute of Pathology, Washington DC USA. These institutions approved the use of the tissues for research and they

were satisfied that no further ethical approval was required. In the case of the material from the UK, the principal author releases the “tissue disclaimer” from the Thomas Willis Oxford collection, at the Neuropathology Department.

Conclusions

We note the role α -synuclein plays in the pathogenesis of PD³. It is conceivable that a virus is involved with α -synuclein in the pathogenesis of PD. We suggest that virologists undertake the isolation of infectious virus from diseased PD

Underlying data: Supplementary data on virus-like particles in the brainstem of Parkinson's disease patients and controls.

100 data files

<https://doi.org/10.6084/m9.figshare.18618059.v1>².

Data availability

Underlying data

Figshare: Supplementary data on virus-like particles in the brainstem of Parkinson's disease patients and controls. <https://doi.org/10.6084/m9.figshare.18618059.v1>².

This project contains the following underlying data:

Legends for TEM images of PD brain.

- Parkinson's Figure 1. Low magnification of a PD neuron, original image 2.13b015. Cytoplasmic inclusion bodies are shown (arrows).
- Parkinson's Figure 2. Low magnification of a PD neuron of the same case, image 2.13b025. Cytoplasmic inclusion bodies are shown (arrows).
- Parkinson's Figure 3. High magnification of a cytoplasmic neuron of the same case, image 2.13b028. Multiple VLP are shown. (arrows)
- Parkinson's Figure 4. Low magnification of a PD neuron of the same case, image 2.13b032. Cytoplasmic inclusion bodies (arrows) and external inclusion bodies are shown.
- Parkinson's Figure 5. High magnification of a cytoplasmic inclusion body in a PD neuron in the same case, image 2.13b031. Many VLP are shown. (arrows)
- Parkinson's Figure 6. High magnification of a cytoplasmic inclusion body in a PD neuron in the same case, image 2.13b033. Many VLP are shown.
- Parkinson's Figure 7. High magnification of a cytoplasmic inclusion body in a PD neuron in the same case as above, image 2.13b046. There are proliferating cytoplasmic membranes and VLP associated with membranes. (arrows)
- Parkinson's Figure 8. Low magnification of a PD neuron in the same case. Inclusion body is shown (arrows). Image 2.13b055.
- Parkinson's Figure 9. High magnification of an inclusion body in the PD neuron in the same case, image 2.13b060. Many VLP are shown.

- Parkinson's Figure 10. Low magnification of a neuron in the same case, image 2.13b072. Cytoplasmic inclusion bodies are shown (arrows).
- Parkinson's Figure 11. Image of a Lewy body in the same case, image 2.13c012.
- Parkinson's Figure 12. Low magnification of a PD neuron in the same case, image 2.13013. Cytoplasmic inclusion body is indicated (arrows).
- Parkinson's Figure 13. Image of a cytoplasmic inclusion body showing proliferation of cytoplasmic membranes and VLP. (arrows). Image 2.13c017.
- Parkinson's Figure 14. Measurements of intranuclear VLP in a PD neuron. NM=nuclear membrane. Image 2.13004.
- Parkinson's Figure 15. Low magnification of a PD neuron. Cytoplasmic inclusion bodies are indicated (arrows). Image 2.13028.
- Parkinson's Figure 16. In another PD case, low magnification image of damaged neuroglia. Image 3.08010.
- Parkinson's Figure 17. In the same PD case, a Lewy body. Image 03.08049.
- Parkinson's Figure 18. At higher magnification, an image of the same inclusion body shown in fig.26, consisting of VLP. Image 3.02002
- Parkinson's Figure 19. In the same PD case, an image of a neuron with multiple VLP close to the internal face of the nuclear membrane (arrows). Image 3.13007.
- Parkinson's Figure 20. In the same PD case, two VLP are shown budding from the internal face of a nucleus (arrows.) Image 3.13016.
- Parkinson's Figure 21. In the same PD case, a high magnification image shows multiple VLP arranged on an endoplasmic membrane in a cytoplasmic inclusion body. Image 3i.13.09006.
- Parkinson's Figure 22. In the same PD case, measurements of intranuclear VLP. Image 3i.13.09021.
- Parkinson's Figure 23. In another PD case, at high magnification, an image of multiple VLP in a cytoplasmic inclusion body. Image 4.08b003.
- Parkinson's Figure 24. In the same PD case as above, an image of VLP replicating on endoplasmic membranes. N = nucleus, C = cytoplasm. Image 4. 08b006.
- Parkinson's Figure 25. In the same case, a low magnification image of a PD neuron showing cytoplasmic inclusion bodies (arrows). Image 4.08b009.
- Parkinson's Figure 26. In the same case, a low magnification image of a PD neuron showing cytoplasmic inclusion bodies (arrows). Image 4.08b014
- Parkinson's Figure 27. In the same case, a high magnification image, measurements of intranuclear VLP. Image 4.08b016.
- Parkinson's Figure 28. In the same case, intranuclear VLP are shown (arrows). Image 4.08b021.
- Parkinson's Figure 29. In the same case, intranuclear VLP are shown (arrows). Image 4.08b022.
- Parkinson's Figure 30. In the same case, intranuclear VLP are shown (arrows). Image 4.08b030.
- Parkinson's Figure 31. Measurements are shown. Image 4.08b032.
- Parkinson's Figure 32. In the same case, a low magnification image of the same PD case shows multiple cytoplasmic inclusion bodies. Image 4.08b036.(arrows)
- Parkinson's Figure 33. In another PD case, a high magnification image of intranuclear VLP emerging from virus matrix. (arrows). Image 4.08001.
- Parkinson's Figure 34. Another image of the same area in the proximity of the nucleolus. Image 4.08003
- Parkinson's Figure 35. Another image of the same area as Fig. 34. Image 4.08005.
- Parkinson's Figure 36. Another PD case. Intranuclear VLP situated close to the nuclear membrane (arrow). Image 4.08009.
- Parkinson's Figure 37. Another PD case. A cytoplasmic inclusion body. Image 4.08015.(Arrow)
- Parkinson's Figure 38. The same PD case as Fig. 43. Intranuclear VLP (arrows). Image 4.08017.
- Parkinson's Figure 39. Parkinson's disease cases, neurons of the basal ganglia. Image of a Lewy body. Image 5b.0801.0
- Parkinson's Figure 40. Clusters of VLP in a cytoplasmic inclusion body. (arrows). Image 5D.08002.
- Parkinson's Figure 41. Large intranuclear VLP. Image 5D.08004.
- Parkinson's Figure 42. Same image, with measurements. Image 5D.08005.
- Parkinson's Figure 43. Same PD case. Large intranuclear VLP close to and adhering to the internal face of the nuclear membrane. (arrows). Image 5D.08006.
- Parkinson's Figure 44. Same PD case. Similar VLP adhering to the internal face of the nuclear membrane. (arrows). Image 5D08007.
- Parkinson's Figure 45. Same PD case. Measurements of VLP in a cytoplasmic inclusion body. Image 5D.08018.
- Parkinson's Figure 46. Same PD case. Measurements of VLP in a cytoplasmic inclusion body. Image 5D.08028.
- Parkinson's Figure 47. Same PD case. Arrows indicating membranes in a cytoplasmic inclusion body. Image 5D08017.
- Parkinson's Figure 48. Another PD case. Intranuclear polyribosomes. Image 6.08002.

- Parkinson's Figure 49. Higher magnification of similar image, with measurements. Image 6.08004.
 - Parkinson's Figure 50. In the same PD case, a Lewy body. Image 6.08011.
 - Parkinson's Figure 51. High magnification of a Lewy body. Image 6.08013.
 - Parkinson's Figure 52. Low power of neuron from another PD case, with cytoplasmic inclusion bodies (arrows). Image 7.08b001.
 - Parkinson's Figure 53. Low magnification of a cell from the same PD case with a Lewy body Image 7.08019.
 - Parkinson's Figure 54. Low magnification of neuron from another PD case, with cytoplasmic inclusion bodies (arrows). Image 8.08001.
 - Parkinson's Figure 55. Same case, high magnification of neuron with large intranuclear VLP (arrows). Image 8.08008. N=Nucleus.
 - Parkinson's Figure 56. Same area of nucleus, (arrows). Image 8.08009.
 - Parkinson's Figure 57. Same PD case, large intranuclear VLP. Image 8.08025.
 - Parkinson's Figure 58. Same PD case, low magnification of a neuron with cytoplasmic inclusion bodies (arrows). Image 8.08034.
 - Parkinson's Figure 59. Same PD case, budding intranuclear VLP. Image 8.08036.
 - Parkinson's Figure 60. Same PD case, intranuclear VLP budding from the internal leaf of the nuclear membrane. Measurements, 8.08040.
 - Parkinson's Figure 61. Same PD case, intranuclear VLP. Measurements, image 8.08049.
 - Parkinson's Figure 62. Another PD case. Cytoplasmic VLP. Image 9.08016.
 - Parkinson's Figure 63. A PD case. Intranuclear VLP budding from internal nuclear membrane of neuron. Image 10.08a001.
 - Parkinson's Figure 64. Same PD neuron, measurements. Image 10.08a005.
 - Parkinson's Figure 65. Same PD endothelial cell. High magnification showing large numbers of clustered small VLP. Image 10.08a008.
 - Parkinson's Figure 66. Same PD endothelial cell, high magnification. Large numbers of small VLP. Image 10.08a019.
 - Parkinson's Figure 67. A PD case, showing large VLP in the cytoplasm and measurements. Image 13.09c006.
 - Parkinson's Figure 68. A PD case. A Lewy body is shown in the cytoplasm of a neuron. Image 13.09c010.
 - Parkinson's Figure 69. A PD case. A Lewy body free in the neuropil. Image 13.09019.
 - Parkinson's Figure 70. A PD case. Large VLP in the nucleus and cytoplasm of a neuron. Image 13a09009. (arrows).
 - Parkinson's Figure 71. Another PD case. A Lewy body free in the neuropil. Image 14.09b006.
 - Parkinson's Figure 72. Same PD case. Small intranuclear VLP clustered in groups. Image 14.09c035. (N=nucleolus).
 - Parkinson's Figure 73. Same PD case. Small intranuclear VLP, clustered in groups. Image 14.09c045.
 - Parkinson's Figure 74. Same PD case. Large intranuclear VLP budding from membranes. (arrows). Image 14.431037.
 - Parkinson's Figure 75. Another PD case. Large intranuclear VLP (arrow). Image 16.09c001.
 - Parkinson's Figure 76. Higher magnification of same area. Image 16.09c005.
 - Parkinson's Figure 77. In the same PD case, large intranuclear VLP. (arrows). Image 16.09c014.
- Legends of TEM images of poliomyelitis spinal cord.
- Poliomyelitis Figure 1. A case of human poliomyelitis. Large numbers of small virus particles embedded in a matrix, at the periphery of a neuron. (arrows). Image 5a.13021.
 - Poliomyelitis Figure 2. Same polio case. Clusters of small virus particles in an inclusion body. (arrows). Image 5a.13022.
 - Poliomyelitis Figure 3. Same polio case, low magnification. Neuron in apoptosis. Virus inclusion body (arrow). Image 5a.13025.
 - Poliomyelitis Figure 4. Same polio case. Intranuclear virus particles (arrow). Image 5a.13026.
 - Poliomyelitis Figure 5. Same image as Fig. 4, measurements of virus particles. Image 5a.13027.
 - Poliomyelitis Figure 6. High magnification of a polio inclusion body, showing clusters of virus particles, both free and associated with endoplasmic membranes. (arrows). Image 5a.13029.
 - Poliomyelitis Figure 7. Case of human poliomyelitis. Clusters of virus particles, embedded in amorphous matrix. (arrows). Image 48.05006.
 - Poliomyelitis Figure 8. Case of human poliomyelitis. Cytoplasmic virus particles. Image II.48.05001.
 - Poliomyelitis Figure 9. Case of human poliomyelitis. Image II.48.05002 Low magnification. (arrow)
 - Poliomyelitis Figure 10. Case of human poliomyelitis. Low magnification. Image II.48.05003. Inclusion body shown. (arrow)
 - Poliomyelitis Figure 11. Case of human poliomyelitis. Virus particles embedded in amorphous matrix, associated with cytoplasmic membranes. Image II.48.05005.

Legends of TEM images of control brain.

- Control Figure 1. Ribosomes in Nissl body, and mitochondrion. Measurements, Image 9.090117.
- Control Figure 2. Control case. Ribosomes in a Nissl body. Measurements, image 9.08039.
- Control Figure 3. Control case. Nissl body. Image 10.09b004.
- Control Figure 4. Control case; a group of ribosomes in a neuron in the basal ganglia. Measurements, image 10.09015.
- Control Figure 5. Control case; a group of ribosomes in a Nissl body in the same area as above. Image 10a09009.
- Control Figure 6. Measurements. Control case, as above; endoplasmic reticulum in the cytoplasm of a neuron. Image 10c.09011.
- Control Figure 7. A case that was reported as being a control case. VLP characteristic of PD are shown (arrows). Image 11.09b001.
- Control Figure 8. In a same case as in Figure 9, an intracellular Lewy body. Image 11.09006.
- Control Figure 9. A control case, showing cytoplasm and nucleus. Image 12.09015.
- Control Figure 10. Control case. Image 1209b004.

- Control Figure 11. Control case. Image 1209b015.
- Control Figure 12. Control ribosomes, measurements. Image x10.09011.

Data are available under the terms of the [Creative Commons Attribution 4.0 International license](#) (CC-BY 4.0).

Author contributions

Robert Dourmashkin: Preparation of tissue for TEM; carrying out TEM; Interpretation of TEM images; writing this article.

Peter Locker: Management of digital images.

Sherman McCall: Selecting and submitting pathological specimens to the authors from the AFIP tissue bank for this study.

Matthew Hannah: Management of TEM.

Acknowledgements

Prof. Margaret M. Esiri, Department of Clinical Neurology, University of Oxford, UK; Department of Neuropathology, Oxford Radcliffe NHS Trust, UK (retired). Acknowledgements are offered to Prof. Esiri for the work she did in selecting pathological specimens from the Department tissue bank and advice concerning the interpretation of the RRD images.

Mrs. S. Dourmashkin: Encouragement for RRD's work.

References

1. Dourmashkin RR, McCall SA, Dourmashkin N, *et al.*: **Virus-like particles and enterovirus antigen found in the brainstem neurons of Parkinson's disease** [version 2; peer review: 2 approved, 1 approved with reservations]. *F1000Res*. 2018; 7: 302.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
2. Dourmashkin R, Locker P, McCall SA, *et al.*: **Supplementary data on virus-like particles in the brainstem of Parkinson's disease patients and controls.** *f1000research.com*. Dataset. 2022.
<http://www.doi.org/10.6084/m9.figshare.18618059.v1>
3. Kim S, Kwon SH, Kam TI, *et al.*: **Transneural propagation of pathologic α -synuclein from the gut to the brain models of Parkinson's disease.** *Neuron*. 2019; **103**(4): 627–641.e7.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Open Peer Review

Current Peer Review Status:

Version 2

Reviewer Report 17 March 2022

<https://doi.org/10.5256/f1000research.79367.r120080>

© 2022 Tremblay M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Marie-Eve Tremblay

Division of Medical Sciences, University of Victoria, Victoria, British Columbia, Canada

Thank you for the revision! All concerns have been addressed and I am pleased to give this version final approval.

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: brain ultrastructure, microglia, neurons, synapses, animal models, human post-mortem samples, stress, aging, neurodegenerative diseases

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 19 January 2022

<https://doi.org/10.5256/f1000research.79367.r120081>

© 2022 Bucher D. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Doris Bucher

Department of Microbiology and Immunology, New York Medical College, Valhalla, NY, USA

All concerns have been addressed and I am pleased to give this version final approval.

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Virology

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 22 February 2021

<https://doi.org/10.5256/f1000research.22537.r78179>

© 2021 Tremblay M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Marie-Eve Tremblay

Division of Medical Sciences, University of Victoria, Victoria, British Columbia, Canada

This supplemental material provides additional transmission electron microscopy pictures in support of the presence of viral-like particles in the brain stem of post-mortem Parkinson's patient samples (compared with controls).

The rationale for providing additional pictures should be explained a little further, considering that these additional pictures do not provide more support to the original evidence published by the authors. In particular, it would have been useful to perform immunostaining or use additional validation methods to confirm that some of the viral-like particles are indeed viral-like particles and not something else (e.g. glycogen granules, which have a similar size and can also associate with the endoplasmic reticulum).

If presented as supplemental material, the pictures should have more annotations (e.g. arrows, pseudo-colours, etc.) to help readers visualize the structures of relevance. I would also recommend removing pictures showing glial processes, myelin, neurons (of note, sometimes neurons looked like astrocytes, it would be important to verify the ultrastructural identification criteria for the dataset), focusing on the topic of investigation: the viral-like particles.

In addition, the ultrastructural preservation of the samples is generally suboptimal, which could be accounted for by the post-mortem interval or the pH of the cerebrospinal fluid, known to affect brain ultrastructure. More information regarding the samples could be useful to help interpret the dataset.

Is the rationale for creating the dataset(s) clearly described?

Partly

Are the protocols appropriate and is the work technically sound?

Partly

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

No

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: brain ultrastructure, microglia, neurons, synapses, animal models, human post-mortem samples, stress, aging, neurodegenerative diseases

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 20 August 2020

<https://doi.org/10.5256/f1000research.22537.r66787>

© 2020 Bucher D. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Doris Bucher

Department of Microbiology and Immunology, New York Medical College, Valhalla, NY, USA

R.R. Dourmashkin and colleagues provide additional TEM images from their work on Parkinson's Disease (PD). Earlier this group detected enterovirus antigen in PD brainstem tissue.

Dourmashkin *et al.* show additional TEM of virus-like particles 30 nm diameter (VLPs) associated with endoplasmic reticulum membranes from PD cases. In nuclei of neurons from PD cases VLPs of 40-50 nm diameter were found. Similar particles were also found in polio cases.

Lewy bodies were also found.

Cytoplasmic ribosomes of 17 nm were observed in control neurons.

It is valuable to the scientific community and PD researchers to have access to this supplemental material.

Overall, need to improve labelling of figure legends by use of arrows pointing to key features.

PD Brain:

- Fig. 1-4
- Fig. 5 use arrow to i.d. VLPs assoc. with cytoplasmic inclusion body.
- Fig. 7., Fig. 8, Fig. 9—need arrows.
- Fig. 13—need arrow.
- Fig. 14 –NM not labelled.

- Fig. 16—VLP no arrows.
- Fig. 31, 32 –need arrows.
- Fig. 37-- same area as Fig. 36.
- Fig. 51—need arrows.
- Fig. 63—need arrows.
- Fig. 66, Fig. 67. Fig. 68—difficult to see cytoplasmic membrane—need arrows.
- Fig. 72, 73—need arrows.
- Fig. 77—need arrows.
- Fig. 79, 80, 81—need arrows.
- Fig. 84—need arrows.

Poliomyelitis Spinal Cord:—figures are out of order....

- Fig. 1, Fig. 2—need arrows.
- Fig. 6, 7, 8—need arrows.
- Fig. 11—need arrows.

Control Brain (Ribosomes, etc.):

- Fig. 1—need arrows.
- Fig. 7,8,9,10,11—need arrows.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Partly

Are the datasets clearly presented in a useable and accessible format?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Virology

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research