RESEARCH ARTICLE

Comparative cross-sectional assessment of knowledge, attitude and practice among university students and employees towards the use of the microbiology laboratory equipment [version 1; peer review: 1 approved, 1 approved with reservations, 1 not approved]

Muzaheed Muzaheed ¹, Omar S. El-Masry ¹, Ali A. Rabaan², Faisal Alzahrani¹, Amer Alomar¹, Faraz Ahmed Farooqi ³

¹Department of Clinical Laboratory Science, College of Applied Medical Sciences, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia

²Molecular Diagnostic Laboratory, John Hopkins ARAMCO Healthcare, Dhahran, Saudi Arabia

³College of Dentistry, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia

V1 First published: 16 Feb 2021, 10:117
<https://doi.org/10.12688/f1000research.49923.1>
 Latest published: 23 Jun 2021, 10:117
<https://doi.org/10.12688/f1000research.49923.2>

Abstract

Background: Continuous evaluation of students and employee's knowledge and attitude in clinical laboratories is mandatory to ensure a high level of competency, proper practice and to assess the need for training, which shall be reflected on the quality of laboratory results. The aim of the present study was to evaluate the knowledge, attitude, and practice in microbiology laboratories among employees (at King Fahd Hospital of the University) and clinical laboratory students (at Imam Abdulrahman Bin Faisal University)

Methods: This was a cross-sectional survey of 30 2nd year students, 26 3rd year students, 24 4th year students in the Clinical Laboratory Sciences department, and 30 employees. Participants completed a survey comprising 30 questions to assess their knowledge and attitude towards the use of equipment and practice in the microbiology laboratory.

Results: The results indicated that there was no significant difference between the average scores of all levels of students regarding their knowledge ($p = 0.85, 0.999, \text{ and } 0.869$), attitude ($p = 0.883, 0.996, 0.853$), and practice ($p = 0.633, 0.325, 0.858$) in the microbiology laboratory. Employees scores (knowledge; 5.03 ± 2.646 , attitude; 12.03 ± 4.89 , and practice; 7.7 ± 6.11) were quite poor, as indicated by the lower average results than that of students (knowledge; 5.65 ± 3.08 , attitude; 13.25 ± 5.33 , and practice; 13.46 ± 5.7).

Open Peer Review

Approval Status

	1	2	3	4
version 2				
(revision)
23 Jun 2021			view	view

version 1
16 Feb 2021	view	view	view	

- Rama Bhat P**, Alva's College, Moodbidri, Mangalore University, Moodbidri, India
- Kavita Batra** , Kirk Kerkorian School of Medicine at University of Nevada, Las Vegas, Las Vegas, USA
Manoj Sharma , University of Nevada, Las Vegas, Las Vegas, USA
- Pathiyil Ravi Shankar** , International Medical University, Kuala Lumpur, Malaysia

Conclusions: It is concluded that the knowledge, attitude, and practice of students and employees in the microbiology laboratory needs to be meticulously monitored and improved to ensure high achievement of learning outcomes and better overall performance in the laboratory. This may be achieved through using frequent quizzes and continuous education programs.

Keywords

Knowledge, Attitude, Practice, Assessment, Survey, Microbiology, Laboratory

4. **Kamran Soomro**, International Medical University, Kuala Lumpur, Malaysia

Any reports and responses or comments on the article can be found at the end of the article.

This article is included in the **Research on Research, Policy & Culture** gateway.

Corresponding author: Muzaheed Muzaheed (marasheed@iau.edu.sa)

Author roles: **Muzaheed M:** Conceptualization, Writing – Review & Editing; **El-Masry OS:** Data Curation, Validation, Writing – Original Draft Preparation; **Rabaan AA:** Writing – Review & Editing; **Alzahrani F:** Writing – Review & Editing; **Alomar A:** Writing – Review & Editing; **Farooqi FA:** Formal Analysis, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2021 Muzaheed M *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Muzaheed M, El-Masry OS, Rabaan AA *et al.* **Comparative cross-sectional assessment of knowledge, attitude and practice among university students and employees towards the use of the microbiology laboratory equipment [version 1; peer review: 1 approved, 1 approved with reservations, 1 not approved]** F1000Research 2021, 10:117 <https://doi.org/10.12688/f1000research.49923.1>

First published: 16 Feb 2021, 10:117 <https://doi.org/10.12688/f1000research.49923.1>

Introduction

Microbiology laboratories are unique work environments that exert potential health hazards, which requires focused knowledge and training for all users. The risk of exposure to pathogens and misuse of laboratory equipment are two important hazards related to microbiology laboratories. Throughout history, and due to the lack of safe practice and personal errors many laboratory workers have contracted infections¹. Similarly, mishandling of laboratory equipment, especially those operating at high temperatures or speeds can pose considerable risks to the laboratory personnel². In order to reduce these risks related to the use of equipment and practice in the microbiology laboratory, dedicated safety training and education should be in place for every laboratory².

Microbiology laboratory equipment can be broadly classified as disposable or reusable. The most common reusable components include microscopes, autoclaves, colony counters, vortex mixers, hot air ovens, refrigerators, distilled water plants, Bunsen burners, and pipettes. Laboratory students and employees should follow the related standard operating procedures (SOPs) while using this equipment, and failure to do so can cause damage to the equipment and expose laboratory personnel to a possible hazard³. Likewise, the use of disposable equipment, including petri plates, pipetting tips and personal protective equipment (PPE) should be carried out in a proper manner and with care so that they do not become a cause of infection spread. This requires prior knowledge and training on how to use and dispose of these laboratory tools³.

The importance of practices and attitudes of personnel working in microbiology laboratories has been highlighted in various studies⁴. In this respect, workers should be professionally trained and participate in continuous training courses to ensure their correct and safe usage of laboratory equipment⁵. From our point of view, the accuracy of diagnostic test results and their reliability may depend on the laboratory technician's knowledge, attitude and standardized practice in the laboratory. The aim of the present study was to evaluate the knowledge, attitude and practice (KAP) of the students (department of clinical laboratory sciences, Imam Abdulrahman Bin Faisal University) and staff (King Fahd Hospital of the University) towards the microbiology laboratory and the use of its equipment.

Methods

Study design

This was a cross-sectional questionnaire-based study, conducted among the undergraduate students of the Clinical Laboratory Science Department at Imam Abdulrahman Bin Faisal university and the technical staff working in the teaching hospital of the university in Dammam, eastern province of Saudi Arabia.

Study instrument

A structured self-administered questionnaire was designed by the authors and reviewed by subject experts (Dr. S. Acharya, Assistant professor of microbiology and Dr. Elfadil A, Assistant

professor of microbiology and Immunology) for its content, relevance, readability, and comprehension. The questionnaire was distributed to 10 randomly selected participants as preliminary pilot testing of the target population. Minor modifications were recommended by the pilot study group and were done before dissemination of the survey to the sample population. The overall Cronbach alpha value was 0.79 suggesting acceptable consistency of the questionnaire. Those who participated in the pilot study were excluded from the final analysis.

The survey was written in English and consisted of 30 questions divided into four main sections¹². The questionnaire started with a section asking for participants' year of study, specialization, department, and college. Sections two to-four comprised 10 questions each to evaluate knowledge, attitudes and practice in the microbiology laboratory, respectively. All questions evaluating knowledge, attitude and practice were associated with categorical responses: yes/no/not sure.

Participants

All students in years 2, 3 and 4 who belonged to the department of clinical laboratory sciences at Imam Abdulrahman Bin Faisal University, were asked to participate in the study. Students from other departments as well as those who had recently changed their specialty to clinical laboratory sciences were excluded from participation. All the staff of the microbiology laboratory at King Fahd Hospital of the University were asked to participate. Staff members who recently joined were excluded; only staff members with at least five years' experience were included in the study.

Study procedure

The survey was hosted on the online resource "Question Pro". The college registrar provided the email addresses of all pupils in each university year. The link for the survey was then sent to the students and completed in the period between February 2020 – September 2020. The objectives of the research were explained to the students on the very first page and students were proceeded to take the survey only after checking the consent box. Participation was voluntary, and no benefits or incentives were given to participants. There were no personal data collected during this study.

Statistical analysis

Data was initially exported to MS Excel 365 from the "QuestionPro" database. After cleaning the dataset was imported to Statistical Package for Social Science (SPSS version 22, Inc. USA) for further analysis. Data was presented as frequencies, percentage, mean and SD. The knowledge sections of the questionnaire contained 10 questions and response were collected as wrong answer (marked 0) and correct answer (marked 1). Attitude and practice scores were coded as yes, don't know and no (3, 2, 1, respectively). Overall and for each section the items internal consistency was evaluated through Cronbach's Alpha. Comparison between student's scores was conducted using one-way analysis of variance (ANOVA), while the student independent sample t-test was employed to

compare between students' and employees' scores. The p-value of ≤ 0.05 was considered statistically significant.

Results

The questionnaire was disseminated to a target sample comprising 30 students in each study level (2nd, 3rd and 4th year students) and 30 employees making the total number of target participants 120; among them 110 responded⁶. Out of 110, 30 were 2nd year students, 26 were 3rd year students, 24 were 4th year students and 30 were employees (microbiology laboratory personnel). All of participants belonged to the same university and its teaching hospital. The response rate was 73%, incomplete or denied participation were excluded. Overall, it was found that students' percentages of correct answer were higher than the employees. In brief the average student scores (mean $\pm$ S.D) in the knowledge domain were 5.80 ± 2.49 (2nd year), 5.35 ± 3.58 , (3rd year), and 5.79 ± 3.27 (4th year) out of a maximum of 10 points. The average scores in the attitude domain were 13.53 ± 6.404 (2nd year), 12.85 ± 5.409 (3rd year), and 13.67 ± 3.691 (4th year) out of a maximum of 30 points. Regarding practice, student scores were 14.60 ± 5.73 (2nd year), 13.16 ± 6.34 (3rd year) and 12.33 ± 5.001 (4th year) out of a maximum of 30 points. Whilst mean (SD) employees scores were 5.03 ± 2.646 out of 10 for knowledge, 12.03 ± 4.89 out of 30 for attitude, and 7.7 ± 6.11 out of 30 for practice. Among the all knowledge related question the only one item (The UV-visible spectrophotometer uses light visible range) was answered correctly by the majority of the employees (Table 1), likewise the good practice response was also higher among the students whereas the "don't know" response for several items was higher among the employees (Table 2). However, the attitude response of both groups was somehow similar almost for all items (Table 3).

Internal consistency

The items (questions) used in the current study to assess the performance of students and employees in knowledge, attitude and practice domains are summarized in Table 1, Table 2, Table 3. The correct answer for each question was indicated in the tables along with the listed options for the participants. The reliability of the questionnaire items used to assess knowledge, attitude and practice was evaluated by assessing the internal consistency of each domain's questions by calculating the Cronbach's Alpha (Table 4). The values of the Cronbach's Alpha coefficient for knowledge, attitude and practice were 0.888, 0.916, and 0.932, respectively, indicating that the items in each group are closely related as a set of questions.

Descriptive data for knowledge, attitude and practice scores

The overall average scores of the three domains for the whole study sample are shown in Table 5 and the average performance scores for each group are shown in Table 6. Among the students, the 2nd year students who are the most junior students in this study had the highest level of knowledge (5.80 ± 2.49), followed by the most senior 4th year (5.79 ± 3.27) and 3rd year students (5.35 ± 3.58). Faculty surprisingly had the

lowest knowledge score among the participants (5.03 ± 2.64). Likewise, the average scores of the 4th year and the 2nd year students in attitude-related questions were close (13.67 ± 3.69 and 13.53 ± 6.40 , respectively). The lowest score in the attitude domain was reported for the 3rd year students followed by the employees (12.85 ± 5.40 and 12.03 ± 4.89). Regarding practice-related questions, the 2nd year students achieved the best scores (14.6 ± 5.73), followed by the 3rd year (13.16 ± 6.34) and the 4th year students (12.33 ± 5.00). The employees score was the least, and surprisingly, low in this domain also (7.7 ± 6.11).

Comparison of student groups' scores in knowledge-, attitude- and practice-related questions

The average scores of 2nd, 3rd, and 4th year students in the three domains were compared using one-way analysis of variance ANOVA (Table 7). The results indicated that there was no significant difference between the average knowledge scores of: the 2nd and 3rd year students ($p = 0.85$); the 2nd and 4th year students ($p = 0.999$); and the 3rd and 4th year students ($p = 0.869$). There was similarly a non-significant difference observed for the average attitude scores between the above-mentioned groups ($p=0.883$, 0.996 , and 0.853 , respectively), as well as for practice ($p= 0.633$, 0.325 , and 0.858 , respectively).

Comparison of student groups' and employees' scores in knowledge-, attitude- and practice-related questions

The independent sample t-test (Table 8) was used to compare the KAP scores between employees and students. The results indicated a non-significant difference between students and employees regarding knowledge or attitude ($p=0.335$ and 0.24 , respectively). On the other hand, the difference between students and employees' scores for practice-related questions was significantly different (13.46 ± 5.7 and 7.70 ± 6.11 , respectively, $p<0.0001$).

Discussion

The present survey was carried out to evaluate and analyze three domains: knowledge, attitude and practice towards equipment used in the microbiology lab by university students and employees. The results of the current study revealed that there was no significant difference between students in different years regarding their KAP in the microbiology lab. Of note, employees had the lowest scores amongst the studied groups. In this respect, employee's average scores for practice-related questions were significantly different from the average score of students in the same domain. Similar findings have been reported by Jairoun and colleagues⁷ who evaluated KAP of medical students (MS) and non-medical students (NS) towards the use of antibiotics in the United Arab Emirates (UAE). They reported that medical students had better knowledge of antibiotics and their side effects compared to the non-medical students; however, employees showed the least knowledge when compared to the students. Since employees mostly do routine work, they may not bother to get more awareness about laboratory equipment as noticed from the assessment of the employees' KAP regarding health precautions in the laboratory. This is disappointing as they play a very important role in

Table 1. Participant' knowledge about microbiology laboratory equipment.

Questions	Options	2 nd -year Total=30 (%)	3 rd -year Total=26 (%)	4 th -year Total=24 (%)	Employers Total=30 (%)	Total (%)
Is it recommended to calibrate the pH meters before using? Correct answer: Yes	Yes	30 [100%]	23[92.31]	24[100]	30[100]	108[98%]
	No	0 [0]	[0]	[0]	[0]	0 [0%]
	Don't know	0 [0]	3[7.69]	[0]	[0]	2[2%]
Sterilization of media and lab equipment is carried out in autoclave at 121°C? Correct answer: Yes	Yes	24[81.25]	12[46.15]	14[60.00]	11[36.66]	62[56%]
	No	6[18.75]	5[19.23]	0[0]	19[62.50]	29[25%]
	Don't know	0[0]	9[34.62]	10[40.00]	0[0]	19[19%]
Centrifugation of bacterial culture is carried out to collect the bacterial cells in the supernatant. Correct answer: No	Yes	8[25]	11[42.31]	10[40.00]	22[75.00]	51[46%]
	No	6[18.75]	8[30.77]	10[40.00]	8[25.00]	31[29%]
	Don't know	16[56.25]	7[26.92]	4[20.00]	0[0]	29[26%]
Can a vortex be used to separate particles based on their sizes? Correct answer: No	Yes	11[37.50]	11[42.31]	5[20.00]	26[87.50]	53[47%]
	No	4[12.50]	10[38.46]	14[60.00]	4[12.50]	32[31%]
	Don't know	15[50.00]	5[19.23]	5[20.00]	0[0]	25[22%]
Polymerase chain reaction (PCR) is a DNA amplification technique? Correct answer: Yes	Yes	30[100]	22[84.62]	24[100]	30[100]	106[96%]
	No	0[0]	3[11.54]	0[0]	0[0]	3[3%]
	Don't know	0[0]	1[3.85]	0[0]	0[0]	1[1%]
While carrying out a microscopical examination, is it recommended to change the lens power in an ascending order, i.e. 4X, 10X, 40X? Correct answer: Yes	Yes	30[100]	19[73.08]	19[80.00]	24[80]	92[83%]
	No	0[0]	3[11.54]	5[20.00]	0[0]	8[8%]
	Don't know	0[0]	4[15.38]	0[0]	6[20]	10[9%]
Would we use an electronic cell counter to determine the number of thrombocytes in a ul of blood? Correct answer: Yes	Yes	9[31.25]	9[34.62]	10[40.00]	8[25.00]	35[33%]
	No	8[25]	4[15.38]	5[20.00]	19[62.50]	36[31%]
	Don't know	13[43.75]	13[50.00]	9[40.00]	3[12.50]	39[37%]
The UV-visible spectrophotometer uses light visible range between 400 – 700 nm of electromagnetic radiation spectrum. Correct answer: Yes	Yes	13[43.75]	18[69.23]	10[40.00]	24[80]	65[58%]
	No	6[18.75]	4[15.38]	0[0]	6 [20]	16[14%]
	Don't know	11[37.50]	4[15.38]	14[60.00]	0[0]	30[28%]
A temperature precision vortex mixture is the best equipment for carrying out immunochemical reactions that require light mixing. Correct answer: Yes	Yes	17[56.25]	6[23.08]	4[20.00]	8[25.00]	35[31%]
	No	6[18.75]	3[11.54]	10[40.00]	0[0]	18[18%]
	Don't know	7[25.00]	17[65.38]	10[40.00]	22[75.00]	57[51%]
Are circulating-water baths ideal for experiments which require temperature precision? Correct answer: Yes	Yes	11[37.50]	12[46.15]	10[40.00]	4[12.50]	37[34%]
	No	2[6.25]	5[19.23]	4[20.00]	0[0]	12[11%]
	Don't know	17[56.25]	9[34.62]	10[40.00]	26[87.50]	62[55%]

regulating daily tasks of the laboratory; this may compromise laboratory results and jeopardize health management outcomes in patients. In addition, employees play a significant role in students' training.

In another context, Barikani⁸, stated that around 50% of the students surveyed had knowledge of 'hand washing before and after using gloves', but only 40% developed the attitude to do that. Moreover, the number of students who practiced

Table 2. Participant' practice while using microbiology laboratory equipment.

Questions	Options	2 nd -year Total=30 (%)	3 rd -year Total=26 (%)	4 th -year Total=24 (%)	Employers Total=30 (%)	Total (%)
Can distilled water or deionized water be used for storing pH electrode? Correct answer: No	Yes	19[62.50]	13[50.00]	14[60.00]	26[87.50]	72[65%]
	No	11[37.50]	5[19.23]	0[0]	0[0]	16[14%]
	Don't know	0[0]	8[30.77]	10[40.00]	4[12.50]	21[21%]
For analyzing a chemical reaction, the change in color can be observed by using a spectrophotometer. Correct answer: Yes	Yes	24[81.25]	25[96.15]	24[100]	19[63.33]	92[85%]
	No	4[12.50]	0[0]	0[0]	0[0]	4[3%]
	Don't know	2[6.25]	1[3.85]	0[0]	11[36.6]	14[12%]
Is it safe to work in a biological safety cabinet (BSC) when the UV light is on? Correct answer: No	Yes	6[18.75]	7[26.92]	0[0]	18[62.50]	31[27%]
	No	15[50.00]	11[42.31]	10[40.00]	4[12.50]	39[36%]
	Don't know	9[31.25]	8[30.77]	14[60.00]	8[25.00]	39[37%]
Do you sterilize your inoculating loop before as well as after using it? Correct answer: Yes	Yes	28[93.75]	25[96.15]	24[100]	12[40]	89[82%]
	No	0[0]	0[0]	0[0]	8[26.66]	8[7]
	Don't know	2[6.25]	1[3.85]	0[0]	10 [33.33]	13[11%]
Do you set the denaturation temperature in PCR in accordance with the melting temperatures of the primers that are being used? Correct answer: Yes	Yes	26[87.50]	15[57.69]	10[40.00]	4[12.50]	55[49%]
	No	4[12.50]	4[15.38]	4[20.00]	0[0]	13[12%]
	Don't know	0[0]	7[26.92]	10[40.00]	26[87.50]	43[39%]
For getting the best resolution through a lab microscope, is use of oil immersion a viable option? Correct answer: Yes	Yes	17[56.25]	17[65.38]	19[80.00]	11[36.6]	64[60%]
	No	9[31.25]	4[15.38]	0[0]	2[6.6]	15[13%]
	Don't know	4[12.50]	5[19.23]	5[20.00]	17[62.50]	32[29%]
If you are given a blood sample to detect whether the person is allergic to something, would you use Electronic cell counter for the quick determination of the number of neutrophils? Correct answer: Yes	Yes	19[62.50]	12[46.15]	6[25.00]	8[25.00]	44[40%]
	No	2[6.25]	6[23.08]	6[25.00]	0[0]	14[14%]
	Don't know	9[31.25]	8[30.77]	12[50.00]	22[75.33]	52[47%]
Will a shaking water bath be ideal equipment for growing bacteria in broth culture media? Correct answer: Yes	Yes	11[37.50]	4[15.38]	0[0]	4[12.50]	19[16%]
	No	13[43.75]	8[30.77]	14[60.00]	0[0]	36[34%]
	Don't know	6[18.75]	14[53.85]	10[40.00]	26[87.50]	55[50%]
Will you use a hot plate when you have to prepare a buffer of certain pH? Correct answer: Yes	Yes	24[81.25]	18[69.23]	10[40.00]	4[12.50]	56[51%]
	No	2[6.25]	1[3.85]	4[20.00]	23[75.00]	30[26%]
	Don't know	4[12.50]	7[26.92]	10[40.00]	3[12.50]	24[23%]
Do you monitor the temperature accuracy of lab incubators by placing thermometer in them? Correct answer: Yes	Yes	9[31.25]	14[53.85]	24[100]	11[36.6]	58[55%]
	No	11[37.50]	8[30.77]	0[0]	0[0]	19[17%]
	Don't know	10[31.25]	4[15.38]	0[0]	19[63.33]	33[28%]

hand washing was reduced to 16.2%, which showed the non-serious behavior of the students. In our opinion, this behavior can be explained based on the fact that with seniority,

students tend to ignore rules and instructions and become more careless towards the usage of equipment. Students' attitudes were analyzed through a questionnaire and not based on

Table 3. Participants' attitude towards microbiology laboratory equipment.

Questions	Options	2nd-year Total=30 (%)	3rd-year Total=26 (%)	4th-year Total=24 (%)	Employers Total=30 (%)	Total (%)
Do you think it is ideal to use a water bath when heating of a flammable compound is required? Correct answer: Yes	Yes	11[37.50]	4[15.38]	5[20.00]	8[25.00]	28[24%]
	No	13[43.75]	19[73.08]	14[60.00]	22[75.00]	69[63%]
	Don't know	6[18.75]	3[11.54]	5[20.00]	0[0]	13[13%]
While using a hot plate, will you start the magnetic stirring before placing the magnetic stirrers in the mixture? Correct answer: No	Yes	8[25.00]	2[7.69]	0[0]	22[75.00]	32[27%]
	No	9[31.25]	6[23.08]	5[20.00]	4[12.50]	24[22%]
	Don't know	13[43.75]	18[69.23]	19[80.00]	4[12.50]	54[51%]
Do you feel it is ok to place your food items in the laboratory fridge and freezers? Correct answer: No	Yes	4[12.50]	0[0]	0[0]	19[62.50]	23[19%]
	No	26[87.50]	26[100]	24[100]	11[37.50]	88[81%]
	Don't know	0[0]	0[0]	0[0]	0[0]	0[0]
Do you think it is a necessary that laboratory ovens have a vent that is directly connected to the exhaust system? Correct answer: Yes	Yes	19[62.50]	13[50.00]	19[80.00]	8[25.50]	59[55%]
	No	4[12.50]	3[11.54]	5[20.00]	4[12.50]	15[14%]
	Don't know	7[25.00]	10[38.46]	0[0]	18[60]	35[31%]
From safety point of view do you think hot plates are better than water baths. Correct answer: No	Yes	9[31.25]	8[30.77]	10[40.00]	18[62.50]	46[41%]
	No	9[31.25]	10[38.46]	5[20.00]	8[25.00]	32[29%]
	Don't know	12[37.50]	8[30.77]	9[40.00]	4[12.50]	33[30%]
Do you think it is necessary to balance the load while using a centrifuge? Correct answer: Yes	Yes	26[87.50]	24[92.31]	24[100]	30[100]	104[95%]
	No	2[6.25]	1[3.85]	0[0]	0[0]	3[3%]
	Don't know	2[6.25]	1[3.85]	0[0]	0[0]	3[3%]
While pipetting is it necessary to use a pipette bulb or proper pipetting devices for transferring liquid cultures? Correct answer: Yes	Yes	24[81.25]	22[84.62]	14[60.00]	6[18.75]	66[61%]
	No	6[18.75]	3[11.54]	5[20.00]	24[81.25]	38[33%]
	Don't know	0[0]	1[3.85]	5[20.00]	0[0]	6[6%]
If autoclave is not available, do you think it is effective to disinfect the apparatus with 10% bleach for at least 1 to 2 hours? Correct answer: Yes	Yes	11[37.50]	6[23.08]	0[0]	8[25.00]	25[21%]
	No	4[12.50]	6[23.08]	5[20.00]	0[0]	15[14%]
	Don't know	15[50.00]	14[53.85]	19[80.00]	22[75.00]	71[65%]
Do you think it is the best option to use a syringe filter for removing microbes from a small sample that cannot be sterilized through autoclaving? Correct answer: Yes	Yes	17[56.25]	10[38.46]	10[40.00]	8[25.00]	44[40%]
	No	8[25.00]	9[34.62]	10[40.00]	18[60]	44[40%]
	Don't now	5[18.75]	7[26.92]	4[20.00]	4[12.50]	21[20%]
Do you think it is necessary to clean the residual pitch in the distillation plant? Correct answer: Yes	Yes	23[75.00]	20[76.92]	24[100]	26[87.50]	93[85%]
	No	2[6.25]	1[3.85]	0[0]	0[0]	3[3%]
	Don't know	5[18.75]	5[19.23]	0[0]	4[12.50]	14[13%]

observation and therefore reflect their subjective views. From the results, it can be stipulated that students disregard proper attitude protocols towards the use of laboratory.

The lab employees who participated in the current survey showed the lowest average in all three KAP domains. The results may be explained, from our own perspective, by the tendency

of most employees to ignore laboratory-related instructions, and this might be reflected in their attitude and practice. Also, the low average scores of employees in the knowledge domain might be explained by the lack of continuous training and

participation in educational programs. In this context, we understand that some employees might have forgotten about using different technique, and the reason behind it might be the low frequency of such procedures and/or the expansion in laboratory automation. Similar results were reported by Ejilemele and Ojulu², who carried out a KAP survey in pathology laboratory staff. They reported gross insufficiencies in the KAP of safety protocols by the laboratory staff in different microbiology areas. It was found that laboratory employees lack the required KAP about safe specimen collection, standard use of PPE, and usage of centrifuge and first aid kits.

The current study was also designed to analyze the students' approach and practice towards facilities/equipment they are provided with. It might be concluded from the results of the current study that knowledge and attitude affect the practice. Results showed that students' achievement in all levels was

Table 4. Cronbach's Alpha coefficient values indicating the internal consistency of questionnaire items.

Domain	Cronbach's Alpha	No. of Items
Knowledge	0.888	10
Attitude	0.916	10
Practice	0.932	10

Table 5. Descriptive statistics of knowledge, attitude, and practice scores for whole sample.

Domain (total responses)	N	Minimum	Maximum	Mean	Std. Deviation
Knowledge	110	0	10	5.48	2.973
Attitude	110	1	20	12.99	5.212
Practice	110	0	20	11.89	6.368
Valid N (listwise)	110				

Table 6. Average scores (mean±S.D) of students and employees towards knowledge, attitude and practice.

Group	Knowledge (mean±SD)	Attitude (mean±SD)	Practice (mean±SD)
2nd Year Students	5.80±2.49	13.53±6.404	14.60±5.73
3rd Year Students	5.35±3.58	12.85±5.409	13.16±6.34
4th year Students	5.79±3.27	13.67±3.691	12.33±5.001
Employees	5.03±2.646	12.03±4.89	7.7±6.11

Table 7. ANOVA test results for knowledge, attitude, and practice comparisons between students.

Domain	2 nd year	3 rd year	p-value	2 nd year	4 th year	p-value	3 rd year	4 th year	p-value
Knowledge	5.80±2.49	5.35±3.58	0.85	5.80±2.49	5.79±3.27	0.999	5.35±3.58	5.79±3.27	0.869
Attitude	13.53±6.404	12.85±5.409	0.883	13.53±6.404	13.67±3.691	0.996	12.85±5.409	13.67±3.691	0.853
Practice	14.60±5.73	13.16±6.34	0.633	14.60±5.73	12.33±5.001	0.325	13.16±6.34	12.33±5.001	0.858

*p<0.05 considered statistically significant

Table 8. Independent t-test results for knowledge, attitude, and practice comparisons between students and employees.

Domain	Students (mean±SD)	Employees (mean±SD)	p-value
Knowledge	5.65±3.08	5.03±2.54	0.335
Attitude	13.25±5.33	12.03±4.83	0.24
Practice Score	13.46±5.7	7.70±6.11	<0.0001

*p<0.05 considered statistically significant

comparative, though ideally, KAP should be higher in more senior students as skills-related learning outcomes and capacity of laboratory training are introduced in much higher weights in final years of study, which would be reflected in their knowledge and practical skills. This means that higher levels students might become irresponsible and less serious towards rules and concepts with time, though the difference was not statistically significant. These findings are in agreement with the findings of behavioral survey carried out by Askarian and colleagues⁹. They reported that the carelessness in behavior was observed in Iranian medical students towards practice of standard isolation precautions. When they were tested for precautionary measures taken, most of them did not know about the recommended disinfecting techniques. Another study also showed that knowledge and attitudes among medical students were acceptable but practices towards standard isolation precautions was poor¹⁰.

It was also observed in the current study that employees' scores were markedly lower for practice than those for students, which means they have lesser knowledge of equipment and laboratory management. The result revealed their incompetence compared with students. Probably, the lack of dedication and problematic conduct directly affect employee's own safety and health, as well as students. These findings are alarming, as employees should supposedly have better knowledge, attitude, and practice of correct laboratory procedures than students. Students may be careless as they are learning, but it should not be tolerated by supervisors. Our findings are in harmony with a survey carried out by Zaveri and Karia¹¹ who analyzed the KAP of laboratory technicians regarding standard precautions using a cross-sectional study. They reported that health care workers (technicians directly involved with the work in the laboratories of selected hospitals) showed poor knowledge, attitude, and practices of universal work precautions that are defined, according to the center for disease control, as precautions to prevent blood borne infections to workers who provide first-aid or health services¹².

Conclusion

These findings highlight the importance of this and similar surveys that help us to evaluate the status of knowledge, attitude and practice of laboratory students and employees in standard microbiology practice. Based on the results, it can be

suggested that lab employees should be trained so that they are not only present to keep an eye on students, but are qualified to provide help and guidance to students regarding experiments, equipment usage, cleanliness and safety. This study also highlights the need for regular educational courses for lab employees to keep them updated about the latest equipment and any new practices. Moreover, we propose that students should be evaluated regularly on their learning and attitudes, as ensuring the right attitude and practice towards microbiology equipment is necessary for the safety of both users and equipment, especially in more senior students.

To this end, the authors may conclude that as university students progress through their degree, their knowledge and attitude may not necessarily improve; learning and good conduct cannot be proportional to passing classes. In this context, we may suggest that knowledge, attitude and practice develop by motivation and determination. The present study showed that commitment of students towards knowledge and practice is directly proportional to their attitude. From this study, we conclude that it is particularly important to evaluate the learning process of students and employees and they should be regularly assessed.

Study limitations

The conclusion from the current study was mainly based on questionnaire data, which may not reflect evidence-based practice of both studied groups (students and employees). Therefore, combining questionnaires with laboratory observations could reflect the better picture of KAP in the clinical laboratory. Also, the current study evaluated KAP domains in a single batch of clinical laboratory science students and focused on microbiology instruments, which means that the findings cannot be generalized to different students and employee populations.

Data availability

Underling data

Harvard Dataverse: Comparative cross-sectional assessment of knowledge, attitude and practice among university students and employees towards the use of the microbiology laboratory equipment. <https://doi.org/10.7910/DVN/4JHK2W>⁶.

This project contains the following underlying data:

- Raw data excel file

Extended data

Harvard Dataverse: Comparative cross-sectional assessment of knowledge, attitude and practice among university students and employees towards the use of the microbiology laboratory equipment. <https://doi.org/10.7910/DVN/4JHK2W>⁶.

This project contains the following extended data:

- Questionnaire

Data are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

Ethical approval

Upon discussion with a review board representative, ethical approval for this study was not applied for since the data collected was all anonymous and did therefore not violate privacy or confidentiality of the participants.

Consent

Participants were asked about their willingness to participate on the first-display page of the questionnaire which informed them that their participation was voluntary and presented a tick box to provide consent.

References

1. **Appendix A, Biosafety in Microbiological and Biomedical Laboratories.** (DC): National Academies Press (US). 1989.
[Reference Source](#)
2. Ejilemele AA, Ojule AC: **Knowledge, attitude and practice of aspects of laboratory safety in Pathology Laboratories at the University of Port Harcourt Teaching Hospital, Nigeria.** *Niger J Clin Pract.* 2005; **8**(2): 102–106.
[PubMed Abstract](#)
3. Nayeem A: **An Assignment of Microbiology Laboratory Use of Microbiology Lab, Chemical and Equipment.** 2008.
[Reference Source](#)
4. Skinhøj P: **Occupational risks in Danish clinical chemical laboratories. II. Infections.** *Scand J Clin Lab Invest.* 1974; **33**(1): 27–29.
[PubMed Abstract](#) | [Publisher Full Text](#)
5. Richmond JY, McKinney RW: **Biosafety in microbiological and biomedical laboratories.** US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention. 1999.
[Reference Source](#)
6. Muzaheed: **Comparative cross-sectional assessment of knowledge, attitude and practice among university students and employees towards the use of the microbiology laboratory equipment.** Harvard Dataverse, V2. 2021.
<http://www.doi.org/10.7910/DVN/4JHK2W>
7. Jairoun A, Hassan N, Ali A, *et al.*: **Knowledge, attitude and practice of antibiotic use among university students: a cross sectional study in UAE.** *BMC Public Health.* 2019; **19**(1): 518.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
8. Barikani A, Afaghi A: **Knowledge, attitude and practice towards standard isolation precautions among Iranian medical students.** *Glob J Health Sci.* 2012; **4**(2): 142–146.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
9. Askarian M, Honarvar B, Tabatabaee HR, *et al.*: **Knowledge, practice and attitude towards standard isolation precautions in Iranian medical students.** *J Hosp Infect.* 2004; **58**(4): 292–296.
[PubMed Abstract](#) | [Publisher Full Text](#)
10. Askarian M, Memish ZA, Khan AA: **Knowledge, practice, and attitude among Iranian nurses, midwives, and students regarding standard isolation precautions.** *Infect Control Hosp Epidemiol.* 2007; **28**(2): 241–244.
[PubMed Abstract](#) | [Publisher Full Text](#)
11. Zaveri JR: **Knowledge, attitudes and practice of laboratory technicians regarding universal work precaution.** *Natl J Med Res.* 2012; **2**(1): 113–115.
[Reference Source](#)
12. Johnson and Johnson Medical Inc: **Blood-borne infection. A practical guide to OSHA compliance Arlington.** Johnson and Johnson Medical Inc. 1992.

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 15 June 2021

<https://doi.org/10.5256/f1000research.53005.r86974>

© 2021 Shankar P. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Pathiyil Ravi Shankar

IMU Centre for Education, International Medical University, Kuala Lumpur, Malaysia

The study is well-written, and the table is well presented.

The period of study was nearly seven months which is long for a cross-sectional study. Participants may have communicated with each other which can influence the results.

I am confused about whether a sample of respondents was chosen or if all respondents were invited to participate?

Does the sample chosen represent the population of students and employees in terms of demographic characteristics?

The quality of written English is mostly good. However, corrections may be required in a few places.

Results

I wanted to confirm that the employees involved in the study were all faculty members for the clinical laboratory sciences course.

What percentage of students from different years and employees participated in the study?

The authors should try to explain better why the knowledge of students did not improve as they progressed through the course.

What were the qualifications of the employees? How are they selected? Is there no refresher training provided to them? Do they have annual appraisals conducted?

Could the level of English proficiency of the employees affected their response and the scores obtained?

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Yes

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Rational use of medicines Pharmacovigilance Questionnaire based research
Health Professions Education

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 23 Jun 2021

. Muzaheed

Firstly, we thank the reviewer for reviewing our article and providing constructive and positive comments. We have revised our manuscript to address all comments without compromising the writing integrity. Please, find below our responses to reviewer comments.

Reviewers' comment: The study is well-written, and the table is well presented.

Author's Response: Thank you for your admiration.

Reviewers' comment: The period of study was nearly seven months which is long for a cross-sectional study. Participants may have communicated with each other which can influence the results.

Author's Response: Thank you for your valuable comments we are aware that cross-sectional data should be collected in a short time as much as possible to avoid any bias as mentioned; however, we would like to indicate that the seven months' time was the time taken for the whole study including data analysis and writing up of the manuscript. We have revised our manuscript to make it clearer to the readers. Also, all participants who were

included in the pilot study were removed from participation.

Reviewers' comment: I am confused about whether a sample of respondents was chosen or if all respondents were invited to participate?

Author's Response: We conducted a pilot study by choosing a random sample to validate our survey then all the participants were invited and those who responded were included in the study without selection except those who participate in the pilot study. We hope that this is clear and addressed this comment.

Reviewers' comment: Does the sample chosen represent the population of students and employees in terms of demographic characteristics?

Author's Response: We tried to make the study sample as representative as possible by inviting all students in levels 2, 3, and 4 also all employees in the microbiology laboratory who met our inclusion criteria were given the chance to participate in our study as described in the method's section.

Reviewers' comment: The quality of written English is mostly good. However, corrections may be required in a few places.

Author's Response: We revised our article to correct any potential technical error.

Reviewers' comment: I wanted to confirm that the employees involved in the study were all faculty members for the clinical laboratory sciences course.

Author's Response: Yes, they are graduates of the clinical laboratory sciences program.

Reviewers' comment: What percentage of students from different years and employees participated in the study?

Author's Response: Thank you for the comment. In response to this comment, we have mentioned the total numbers of students and employees who were invited to participate as well as the numbers who responded to the survey as indicated at the beginning of the results section. We will update the article by including the percentage also.

Reviewers' comment: The authors should try to explain better why the knowledge of students did not improve as they progressed through the course.

Author's Response: Thank you for the valuable comment; we have tried to elaborate on this, please check.

Reviewers' comment: What were the qualifications of the employees? How are they selected? Is there no refresher training provided to them? Do they have annual appraisals conducted?

Author's Response: The employees are graduates of the clinical laboratory sciences program. They have been selected according to the criteria mentioned in the methods section. As far as we are aware, There are "Continuous Education Programs" as well as the annual appraisal.

Reviewers' comment: Could the level of English proficiency of the employees affected their response and the scores obtained?

Author's Response: All clinical laboratory sciences graduates should provide an English

proficiency testing certificate before joining the program. Also teaching is in English and instructions indicated that investigators are available to answer any questions and clarify any ambiguous information. In this respect, we think that this was not a concern during the survey.

Competing Interests: None to declare

Reviewer Report 14 June 2021

<https://doi.org/10.5256/f1000research.53005.r86979>

© 2021 Sharma M et al. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Kavita Batra

Kirk Kerkorian School of Medicine at University of Nevada, Las Vegas, Las Vegas, UT, USA

Manoj Sharma

Department of Environmental and Occupational Health, University of Nevada, Las Vegas, Las Vegas, NV, USA

Here is a review of the manuscript entitled “Comparative cross-sectional assessment of knowledge, attitude, and practice among university students and employees towards the use of the microbiology laboratory equipment.” The findings of this study will serve as the baseline data to evaluate learning outcomes and performance of students and staff in the microbiology laboratory settings. Despite this contribution, we believe there are opportunities to further strengthen this manuscript. We will share these in a bulleted format in the order that they appear.

Abstract

- Authors have included study setting (name of the institution/lab) in the purpose, which should be moved under methods.
- In methods section of the abstract: Overall sample size has not been provided; however, authors have provided the year wise breakup.
- No mention about the statistical method used has been made.
- Inclusion and exclusion criteria of the participants are missing.
- Please indicate whether the survey was web-based or paper and pencil?
- We are not sure what measure authors intend to indicate by 0.999, 0.869, 0.996, 0.853). Are these 95% CIs?
- Overall, the abstract needs revisions to be able to stand alone.

Introduction

- Introduction is concise and somewhat relevant. Authors have discussed the standard operating procedures (SOPs) and implications of not following them. However, it is very brief and includes only five references. There is a need for more substantial literature base

to support the necessity for the study.

- The knowledge, attitudes, and practice (KAP) paradigm is an older version of health behavior research and the contemporary literature has moved to theory-based paradigms. Rationale for using the older KAP model needs to be explicated.

Methods

- Methodology particularly statistical analysis needs to be strengthened. Authors did not provide sample justification.
- In the study design subsection: when this study was conducted?
- Please replace “study instrument” with “survey instrument”
- There is a no mention of the psychometric testing of the instrument, namely validity and reliability in the methods section. Cronbach’s alphas have been provided in the results which are only indicative of internal consistency. How the face, content, and construct validity of the instrument were assessed? In their absence the results cannot be trustworthy.
- Was test-retest reliability done? In its absence the results cannot be trustworthy.
- There is no mention of the type of sampling technique or justification of sample size by the researchers.
- The reviewers wonder the rationale behind not using the gender question in the survey. It will be intriguing to know if there were any differences across gender.
- Researchers could have formed two groups of students (Juniors vs. Seniors) to see if there are any differences? Why first year students were not included in the study? Please provide the rationale in the eligibility criteria.
- It will be interesting to conduct a correlation test among the constructs of the survey, which is missing in the study.
- How missing data were handled has not been mentioned?
- Please spell out abbreviations when first time used in the text. For example, SD

Results

- We would encourage authors to use CHAMP guidelines (<https://pubmed.ncbi.nlm.nih.gov/33514558/>) for reporting.
- In the headers of all the table, please indicate the sample size.
- Tables should be limited to only show correct response percentages instead of other answers.
- Please add one more table of the correlation as suggested in the methods section above.

Discussion

- We think justification to the important results have not been provided adequately. For example, authors have discussed previous studies related to antibiotic use, which we think is out of context.
- The discussion section is very weak and is not backed by sufficient literature review.
- Please add more on the potential value of this study.
- Several limitations remain unacknowledged, for instance generalizability, self-reporting bias etc.
- The authors write, “The conclusion from the current study was mainly based on questionnaire data, which may not reflect evidence-based practice of both studied groups (students and employees).” The words “evidence-based” are typically used for empirically tested interventions and their use in this context is somewhat confusing.

On, the whole, in our opinion, this manuscript is not suitable for indexing in its present form.

References

1. Mansournia MA, Collins GS, Nielsen RO, Nazemipour M, et al.: A Checklist for statistical Assessment of Medical Papers (the CHAMP statement): explanation and elaboration. *Br J Sports Med.* 2021. [PubMed Abstract](#) | [Publisher Full Text](#)

Is the work clearly and accurately presented and does it cite the current literature?

Partly

Is the study design appropriate and is the work technically sound?

Partly

Are sufficient details of methods and analysis provided to allow replication by others?

Partly

If applicable, is the statistical analysis and its interpretation appropriate?

Partly

Are all the source data underlying the results available to ensure full reproducibility?

Partly

Are the conclusions drawn adequately supported by the results?

No

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Data analytics, behavioral research, infectious diseases, health promotion

We confirm that we have read this submission and believe that we have an appropriate level of expertise to state that we do not consider it to be of an acceptable scientific standard, for reasons outlined above.

Reviewer Report 30 March 2021

<https://doi.org/10.5256/f1000research.53005.r81847>

© 2021 P R. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Rama Bhat P

Department of Biotechnology, Alva's College, Moodbidri, Mangalore University, Moodbidri, Karnataka, India

The research article well planned and executed nicely with experimental designs. The introduction

was brief and relevant to the work. Sampling method in general with multicentric experiment has accurately taken individual groups. Statistical methods followed has made the analysis more accurate. The presentation of the results is also good with tables at appropriate places. Discussion compared the results with available reports made more close to research data with level of significance. Literature were cited at respective places.

There are few points to be noted before acceptance of the paper to be indexed:

- Corrections made were highlighted and changes required are given [here](#). (e.g. "Petri plates" - here, Petri is the name of scientist, so it should be in capital.
- Other corrections like capital word or, "*et al.*" were also marked. In the tables remove the full stop at the end of title. Then % was there in all the numbers in the table 1-3 in the last column. Remove it from second line onwards as it is shown in headline.

After the minor corrections the paper can be accepted to be indexed.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Yes

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Microbiology, Immunomodulatory studies, Plant biotechnology, Biodiversity conservation. Herbal formulation, Anticancer and Antidiabetic studies with animal models, EBT

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research