REVIEW

Horticultural therapy, nutrition and post-traumatic stress disorder in post-military veterans: developing non-pharmaceutical interventions to complement existing therapeutic approaches [version 1; peer review: 3 approved]

Richard Mottershead ¹, Marjorie Ghisoni ²

¹Ras Al Khaimah College of Nursing, RAK Medical and Health Sciences University, Ras Al Khaimah, P.O.Box 11172, United Arab Emirates

²School of Medical and Health Sciences, Bangor University, Bangor, Wales, LL57 2DG, UK

V1 First published: 03 Sep 2021, 10:885
<https://doi.org/10.12688/f1000research.70643.1>
 Latest published: 03 Sep 2021, 10:885
<https://doi.org/10.12688/f1000research.70643.1>

Abstract

Non-pharmaceutical interventions for veterans living with post-traumatic stress disorder are becoming a more popular way to address some of the social and personal needs identified by this group. Horticultural therapy or growing and eating food together provides several ways to increase mood, improve nutritional status, reduce loneliness and reduce the physical health impacts of mental illnesses such as post-traumatic stress disorder. In this paper we will discuss some of the issues people living with post-traumatic stress disorder might face. We will also provide an overview of the therapeutic effects of these approaches and how they will be applied in a locally identified group.

Keywords

Post-Traumatic Stress Disorder, Veteran's Mental Health, Horticultural Therapy, Nutrition, Psychosocial Interventions.

Open Peer Review

Approval Status

	1	2	3
version 1			
03 Sep 2021	view	view	view

1. **Alun Charles Jones**, Yale Spire Hospital, Wrexham, UK
2. **Andrew Williams** , University of Wales Trinity Saint David, Carmarthen, UK
3. **Professor Nicholas Procter**, University of South Australia, Adelaide, Australia

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Richard Mottershead (richard@rakmhsu.ac.ae)

Author roles: Mottershead R: Conceptualization; Ghisoni M: Conceptualization

Competing interests: Both authors are involved with the two charities cited in this article: RM has gifted his farm to be used by the listed charities to be used to support military veterans and their families; MG provides guidance and expertise in the areas of mental health and nutrition.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2021 Mottershead R and Ghisoni M. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Mottershead R and Ghisoni M. **Horticultural therapy, nutrition and post-traumatic stress disorder in post-military veterans: developing non-pharmaceutical interventions to complement existing therapeutic approaches [version 1; peer review: 3 approved]** F1000Research 2021, 10:885 <https://doi.org/10.12688/f1000research.70643.1>

First published: 03 Sep 2021, 10:885 <https://doi.org/10.12688/f1000research.70643.1>

Introduction

At present, in the United Kingdom (UK), there are former service-personnel leaving the military with no physical injuries but with underlying mental health problems. These may surface on return to the family unit, or at times of stress triggered by alcohol or homelessness. It was highlighted in a recent PhD thesis by one of the authors (Mottershead, 2019) that the post military veterans interviewed feared for their sanity, suffered flashbacks, night terrors and experienced struggles with employment and families, reporting concerns for their partners or family. This is supported by Hossain *et al.* (2020) who in a review of the literature following a major crisis or trauma, revealed that there is a higher prevalence of mental health problems including anxiety, depression, substance misuse, suicidal ideation and post-traumatic stress disorder (PTSD) within the local population.

This is not a new concept for post military veterans, as similar problems have been reported as a result of the nations' involvement in armed conflict since the commencement of the 21st century. Harold Bridger (1985) suggested that the concept of non-pharmaceutical interventions arose in the autumn of 1942 at Northfield military Hospital in Birmingham, where a move to improve the return of neurotic casualties to military duty was tried out as a new form of treatment. The therapeutic community only lasted six weeks due to the chaos it created, but in that very short time it had given a glimpse of the success that could be achieved, and had been achieved previously in the Peckham experiment in the 1930s, with the creation of an "unintentional therapeutic community" (Bridger, 1985. p.8.). In the following review of the literature, we will discuss how the non-pharmacological interventions of horticultural and nutrition therapy, can minimise, or reduce the physical and mental health effects of PTSD.

Discussion

Post-traumatic stress disorder

Military personnel exposed to war-zone stress are at significant risk of developing PTSD. Post-traumatic stress disorder (PTSD) has been studied in military personnel for more than 30 years, and PTSD may develop after an individual experiences or witnesses to a traumatic event, such as natural disasters or violent personal assault, life-threatening events such as terrorist attacks, violent crime and abuse, military combat, serious accidents or extended combat, exposure to certain environmental toxin (Iribarren *et al.*, 2005).

In 2015, a joint report by Help for Heroes and Kings Centre for Military Health Research (KCMHR), suggested that at least 10% of veterans who served over the last 20 years present mental health conditions that need treatment. The same report estimated that at least 61,300 out of 601,000 veterans who served as Regulars in the UK Armed Forces between 1991 and 2014 might suffer from mental health problems, and that this would require professional intervention (Help for Heroes & KCMHR, 2015). Amongst these mental

health problems was post-traumatic stress disorder (PTSD). This is a psychiatric disorder that results from the experience or witnessing of traumatic or life-threatening events which thereby impairs the person's daily life and can be life threatening (Reisman, 2016). Moreover, Reisman (2016) explains that PTSD can cause significant disruption and interfere with personal and social performance, which subsequently leads to social withdrawal, anger, and aggression. Fear *et al.* (2010) demonstrated that PTSD in military personnel has a broad impact on military preparedness, and achievement of military objectives. However, data that identified a significant increase in PTSD symptoms at 3-year and 6-year follow up reviews on UK military veterans may be more worrying. Sareen (2014) resonates with this concern in highlighting scientific evidence and empirical research that suggests that military personnel with PTSD are at greater risk for more physical health problems, poorer health status, and higher medical service usage. Hence, much more research is needed on this perspective. Depression is the most common comorbidity of PTSD among military personnel (Kessler *et al.*, 1995). A meta-analysis of 57 studies, conducted among both military and civilian samples, found a major depressive disorder and PTSD comorbidity rate of 52% (Rytwinski *et al.*, 2013). Other prevalent psychiatric comorbidities of PTSD exhibited among military veterans include anxiety and substance abuse or dependence (Hoge *et al.*, 2006).

Researchers have proposed several theories to explain the development of PTSD, including psychological theories, cognitive theories, emotional processing theory. Pan *et al.* (2018), suggests that the contemporary PTSD research aims to better understand the disease-related risk factor. They go on to suggest that there is convincing evidence of the relationship between abnormal levels of catecholamines, or stress hormones, in people living with PTSD, including the hormone norepinephrine as a result of facing fear and stress.

Furthermore, studies of risk factors of PTSD show that not everyone who experiences a traumatic event will develop PTSD, and therefore that there is role of individual factors in contributing to the development of PTSD (Reisman, 2016). They also suggest that associated and identified individual and social risk factors include young age at the time of trauma, low socio-economic status and lack of support. More recently in a review by Herringa (2017) it was found that brain development in children can be affected by trauma in early life which increase the significance of psychological support and good nutrition for brain health in adulthood. The use of complementary and alternative medicine (CAM), such as horticultural therapy or nutrition advice, has been found to be on the increase in Sweden, as a way of developing coping skills in managing personal mental health needs (Wemrell *et al.*, 2020). The management of nutrition and its effects on mental health is therefore a simple and easy way, alongside other complementary interventions, to improve resilience within the mind and body, and reduce the effects of living with long-term stress.

Horticultural therapy

While horticultural therapy is not considered a first-line treatment for people living with PTSD, there are many studies that demonstrate improvement in overall health in the wider literature (Detweiler *et al.*, 2015). In a pilot study on physical health and PTSD in veterans, Hall *et al.* (2020) found that being more active could improve the health outcomes for people living with PTSD, by reducing obesity and improving their mood. Similarly, Detweiler *et al.* (2015) found that horticultural therapy is an active, non-pharmaceutical intervention that can help people to improve their mood, reduce obesity and increase social interactions, often caused by isolation in veterans. Furthermore, they found that there was a notable improvement in scores on outcome measures such as quality of life and alcohol craving questionnaires. They go on to suggest that horticultural therapy as an extension of occupational therapy, has been found to have beneficial effects on both physical and mental health recovery. More recently, Wemrell *et al.* (2020) found in a review of complementary and alternative medicine (CAM) for people with mental illness in Sweden, that 14% of respondents were using horticultural therapy as an addition to their prescribed treatments.

The evidence above supports the findings of Cipriani *et al.* (2017), within their systematic review of the effects of horticultural therapy on persons with mental health conditions. This research revealed that horticulture can provide physical, neurological, and psychological rehabilitation, whilst improving motor skills as well as strength and endurance. They go on to suggest that being outside in the natural environment has been found to reduced stress and improve concentration and cognitive function. This has been known for some time in helping military personnel to return to civilian life. Wang (2010 p.4) cites Franklin Roosevelt in 1944, who in writing to the then secretary of war argued that,

“No overseas casualty should be discharged from the armed forces until he has received the maximum benefit of hospitalisation and convalescent facilities, which must include physical and psychological rehabilitation, vocational guidance, pre-vocational training and re-socialisation”.

One of the results of this was the application of a rehabilitation model by Dr Howard Rusk (cited in Blum & Fee, 2008), that was so successful that it was adopted by the military. Patients were not allowed to stay in bed, instead they were urged to get up and begin a re-conditioning program to develop residual capabilities. The flaw in the system was that while the goal was to make possible the integration of personnel with disabilities into society, the commitment ended at the hospital door. Once the doctors and therapists had done all they could, patients and families were on their own, and had to come to terms with society individually. Reisman (2016) argues that as the number of people with PTSD increases, there is still a need to develop a range of therapeutic approaches to help people living with PTSD,

including complementary alternative medicine (CAM) in the community.

Nutrition and brain health

In recent years, there has been more research on how the microbiome, or gut health, influence overall health, including the brain. Wang *et al.* (2018), in a review of the literature on systemic inflammation and neuroinflammation, found that consuming foods that contain phytochemicals that can cross the blood brain barrier (BBB), has been shown to reduce oxidative damage in the brain. Similarly, Bandyopadhyay (2021), in a review of neurodegeneration in the brain, found that there are certain influences upon brain health that can improve neurofunction by improving the function of the BBB and associated pathways. Poor brain health due to poor nutrition can cause damage to nerve cells within the body and the central nervous system (CNS), and to the part of the brain that can produce more nerve cells, the hippocampus (Firth *et al.*, 2020). This can lead to negative effects on memory, mood and overall cognitive functioning. Kerage *et al.* (2019) in a review of the literature on the interaction between neurotransmitters and lymphocytes, found that there is direct communication between the two in response to threat, demonstrating that the brain can influence, and can be influenced, by the immune system. An overactive immune system together with overactive or damaged nerve cells can therefore lead to long term inflammation within the brain. People who experience chronic stress such as PTSD, may experience these symptoms as a sign of poor brain health (McCarty & DiNicolantonio, 2016). This is caused by the brain becoming overexcited in response to stress hormones being produced in response to fear, and the oxidative stress damage caused by free radicals on the nerve cells (Wang *et al.*, 2018). This is a natural response to stress via the vagus nerve which is part of the CNS, and the main communication channel between the brain and the other major organs in the body (LaChance & Ramsey, 2018). An overactive stress response, as can be experienced by people with PTSD can therefore lead to widespread inflammatory damage around the body and within the brain (Parker *et al.*, 2020). Good brain health is therefore highly dependent upon good nutrition and the absorption of nutrients in the body that can cross the BBB, together with a reduction of exposure to stressful environments. Growing and eating nutritious food can therefore aid in developing awareness of the importance of good nutrition for both physical and mental health (Tanagra *et al.*, 2013).

Gut-brain health

A whole food diet that is rich in nutrients can improve mental health and wellbeing in many ways, including improving brain health, improving digestive health, increasing the absorption and transport of nutrients around the body and eliminating toxins quickly and effectively (Solovyev *et al.*, 2021). Whole foods include food that has been grown naturally and retains their beneficial phytochemicals and nutrients, which are either not present or removed in processed or refined foods. LaChance & Ramsey (2018), in a systematic

review of the literature on a nutrient profiling system for depression, found that people who were deficient in Omega 3, Zinc, Magnesium, B vitamins, Vitamin C and A, and Selenium and Potassium were more likely to experience mental health problems. Horticultural therapy offers the opportunity to grow fresh, nutrient-rich food, and to control the amount of chemicals added, while at the same time develop individual knowledge about nutrition (Tanagra *et al.*, 2013). In addition, fresh, home-grown food will contain more nutrients than food that has spent a long time in transportation. The gut is where the human body processes the food it ingests, an activity which is dependent upon millions of “friendly” bacteria (Firth *et al.*, 2020). Feeding the friendly bacteria in the gut with whole food will also enable it to function better, and filter out toxins or absorb more nutrients, which in turn can improve mood and brain health. Solovyev *et al.* (2021) found in a review of the effectiveness of neural barriers, that the gut microbiome is important in breaking down nutrients for transportation to the brain and to prevent toxins reaching the BBB, where they can cause further damage. The also brain requires a lot of energy and hydration from food to function properly, so it is dependent upon a healthy gut that can process food efficiently and transport nutrients to the brain (Bandyopadhyay, 2021). Most plant-based foods contain phytonutrients that are needed for a healthy nervous system and to remove toxins from the body (Firth *et al.*, 2020). The brain also causes oxidative stress as it metabolises nutrients in nerve cells, which can cause inflammation if not removed quickly (Li *et al.*, 2019). Anti-inflammatory and antioxidant foods that can be grown locally such as vegetables and fruit, are therefore essential for good brain health and can improve the functioning of the brain. The gut and the brain also produce the neurotransmitter serotonin, which in turn improves mood (Bandyopadhyay, 2021). This synergetic process of digestion, cell production and repair and resilience, is essential all around the body including the gut and the brain (Lin *et al.*, 2019). As a consequence of improving nutrient intake, the body will be able to fight off infection, reduce inflammation, improve mood and functions of all the major organs in the body, including the brain. Horticultural therapy alongside nutrition education can therefore become a very effective, non-pharmaceutical psychosocial intervention for people living with PTSD.

Future considerations

This overview of the literature will inform the development of opportunities to take part in horticultural therapy with nutrition advice, for the well-being and rehabilitation of military veterans, reservists, emergency service personnel and their families in North Wales, UK (Firth *et al.*, 2020). Instead of working in confined environments, the participants will be invited to join a small farm, Ty Gwalia, in the open countryside with gardens and greenhouses, and will aid in improving the re-integration and development of relationships through the execution of horticultural tasks, cooking together and other outdoor activities (Detweiler *et al.*, 2015; Reisman, 2016). For those veterans making the transition to a civilian identity,

the combination of directed physical work and the need to work as a team with others, provide a route back into civilian life and improve confidence, self-esteem and personalised wellbeing (Hall *et al.*, 2020; Tanagra *et al.*, 2013). In addition, providing nutrition advice will also improve outcomes in physical and mental wellbeing, and help veterans to reduce the effects of stress and physical health problems (Detweiler *et al.*, 2015).

The Ty Gwalia project would aim to look at the problems encountered by people living with PTSD who have passed through the “hospital door”, and how a horticultural or land-based setting alleviates the problems encountered through involvement with new environmental and social situations (Wemrell *et al.*, 2020). The project will be carried out by the registered UK charities Woody’s Lodge and Wintergreen UK - CIC. Both organisations offer complementary interventions, free of charge to local people with lived experience of PTSD including emergency workers, to support their recovery, and provide local mental health services. This has been found to have beneficial effects for people who want to personalise their recovery without needing further access to increased medical or other interventions (Cipriani *et al.*, 2017).

Conclusions

This review has highlighted an awareness of the benefits of horticultural and nutritional therapy, as a therapeutic treatment for mental health and mental disorders. However, in traditional health practice, there still exists a persistence to align the health needs of military veterans with a medical model. The authors advocate a broader, holistic framework, evident within the suggested care pathway, that acknowledges personal health needs, relationships and social conditions, using a more integrative medical model that combines medical prescribing practices with psychological and psychoeducational practice.

This paper describes the use of holistic, non-medical interventions to improve the mental health and wellbeing of military veterans. A regional project has been identified that will support improved access to both psychological treatments and interventions addressing the wider determinants of mental health. The authors acknowledge the strength of the veteran identity and entrenched social identity assimilated through military service. Through the proposed use of veteran peer-support, the Ty Gwalia project will be coproduced in collaboration with local veteran voluntary organisations, as an empowering lead within the suggested therapeutic framework. Ty Gwalia has the potential to become fully integrated as a pathway for primary care and social prescribing practices, and will strengthen the links between healthcare providers and community, voluntary and statutory services. The project is of importance in seeking to meet what is likely to be an upsurge of mental health issues for military veterans as they deal with the visual reporting of the withdraw from Afghanistan.

This review acknowledges the role that medication has within a treatment plan, but advocates the use of psychosocial interventions to provide a further opportunity to respond effectively, and at an early stage, to symptoms of mental distress in people living with PTSD, as well as to initiate a more proactive approach to mental health promotion for military veterans. The proposed intervention of horticultural therapy

with nutrition advice for military veterans will provide a gateway to community-based resources, improved access to psychological treatments, as well as to services and interventions addressing the wider determinants of mental health.

Data availability

No data are associated with this article.

References

- Bandyopadhyay S: **Role of Neuron and Glia in Alzheimer's Disease and Associated Vascular Dysfunction.** *Front Aging Neurosci.* 2021; **13**: 653334.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Blum N, Fee E: **Howard A. Rusk (1901–1989) From Military Medicine to Comprehensive Rehabilitation.** *Am J Public Health.* 2008; **98**(2): 256–7.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Bridger H: **The Discovery of the Therapeutic Community.** 1985. Last accessed 20th Oct 2011.
[Reference Source](#)
- Cipriani, J, Benz A, Holgren A, *et al.*: **A Systematic Review of the Effects of Horticultural Therapy on Persons with Mental Health Conditions.** *Occupational Therapy in Mental Health.* 2017; **33**(1): 47–69.
[Publisher Full Text](#)
- Detweiler MB, Self JA, Lane S, *et al.*: **Horticultural therapy: A pilot study on modulating cortisol levels and indices of substance craving, posttraumatic stress disorder, depression, and quality of life in veterans.** *Altern Ther Health Med.* 2015; **21**(4): 36–41.
[PubMed Abstract](#)
- Fear NT, Jones M, Murphy D: **What are the consequences of deployment to Iraq and Afghanistan on the mental health of the UK armed forces? A cohort study.** *Lancet.* 2010; **375**(9728): 1783–97.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Firth J, Gangwisch JE, Borisini A, *et al.*: **Food and mood: how do diet and nutrition affect mental wellbeing?** *BMJ.* 2020; **371**: m4269.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Hall KS, Morey CM, Beckham JC, *et al.*: **Warrior Wellness: A Randomized Controlled Pilot Trial of the Effects of Exercise on Physical Function and Clinical Health Risk Factors in Older Military Veterans With PTSD.** *J Gerontol A Biol Sci Med Sci.* 2020; **75**(11): 2130–2138.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Help for Heroes and King's Centre for Military Health Research: **Counting the Costs.** King's College London. 2015; 3–4.
[Reference Source](#)
- Herringa RJ: **Trauma, PTSD, and the Developing Brain.** *Curr Psychiatry Rep.* 2017; **19**(10): 69.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Hoge CW, Auchterlonie JL, Milliken CS: **Mental health problems, use of mental health services, and attrition from military service after returning from deployment to Iraq or Afghanistan.** *JAMA.* 2006; **295**(9): 1023–1032.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Hossain MM, Tasnim S, Sultana A, *et al.*: **Epidemiology of mental health problems in COVID-19: a review [version 1; peer review: approved].** *F1000Res.* 2020; **9**: 636.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Iribarren J, Prolo P, Neagos N, *et al.*: **Post-Traumatic Stress Disorder: Evidence-Based Research for the Third Millennium.** *Evid Based Complement Alternat Med.* 2005; **2**(4): 503–512.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Kerage D, Sloan EK, Mattarollo SR, *et al.*: **Interaction of neurotransmitters and neurochemicals with lymphocytes.** *J Neuroimmunol.* 2019; **332**: 99–111.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Kessler RC, Sonnega A, Bromet E, *et al.*: **Posttraumatic stress disorder in the National Comorbidity Survey.** *Arch Gen Psychiatry.* 1995; **52**(12): 1048–1060.
[PubMed Abstract](#) | [Publisher Full Text](#)
- LaChance LR, Ramsey D: **Antidepressant foods: An evidence-based nutrient profiling system for depression.** *World J Psychiatry.* 2018; **8**(3): 97–104.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Li X, Chu S, Liu Y, *et al.*: **Neuroprotective Effects of Anthraquinones from Rhubarb in Central Nervous System Diseases.** *Evid Based Complement Alternat Med.* 2019; **2019**: 3790728.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Lin S, Lee IH, Tsai HC, *et al.*: **The association between plasma cholesterol and the effect of tryptophan depletion on heart rate variability.** *Kaohsiung J Med Sci.* 2019; **35**(7): 440–445.
[PubMed Abstract](#) | [Publisher Full Text](#)
- McCarty MF, DiNicolantonio JJ: **Lauric acid-rich medium-chain triglycerides can substitute for other oils in cooking applications and may have limited pathogenicity.** *Open Heart.* 2016; **3**(2): e000467.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mottershead R: **British Military Veterans and the Criminal Justice System in the United Kingdom: Situating the Self in Veteran Research.** (Unpublished doctoral dissertation). University of Chester, Chester, UK. 2019.
[Reference Source](#)
- Pan X, Kamminga AC, Wen SW, *et al.*: **Catecholamines in Post-traumatic Stress Disorder: A Systematic Review and Meta-Analysis.** *Front Mol Neurosci.* 2018; **11**: 450.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Parker A, Fonseca S, Carding SR: **Gut microbes and metabolites as modulators of blood-brain barrier integrity and brain health.** *Gut Microbes.* 2020; **11**(2): 135–157.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Reisman M: **PTSD Treatment for Veterans: What's Working, What's New, and What's Next.** *P T.* 2016; **41**(10): 623–634.
[PubMed Abstract](#) | [Free Full Text](#)
- Rytwinski NK, Scur MD, Feeny NC, *et al.*: **The co-occurrence of major depressive disorder among individuals with posttraumatic stress disorder: a meta-analysis.** *J Trauma Stress.* 2013; **26**(3): 299–309.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Sareen J: **Posttraumatic stress disorder in adults: impact, comorbidity, risk factors, and treatment.** *Can J Psychiatry.* 2014; **59**(9): 460–467.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Solov'yev N, Drobyshchev E, Blume B, *et al.*: **Selenium at the Neural Barriers: A Review.** *Front Neurosci.* 2021; **15**: 630016.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Tanagra D, Panidis D, Tountas Y, *et al.*: **Implementation of a worksite educational program focused on promoting healthy eating habits [version 2; peer review: 2 approved].** *F1000Res.* 2013; **2**: 201.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Wang S: **What's Work Got To Do With It? Policy Highlights.** 2010; 1930–1970.
[Reference Source](#)
- Wang J, Song Y, Chen Z, *et al.*: **Connection between Systemic Inflammation and Neuroinflammation Underlies Neuroprotective Mechanism of Several Phytochemicals in Neurodegenerative Diseases.** *Oxid Med Cell Longev.* 2018; **2018**: 1972714.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Wemrell M, Olsson A, Landgren K: **The Use of Complementary and Alternative Medicine (CAM) in Psychiatric Units in Sweden.** *Issues Ment Health Nurs.* 2020; **41**(10): 946–957.
[PubMed Abstract](#) | [Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 22 September 2021

<https://doi.org/10.5256/f1000research.74245.r93600>

© 2021 Procter P. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Professor Nicholas Procter

Mental Health and Suicide Prevention Research and Education Group, University of South Australia, Adelaide, SA, Australia

It is great to see this paper. What I think is most helpful and beneficial is that as a discursive paper, the descriptive information takes the reader, in a scholarly way, through both the history and thought surrounding non-pharmacological ways of responding to PTSD. The level of detail is good and aligns with the descriptive information provided. The section on neurobiological processes including the interaction between neurotransmitters and lymphocytes is helpful. The work undertaken in nutritional mental health/ psychiatry is progressive in this regard. There is an important body of work helping us to pinpoint and understand the way in which the immune system is involved and implicated in threat detection and threat responses. The information presented is also current- right up to the recent troop withdrawal from Afghanistan.

Is the topic of the review discussed comprehensively in the context of the current literature?

Yes

Are all factual statements correct and adequately supported by citations?

Yes

Is the review written in accessible language?

Yes

Are the conclusions drawn appropriate in the context of the current research literature?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Trauma Responses and Trauma Informed Practice

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 21 September 2021

<https://doi.org/10.5256/f1000research.74245.r94279>

© 2021 Williams A. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Andrew Williams

Institute of Management and Health, University of Wales Trinity Saint David, Carmarthen, UK

An interesting article that is highly topical given the emergence of alternative therapeutic modalities in recent years that is becoming focused under the umbrella term 'social prescribing'. Horticultural therapies are part of an emerging strand of social prescribing known as 'green prescribing' and this paper identifies military veterans with PTSD and continuing/debilitating psychological and mental health concerns as an identifiable study group who can benefit from this alternative approach. The paper is what I would call an 'advocacy paper' recognising the need for research to explore alternative approaches to supporting military veterans with PTSD that can be delivered using horticulture therapy and outlines a future intervention that has been put in place to provide empirical data to inform future 3rd sector and green prescribing commissioning.

Is the topic of the review discussed comprehensively in the context of the current literature?

Yes

Are all factual statements correct and adequately supported by citations?

Yes

Is the review written in accessible language?

Yes

Are the conclusions drawn appropriate in the context of the current research literature?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Social prescribing and ecotherpaies/green therapies linked to physical literacy and social integration. Insider knowledge of military service and the specific issues (including PTSD) facing military veterans.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 08 September 2021

<https://doi.org/10.5256/f1000research.74245.r93381>

© 2021 Jones A. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Alun Charles Jones

Department of Psychotherapy, Yale Spire Hospital, Wrexham, UK

Thank you for asking me to review this paper. I have read the discussion with care and have the following comments to make:

This is a generally well-composed paper, which will be of interest to all healthcare practitioners working with trauma, regardless of the origins. The authors are both respected and experienced research academics and have both made long-standing contributions to the research literature and clinical practice for military veterans, experiencing mental and physical ill-health. The paper proposes an ecological or horticultural model of care that is respectful of dignity, non-pharmaceutical, outside of formal psychiatric treatment settings and so is likely to be effective in reducing stigma and shame - both self-to-self and other-to-self.

It is an approach to care that is also likely to promote a sense of purpose and meaning to participants along with social inclusion, and so facilitate the safe transition from military to civilian life.

Moreover, the method proposed, also reduces the likelihood of military personnel embarking on a psychiatric career pathway with the disadvantages that this would entail.

I do, however, think the paper may have a greater impact with the inclusion of a brief discussion of any proposed selection criteria and possible ethical concerns regarding the recruitment of participants - along with some brief thoughts given over to complex PTSD. A paragraph or two would be sufficient and the authors can decide if they consider it appropriate and how best to structure this aspect of their discussion.

The paper will undoubtedly be followed up by others, at some future date, discussing the benefits gained by participants in the project and, if so, might usefully include those involved with the organisation of treatment and care.

I wish both authors well with this and future work, which can only provide long-term benefits to the health and well-being of military personnel, their families, and friends.

Is the topic of the review discussed comprehensively in the context of the current literature?

Yes

Are all factual statements correct and adequately supported by citations?

Yes

Is the review written in accessible language?

Yes

Are the conclusions drawn appropriate in the context of the current research literature?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: I am a qualified researcher and mental health specialist with experience of working with military personnel experiencing complex PTSD

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 20 Nov 2021

Dr. Richard Mottershead, RAK Medical and Health Sciences University, Ras Al Khaimah, United Arab Emirates

I would like to thank you Dr. Alun Jones for his insightful and supportive comments which both myself and my co-author have reviewed and assimilated. His considerable expertise as a researcher and mental health practitioner who supports military veterans has meant that the paper has benefited from his review and will guide our future research.

In response to his guidance that - "the paper may have a greater impact with the inclusion of a brief discussion of any proposed selection criteria and possible ethical concerns regarding the recruitment of participants - along with some brief thoughts given over to complex PTSD".

Once the co-author and myself progress to undertaking data collection within the next stage of our research on the experiences of participants utilisation of the charities supporting services then we will undoubtedly seek to include sections on recruitment and ethical concerns.

Both myself and the co-author sincerely thank Dr. Alun Jones for his time and consideration of our work.

Competing Interests: None

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research