Check for updates

RESEARCH ARTICLE

Orchestration of autonomous trusted third-party banking

[version 1; peer review: 2 approved, 1 approved with reservations]

Saravanan Muthaiyah¹, Kalaierasi Sonai Muthu Anbananthan²,
 Nguyen Thi Phuong Lan¹

¹Faculty of Management, Multimedia University, Cyberjaya, Selangor, 40400, Malaysia

²Faculty of Information Science and Technology, Multimedia University, Bukit Beruang, Melaka, 75450, Malaysia

V1 First published: 08 Sep 2021, 10:899
<https://doi.org/10.12688/f1000research.72987.1>
 Latest published: 08 Sep 2021, 10:899
<https://doi.org/10.12688/f1000research.72987.1>

Abstract

Background

Digital transformation is changing the structure and landscape of future banking needs with much emphasis on value creation. Autonomous banking solutions must incorporate on-the-fly processing for risky transactions to create this value. In an autonomous environment, access control with role and trust delegation has been said to be highly relevant. The aim of this research is to provide an end to end working solution that will enable autonomous transaction and task processing for banking.

Method

We illustrate the use case for task delegation with the aid of risk graphs, risk bands and finite state machines. This paper also highlights a step by step task delegation process using a risk ordering relation methodology that can be embedded into smart contracts.

Results

Task delegation with risk ordering relation is illustrated with six process owners that share immutable ledgers. Task delegation properties using Multi Agent Systems (MAS) is used to eliminate barriers for autonomous transaction processing. Secondly, the application of risk graph and risk ordering relation with reference to delegation of tasks is a novel approach that is nonexistent in RBAC.

Conclusion

The novelty of this study is the logic for task delegation and task policies for autonomous execution on autonomous banking platforms akin to the idea of federated ID (Liberty Alliance).

Open Peer Review

Approval Status

	1	2	3
version 1			
08 Sep 2021	view	view	view

1. **Indrawati Sambas** , Telkom University, Bandung, Indonesia
2. **Noor Ismawati Jaafar**, University of Malaya, Kuala Lumpur, Malaysia
3. **Kadambini Katke**, Dayananda Sagar Institutions, Bangalore, India

Any reports and responses or comments on the article can be found at the end of the article.

Keywords

Autonomous banking, RkBAC, RBAC, task delegation, risk ordering relation, role based, risk band, risk graph

This article is included in the **Research Synergy** Foundation gateway.

Corresponding author: Saravanan Muthaiyah (saravanan.muthaiyah@mmu.edu.my)

Author roles: Muthaiyah S: Conceptualization, Methodology, Validation, Writing – Review & Editing; Anbananthen KSM: Project Administration, Software; **Phuong Lan NT:** Project Administration, Resources

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2021 Muthaiyah S *et al.* This is an open access article distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Muthaiyah S, Anbananthen KSM and Phuong Lan NT. **Orchestration of autonomous trusted third-party banking [version 1; peer review: 2 approved, 1 approved with reservations]** F1000Research 2021, 10:899 <https://doi.org/10.12688/f1000research.72987.1>

First published: 08 Sep 2021, 10:899 <https://doi.org/10.12688/f1000research.72987.1>

Introduction

Digital transformation has been changing the landscape of banking and the future of banking will be very much different from what it is today. Faced with enormous competition, consumer expectations and new business models' banks are required to put in place process automation that will gain confidence of its customers. With much negative publicity from recent events such as Enron, Madoff Investment Securities and WorldCom, the financial sector is becoming the least trusted sector. This is constantly highlighted in the Edelman Trust Barometer report. From 2011 until 2017, among eight industries financial services that includes banking has been reported as the least trusted. In 2011 the sector scored 37% and in 2017 it scored 54%. The percentage increase is negligible compared to the other industries as shown in [Figure 1](#). Financial services must embrace trust in its core business model in order to overcome this negative perception. Future of banking will include autonomous systems that must ensure trust at its core processing. In this paper we present a Multi Agent System (MAS) approach that is based on the Blockchain technology to facilitate data exchange, loan processing, withdrawals, loan inquiry, third party transfers, wallet activation and much more.

This is to ensure customer confidence and trust is ensured¹. The core of this technology ensures provenance, data integrity, auditability and trust². The decentralized trust embedded system has been illustrated with the Trusted Third Party (TTP) principle³.

Trust attributes

Trusted systems are defined as systems that rely upon upholding or enforcing trust in relation to transaction processing, integrity, data provenance, auditability and adherence to policy. In an autonomous banking system trust attributes can also be defined as compliance, data provenance as well as true and fairness. The purpose of statutory audit is to ensure compliance and rigor for check and balance. Blockchain technology is useful in this context to enable a unified vision that is agreeable and verifiable by all entities involved in the trusted network^{3,4}.

As mentioned earlier to facilitate Tasks ($t_1, t_2, \dots, t_n$) that refer to specific task descriptions highlighted in [Table 1](#), we propose evaluation of Exposure Analysis (EA) and Risk Band (RB)⁵. The idea is to specifically incorporate trust factor into the distributed ledgers via smart contracts that will provide required governance for all transactions illustrated in [Figure 2](#) below.

In this instance, we highlight a transaction that is shared across six process owners. The immutable ledgers will evaluate individually for each process owners i.e. 1) opening account, 2) loan approval, 3) e-wallet activation, 4) fund transfer, 5) facility check and 6) wire transfer.

Methods

In this study, the RR, EA and EL analytical data model below was used to rank order to determine Risk Band (RB) based on ISO31000 standards. Multi Agent Systems (MAS) will execute and update RB into respective immutable ledgers shown in [Figure 2](#).

Statecharts

State charts or state chart diagrams can be used to define processes that are dynamic. It is used to define state changes that are triggered by events⁶. As depicted in [Figure 3](#), there are thirteen states that are being triggered one after the other. Task 1 (t_1) triggers task 2 (t_2) until all thirteen states are completed for a particular transaction. As mentioned earlier, these tasks are transaction based such as a third-party fund transfer. Since the banking system is designed to be autonomous the MAS will coordinate the automated transaction processing without human intervention.

[Table 2](#) illustrates nine tasks with relation to banking transactions without trust delegation. Description of the tasks (T) and relative Risk Bands (RB) have also been listed. RB can be grouped into five groups of risks, 1) Low risk, 2) Low to Medium, 3) Medium risk, 4) Medium to High risk and 5) High risk. Risks are identified by RB and the risk levels are indicated numerically from 1 to 6 as shown in [Figure 4](#). Low level

Figure 1. Edelman and Trust Report on Trusted Industries (2011 to 2017).

Table 1. Automated Risk Band (RB) Output.

Tasks (T)	RR (Risk Rating) %	EA (Exposure Analysis)	EL (Expected Loss)	RB (Risk Band)
T1	79%	USD \$ 6,300	USD\$ 4977	High risk
T2	70%	USD \$ 5,500	USD\$ 3850	High risk
T3	69%	USD \$ 5,800	USD\$ 4002	Medium risk
T4	59%	USD \$ 7,000	USD\$ 4130	High risk
T5	57%	USD \$ 6,800	USD\$ 3876	Medium risk
T6	50%	USD \$ 5,900	USD\$ 2950	Medium risk
T7	42%	USD \$ 4,500	USD\$ 1890	Low risk
T8	39%	USD \$ 4,300	USD\$ 1677	Low risk
T9	35%	USD \$ 3,900	USD\$ 1365	Low risk
T10	33%	USD \$ 3,500	USD\$ 1155	Low risk

Figure 2. Shared Immutable Ledger (Muthaiyah, 2019).

Figure 3. State chart diagram.

Table 2. Automated Transaction.

Tasks (T)	Description / Process	Risk Band (RB)
T1	Opening account	Low risk
T2	Statement request	Low risk
T3	Personal loan approval	Low to medium risk
T4	Cheque status inquiry	Medium risk
T5	E-Wallet activation	Medium to high risk
T6	Stop cheque request	Medium to high risk
T7	Fund transfer	Medium to high risk
T8	Loan facility approval	High risk
T9	Loan facility increase	High risk
T10	International foreign currency wire transfer	High risk

of risk is indicated by RB5 and RB6 that maps to T2 (statement request) and T1 (opening account). High level of risk is indicated by RB1 that maps to T8 as well as T10. In the **Figure 1** below, there are nine KYPs (t1...t9), which are tagged to company platforms available on the P2P platform.

Analysis from RA and EA calculations show that Risk band 6 (RB = 6) includes t1, t2, and t4, which are high risk platforms. Risk band 1 (RB = 1) includes t7, t8 and t9, which are relatively low risk platforms. Overall, we can compare the risk bands to show relative risks between (t1 to t9). For example, t9, will have the same level of risk as t8, which are compatible in terms of risk band. T8 refers to Loan Facility Approval and T10 refers to international foreign currency wire transfer. Comparable risks are for tasks (T6, T7 and T9) which all fall under RB2. Similarly, T1 and T3 also share the same RB which is RB5. Whereas non-comparable RBs are those such as different tiers such as T9 and T10.

Trust attributes and risk band

Risk scales for automated transaction are embedded into our proposed autonomous banking system for enabling a trust-based network. The main objective of this study is to determine access rights based on risk bands. The idea is to use risk-based assessment for better control measure and execution. Intuitively, the larger the risk, the greater the risk band and the higher the scrutiny. Before rights to access is granted, detailed access control permissions are allocated based on risk bands. However, trust delegation for transactions can also be dealt with in this methodology. This is explained further in the next section.

Trust delegation

Trust delegation in principle refers to any task (t) where the role of approval can be delegated or transferred personnel within boundaries of process owners⁷.

Figure 4. Risk Graph associated with Risk Band (RB).

Figure 5 highlights the proposed trust based autonomous banking platform where trust delegation is included. A total of nine tasks (t1...t9), for autonomous banking is illustrated. Risk band 6 (RB6) includes high risk tasks (t1, t2 and t4). (RB1) includes low risk tasks (t7, t8 and t9). Risk band 3 (RB3) includes average risk tasks (t3, t5 and t6).

For example, if a process owner executes t9, the process owner will have the same level of risk as t8, which are compatible in terms of risk band. Any task that has a higher risk than $RB = 1$, more scrutiny will be applied to grant permission for that task.

This flexibility is crucial for tasks that are dynamic in the context of autonomous banking. In this manner post evaluation for the transactions can be executed this enabling risk levels to move up or down depending on the RB. Intuitively, the larger the gap between the RB, the higher the risk⁷. As such, Tasks t1, t2, and t4 belong to the same level of risk ($RB = 6$). Securing transaction threats by accessing risks associated with them can reduce likelihood of liabilities however the risk assessment process should not be ambiguous, inconsistent and have omissions. Therefore, the mathematical formulation below is necessary to add rigor to the assessment⁷.

In a Multi Agent System (MAS) platform for autonomous systems in this case “agents”, there is a need to have the agent systems programmed with a certain logic or algorithm so that they can execute these transactions seamlessly. As such we

illustrate the following mathematical expression for developing the logic for risk ordering and risk bands. We have implemented a detailed algorithm using the Foundation of Intelligent Physical Agents (FIPA) standard shown in Figure 6.

- 1) Subject (S) – all possible users as well as non-human entities (i.e. FSMs)
- 2) Object (O) – entities being accessed by subject
- 3) Operation (Op) – operation performed on object (i.e. loan processing)
- 4) Role (R) – Capacity in which subjects access the rights to objects
- 5) Task (T) – Operation * Object ($Op * O$)
- 6) Permission (P) – Role (R) $\rightarrow$ P Task (T) (Note : P denotes power set operand)
  - gives a set of tasks authorized for each role (R).
  - task has a token and when task is over the token would expire.
- 7) Subject Roles (SR) – Subject (S) $\rightarrow$ P Role
- 8) PERM is a subset of Role * Task ($R * T$)

However, this paper’s focus is only on developing the logic for trust delegation at this stage. More detailed transaction logic will be implemented it in the near future to accommodate

Figure 5. Risk Graph with Trust Delegation (Muthaiyah, 2020).

Figure 6. Agent Systems for autonomous platforms (Muthaiyah, 2020).

transactions that are not listed in Table 2. Figure 6, illustrates autonomous banking trust delegation for task execution workflow⁵. The concept is based on a Multi Agent Systems (MAS) platform assumed by the functional architecture proposed by FIPA, an Agents Working Group. MAS can be thought of multitude autonomous entities, that execute processes one through seven shown below. This paper presents an implementation of an autonomous banking platform providing transparent interaction between process owners that are represented by agent systems.

Conclusion

Autonomous Trusted Third-Party orchestration for banking systems must be self-auditing by its design. In order to ensure that the banking ecosystem will entail trust which will be the key to drive of its success. Technological advancements will be able to create value by quickly aggregating data which can be deployed using agent systems. In our future work we would like to investigate how control procedures can be embedded within the Blockchain technology to make autonomous banking platforms more robust.

Data availability

No data associated with this article.

Ethics

Ethical Approval Number: EA1202021

Ethical approval was obtained from the research management center at the university. Researchers had to first submit the title of the project, what the author planned to do for the interviews and details of study objectives. The officer at the research management center after reviewing the documents will then issue a letter of clearance for the data collection to be carried out. The approval letter was then obtained, and the reference number of this letter is EA1202021.

Author Contribution

Main author: Contribution on scope of work, literature review, problem statement and trust delegation.

Co-author 1: Contribution on task workflow

Co-author2: Contribution on peer lending banking platforms exchanges

Acknowledgement

All members who worked on this research have been included as authors

References

---

1. Raconteur: **How Blockchain will disrupt the financial sector**. 2019; [Accessed 15 Jul. 2019].
[Reference Source](#)
2. Schmitz J, Leoni G: **Accounting and auditing at the time of Blockchain technology: A research agenda**. *Australian Accounting Review*. 2019; **29**(2): 331–342.
[Publisher Full Text](#)
3. Muthaiyah S: **Citation: Blockchain for audit provenance and trust: push factors, Value creation and challenges**. *International Journal of Auditing and Accounting Studies*. 2019; **1**(1): 13–25.
[Reference Source](#)
4. Moffitt S: **The top 30 emerging technologies (2018–2028)**. 2019; [Accessed 15 Jul. 2019].
[Reference Source](#)
5. Muthaiyah S: **Citation: Understanding risks in Big Data Auditing**. *Selected Reading in Big Data Analytics and Auditing*. Northern Book Center, 2020; ISBN: 81-7211-391-9pp.1-120.
6. Dammag H, Nissanke N: **A mathematical framework for Safecharts**. *Proceedings of the 5th International Conference of Formal Engineering Methods*. Singapore, 2003; 620–640.
[Reference Source](#)
7. Muthaiyah S: **Propagation and delegation of rights in Access Controls**. *Web Services Security and E-Business*. Idea Group Publishing, 2007; 328–337.

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 16 November 2021

<https://doi.org/10.5256/f1000research.76604.r96360>

© 2021 Katke K. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Kadambini Katke

Dayananda Sagar Institutions, Bangalore, Karnataka, India

1. Industry relevant research area which can contribute towards digitization of banking services
2. Paper can be improved with a few more added references to support the research findings
3. Self-citations out of a total of seven references results in limited literature coverage.
4. Research findings and flow charts are satisfactory and supports the title

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Yes

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: technology management, general management, marketing management.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 22 October 2021

<https://doi.org/10.5256/f1000research.76604.r96362>

© 2021 Jaafar N. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Noor Ismawati Jaafar

Department of Operations and MIS, Faculty of Business and Accountancy, University of Malaya, Kuala Lumpur, Malaysia

In general, this may be a good start to more interesting research and findings. The context and focus of the research are very interesting and have huge potential to make an impact on society's application of IT, especially in the banking environment. Although I am not very familiar with the technique used in the article, this research has its own merit and contribution to the fintech environment and the banking industry as a whole. The use of blockchain and smart ledgers is an interesting phenomenon to study. What is good about this article is the assigning of risk band in terms of the 6 common processes in the banking environment. The use of RR, EA, EL, and MAS as stated by the author makes this article worth reading and understanding. These methods used as an approach in developing the risk band enhance the strength of the article. Moreover, the issue of trust that becomes the focal point in the article has been given the attention that links between the customers and the bank.

The results would definitely serve as reference points for the experts like IT auditors to assess or review the banking environment in the future. By defining the risk band and exposure analysis, this article has highlighted an interesting perspective on trust in the banking industry. I would also like to touch on the task delegation and policies for autonomous execution which could be adopted in the future banking environment. This could definitely benefit the banks in terms of efficiency and better services quality to the customers. Thus, the short simplistic article presented has served as a wake-up call for operations and IT researchers to expand the study on trust issues in the financial and banking environment.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

I cannot comment. A qualified statistician is required.

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: It governance, AIS

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 12 October 2021

<https://doi.org/10.5256/f1000research.76604.r93739>

© 2021 Sambas I. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Indrawati Sambas

Faculty Economics & Business, Telkom University, Bandung, Indonesia

I think this paper is a good and important addition to the literature. I really like the conceptualization of how autonomous Trusted Third-Party orchestration for banking systems must be self-auditing by its design which I think is very important in today's banking industry. This article addresses the links between the emerging of Blockchain technology and the need for a self-auditing process in the banking industry. They explained the specific incorporation of the trust factor into the distributed ledgers via smart contracts in blockchains that enable the provision of required governance for all transactions. Ensure that the banking ecosystem will entail trust is the key to drive its success.

Implementing the RR, EA, and EL analytical data model to determine Risk Band (RB) based on ISO31000 standards and Multi-Agent Systems (MAS) that executing and updating RB into respective immutable ledgers are excellent. This study explained how logic for task delegation and task policies for autonomous execution on autonomous banking platforms run. I do hope that the future work they will investigate how control procedures can be embedded within Blockchain technology to make autonomous banking platforms more robust.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Yes

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: My area of research are technology adoption including block chain adoption in the area of finance and marketing.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research