Check for updates

RESEARCH ARTICLE

Towards an interprofessional competency-based model in South Africa: A Delphi study [version 1; peer review: 1 approved with reservations, 1 not approved]

Gérard Charl Filies¹ , José Frantz²

¹Interprofessional Education Unit, University of the Western Cape, Cape Town, 7535, South Africa

²Deputy Vice Chancellor: Research and Innovation, University of the Western Cape, Cape Town, 7535, South Africa

V1 First published: 28 Jan 2022, 11:116
<https://doi.org/10.12688/f1000research.74674.1>

Latest published: 28 Jan 2022, 11:116
<https://doi.org/10.12688/f1000research.74674.1>

Abstract

Background: The overall objective of any health professional curriculum is to ensure that the knowledge, skills and attitudes of the students are influenced by the curriculum and to instil these attributes into the students, to help them become capable, compassionate and inquisitive health professionals. Therefore, there is the need for medical educators to align their learning objectives with the core competencies needed to achieve this. Currently, in interprofessional education, it is not always clear which activities may be used to facilitate the development of interprofessional core competencies. However, if health professional students are exposed to the interprofessional core competencies effectively, it may result in health care professionals who have an improved understanding of interprofessional practices, thus improving these practices within their specific professions. The objective of this study was to identify teaching strategies and activities that aim to develop interprofessional competencies in undergraduate health care students at the University of the Western Cape, South Africa.

Methods: In this study the Delphi method was used to reach a consensus on the most appropriate activities and assessment methods to use in an interprofessional curriculum that would assist in instilling interprofessional core competencies in undergraduate health care students.

Results: 19 experts out of 69 invited participants took part in this Delphi study. The activities highlighted were case studies, joint clinical placements, simulations, role plays and workshops/discussions. The assessment forms highlighted by participants were portfolios, reflection and rubrics.

Conclusion: It was evident from this study that such activities can be used to instil more than one core competency in undergraduate health care students.

Open Peer Review

Approval Status ? X

	1	2
version 1 28 Jan 2022	? view	X view

1. **Champion Nyoni**, University of the Free State, Bloemfontein, South Africa

2. **Kanako Noritake** , Tokyo Medical and Dental University Hospital, Tokyo, Japan

Any reports and responses or comments on the article can be found at the end of the article.

Keywords

interprofessional education, interprofessional core competencies,
graduate attributes, curriculum transformation, curriculum mapping

Corresponding author: Gérard Charl Filies (gfilies@uwc.ac.za)

Author roles: **Filies GC:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Resources, Software, Validation, Visualization, Writing – Original Draft Preparation; **Frantz J:** Supervision, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2022 Filies GC and Frantz J. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Filies GC and Frantz J. **Towards an interprofessional competency-based model in South Africa: A Delphi study [version 1; peer review: 1 approved with reservations, 1 not approved]** F1000Research 2022, 11:116
<https://doi.org/10.12688/f1000research.74674.1>

First published: 28 Jan 2022, 11:116 <https://doi.org/10.12688/f1000research.74674.1>

Introduction

Any health professional university curriculum has an overall objective to ensure that the knowledge, skills and attitudes of the students are influenced by the curriculum and that attributes which would help students to be compassionate and inquisitive health professionals are instilled in them. McKean *et al.*, highlights the need for medical educators to align their learning objectives with the core competencies of the role in question, if they strive to ensure that the students achieve a degree of competency.¹ The limited studies in interprofessional education do highlight activities that may be used to facilitate the development of interprofessional core competencies, but no such studies have been conducted in South Africa.^{2,3} However, it is our understanding that, if health professional university students are exposed to the interprofessional core competencies effectively, it may result in health care professionals who have an improved understanding of interprofessional practices, thus improving practices within their specific professions. The Interprofessional Education Collaborative Expert Panel defines interprofessional core competencies as an integration of knowledge, skills, and values/attitudes that defines teamwork across the health professions and with patients, their families and communities they live in, with the intention of improving health outcomes.⁴ Interprofessional practice occurs when those health professionals from different disciplines work together with patients, families, carers, communities and each other to render comprehensive health care.⁵ For example, a person who recently had a stroke would be seen by a team of health professionals in one consultation for assessment and then planning a treatment programme with the client and their family and/or caregiver, instead of seeing each health professional separately.

Interprofessional competencies are being used gradually more and more by many professions to comprehensively describe ideas such as interprofessional collaboration.⁶ Interprofessional collaboration takes place when more than two professionals work together to achieve common aims to solve a variety of complex challenges.⁷ For example, the Royal College of Physicians and Surgeons of Canada's **CanMEDS** competency framework has been embraced by professions such as nurses, chiropractors, paramedics, physician assistants, family physicians and veterinarians at a global level.⁸

In this study, a systematic review was conducted to determine if any research studies have been done in an South African context, which explored how learning and teaching activities were used to develop core competencies among students.^{9–13} This study found that no studies in South Africa had been conducted, to the best of the authors' knowledge. Internationally, only five studies were found that incorporate interprofessional core competency development into their programmes.¹⁴ Of these five studies, the higher education institutions did not include all competencies in their learning and teaching activities and there was no evidence of the impact of their programmes with regard to improving health outcomes for clients, patients, families or communities. This study therefore suggests that a transformative curriculum is required to reflect interprofessional core competency development in health professions' training over the continuum of learning. This study gains momentum from the findings of a previous study conducted by GF.⁹

In order to meet the needs identified in curriculum development, this study used a Delphi method approach to identify teaching strategies that aim to develop interprofessional competencies in undergraduate health care students at the University of the Western Cape. The study goes beyond not only identifying teaching strategies, but also considers assessment strategies that could be used to develop interprofessional education (IPE) curricula.

Methods

Ethics

The study was approved by the Senate Research Committee of the University of the Western Cape, South Africa (registration number: 14/9/25). Participation in the study was voluntary and written informed consent was obtained from participants beforehand to use their data for analysis and publication. The data were collected and processed anonymously.

Research design

Denzin and Lincoln states that qualitative research offers methodological tools with which to understand the deeper meanings associated with multifaceted phenomena and processes in practice.¹⁵ Besides the traditional approaches to qualitative inquiry, such as grounded theory, phenomenology, constructivist inquiry, and narrative inquiry, the Delphi method is an additional approach not often highlighted in the literature. The Delphi method is a logical approach based on the philosophical assumptions of philosopher and educator John Dewey, who believed that social science research should directly relay and inform everyday practice and decision-making.¹⁶ According to Birdsall, the Delphi method stresses structured anonymous communication between the authors and the expert on a certain topic with the aim of reaching consensus in the areas of policy, practice, or organizational decision-making.^{17,18} The Delphi method used in research usually involves approximately three rounds of surveys that are distributed to a panel of experts, with each round being informed by responses to the previous one. The Delphi process can be continuously repeated until consensus is reached. In this study the Delphi method was used to reach consensus on the most appropriate activities and assessment methods to use in an interprofessional curriculum, that would assist in instilling interprofessional core competencies in undergraduate health care students.

Panel participants

Selection of the appropriate participants is regarded as one of the most important phases in the entire Delphi process, as it directly impacts on the quality of the results produced.^{19–21} Since the Delphi technique concentrates on prompting expert views over a short period of time, the selection of participants is usually reliant on the disciplinary areas of knowledge and skills required by the specific issue at hand.²² As interprofessional education is a relatively developing area in South Africa, and as such it was initially difficult to identify local experts in the field. The authors aimed to recruit 15 and 20 participants and names were garnered from the initial experts identified, so as to include as diverse a group of experts as possible. The authors approached 95 experts which were more participants than required, in the event that if some were not available, there would be enough participants for the study. Following this process, the participants made up a group of 29 participants. The first phase of the study had 11 out of the 29 invited participants positively respond to participate in the study, yielding an initial response rate of 37.93%. Ludwig¹⁵ indicates that “the majority of Delphi studies have used between 15 and 20 respondents”. Based on this, a decision to expand the expert panel base and invite more participants with a target of achieving a positive response of between 15 and 20 was made and executed. Forty potential participants from the African Interprofessional Network (AfrIPEN) were invited to participate in the study. Eight gave a positive response, making a total of 19 participants. The demographics of 17 of these participants can be found in Table 1. In round one, all 19 experts participated and in round two, 16 of the experts completed the questionnaires in the Delphi process.

The experts in this group were initially contacted via e-mail and came from various organisations, both local and international. International organisations included the Centre for the Advancement of Interprofessional Education (CAIPE), UK, University of Missouri, U. S, Suez Canal University, Egypt, University of Cairo, Egypt, University of North Carolina, U. S, University of North Texas, U. S, Curtin University, Australia, University for Development Studies, Ghana, and the University of Sudan. South African institutions included Stellenbosch University, University of the Western Cape, University of Cape Town, University of Pretoria, University of KwaZulu-Natal, University of the Free State, and Psych Care in Pietermaritzburg.

Procedure

The authors obtained contact information of potential participants from publications of experts in high impact journals, organisations/networks like the Africa Interprofessional Education and Collaborative Practice Network (AfIN) and African Interprofessional Network (AfrIPEN). Participants contacted, also identified other experts and made their contact details available to the authors. All the identified participants and experts in the field of IPE received an invitation letter via e-mail, containing information regarding this study and a request for their assistance as an expert in the field of IPE (see *Extended data*⁴⁹). A consent form was attached to the e-mail, which needed to be completed and returned to the

Table 1. Profile of participants.

Gender	Profession	Years of experience	Year level of student involvement	Average number of student involvement per annum
Male	Social work	26	n/a	n/a
Male	Dean Emeritus	20	Postgraduates	50
Female	Physiotherapy	20	3 rd and 4 th	25
Female	Occupational therapy	5	1 st – 4 th	150
Female	Education	19	1 st and 4 th	>300 (1 st yr), 8 (4 th yr)
Male	Physiotherapy	5	1 st and 2 nd	100
Male	Medical doctor	23		2100
Female	General practitioner	20	n/a	n/a
Female	Medical practitioner	15	2 nd – 6 th	250
Female	Senior lecturer	20	1 st – final semester	300
Female	Nursing	8	Under and postgraduate	150 (u/g), 15–20 (p/g)
Female	Nursing	7	Under and postgraduate	25
Female	Nursing	3	4 th	300
Male	Medical practitioner	13	4 th – 6 th	23
Male	Surgeon	12	Under and postgraduate	400
Female	Senior lecturer	7	1 st – 3 rd	20
Female	Nursing	10	Postgraduate	90

authors, should they agree to participate in the study (see *Extended data*⁴⁹). Once all the consent forms had been received, the participants were sent a link to begin the Delphi process, by completing an online questionnaire in **Google Forms**. The first section of the questionnaire included a demographic aspect whereby participants had to indicate their profession, years of experience in IPE, year level of student engagement in IPE and the average number of students engaged in IPE per annum. The Psychology Ethics Committee of the University of Aberdeen posits that it is good practice to assign a numerical reference to participants in research studies for the purposes of anonymity.²³ This was particularly necessary in this study in order to track participants' replies and verify their responses during the next round of the Delphi study. The questionnaire was based on the six interprofessional core competencies identified by the Canadian Interprofessional Health Collaborative (CIHC), whereby participants were asked to identify activities and methods of evaluation for each competency domain.²⁴ The questionnaire was sent online, which allowed participants to complete it at a time and space in which they were comfortable. The authors enabled settings in Google Forms to be notified via e-mail when questionnaires had been completed by participants, according to their allocated participant number and, through this method, the panel of experts could keep track of the total number of completed questionnaires.

Prior to the Delphi study, the authors presented the two competency documents (CIHC & Interprofessional Education Collaborative Expert Panel) to faculty who collectively recommended the use of the six competency domains outlined by the CIHC.^{4,24} The participants in the Delphi study had to review the combined six competencies listed by the CIHC and the two additional competencies suggested by an Interprofessional Education Collaborative Expert Panel. For the purposes of this study, the focus is primarily on the six competencies listed by the CIHC, together with the additional core competencies of the Interprofessional Education Collaborative Expert Panel, i.e., values/ethics for interprofessional practice and roles, as well as responsibilities for the sake of comprehension. Round one required participants to list as many activities as possible, to instil each of the eight core competencies into undergraduate students. While listing activities, they had to think of different assessments that could be used to evaluate the different competencies.

During round two, the authors compiled a second questionnaire whereby participants had to rate the activities and assessment practices most favourable to instil IPE core competencies as presented in round one. The scale of reply extended from one to five, ranging from strongly agree to strongly disagree. The most common activity types and assessment methods were selected by the authors from round one. Items were considered as 'common' where three or more participants made the same comment. The participants were given a space on the questionnaire to make any further comments should they feel that the items list was not appropriate or in alignment with comments they had made previously. Participants had to state whether they agreed with the listed assessments and activities by clearly stating "yes" or "no". Since there were no objections and no comments made indicating the inappropriateness of the listed items, the authors concluded that consensus was reached at the completion of round two. This decision was communicated to all participants, in addition to giving participants a final opportunity to dispute the decision, of which there were none.

Analysis

The questionnaires in the Delphi process included both qualitative and quantitative aspects. Hsu *et al.*, emphasise that researchers need to find a suitable process to deal with the qualitative information collected.²² In this study, the qualitative data in the form of comments was read together with suggested activities and assessment practices to further understand the reasons for listed items.

For each round in the Delphi study, experts were invited to respond to scale each statement on a Likert-type scale with an option to comment on each statement as desired and finally ranking the statements in the order of importance.²⁵ Quantitative analysis of the Delphi study included calculations of the percentage response rates; percentages for each level of agreement for each statement to compensate for varying response rates; the median, range and their associated group rankings using the importance ratings; mean (SD) and their associated group rankings using the importance ratings. The final results from the Delphi study were reported in percentages to reflect the rate of agreement between experts. Two nominal categories were formed to report the data from the Likert scale used by the authors. Strongly Agree and Agree were combined and Disagree and Strongly Disagree were combined for the purposes of reporting the findings. Green¹⁴ suggests that at least 70% of the Delphi participants need to rate three points or higher on a four-point Likert-type scale to reach consensus on subject matter.

Reliability and validity

Hasson *et al.*, states that the Delphi technique is based upon the assumption of safety in numbers (i.e. many experts are less likely to arrive at a wrong decision than a single person).²⁶ Choices are then strengthened by logical argument in which assumptions are confronted, thus helping to increase validity. Threats to validity arise primarily from pressures for convergence of predictions which challenges the Delphi's forecasting capability. However, the use of experts on a particular topic, can assist to increase the content validity of the Delphi technique by using successive rounds of the questionnaire which increases the concurrent validity.²⁶

Trustworthiness

Trustworthiness of the data was ensured by using Guba's¹¹ four criteria of trustworthiness:

i) Credibility

The authors adopted appropriate, well-recognised research methods, which were familiar to the culture of the participating institution and used random sampling of individuals who served as participants in the study. Triangulation was done by the use of different methods, and different selected participants were used for different phases of the research study in varying contexts. Detailed descriptions were given of the background to the study and member-checks of data collected were done in the Delphi study by allocating numbers to participants and getting them to confirm data.

ii) Transferability

The authors provided background data in the study to establish the specific context and gave a detailed description of the phenomenon in question, to allow comparisons to be made with other/similar institutions.

iii) Dependability

The different methods used in this study allowed for overlap and integration in order to develop an IPE model. In-depth methodological description was given in chapter two, which allows this study to be repeated.

iv) Confirmability

Researcher bias was reduced through triangulation of the data and all assumptions and beliefs of the authors were outlined in each chapter. Shortcomings in the methodology of the study and their likely effects are listed in the final chapter of the study as limitations and an in-depth methodological description is provided so as to allow integrity of the research results which can be scrutinised by experts in the field.

Results

Delphi round one

Suggested activities and assessments made by the participants for the IPE core competencies were ranked and captured accordingly (see Table 2).⁴⁸

Delphi round two

Fourteen of the experts participated in this round. The suggestions given for activities and assessment strategies that were common to the majority of participants, were summarised and sent back to the participants for confirmation in the form of round two.⁴⁸ Participants were requested to rate common suggestions on activities and assessments given as Likert items (see Table 3 and Table 4) and make necessary comments should there be any discrepancies.

Discussion

Activities used to develop interprofessional competencies

Considering the above-mentioned assortment of activities, it is evident that similar activities can be used to instil more than one competency, for example, case studies that mention interprofessional communication, patient/client/family/community-centred care, role clarification, interprofessional conflict resolution and values/ethics for interprofessional practice. Another example is role play, which can be used to develop the core competencies of role clarification, collaborative leadership, interprofessional conflict resolution, and values/ethics for interprofessional practice. However, when considering such overlap, it could appear repetitive and confusing in nature when designing new IPE activities and curricula. Barr *et al.* provide some guidance on how to classify different learning activities that are frequently used in IPE.²⁷ They state that using different methods in combination with each other can be very advantageous for students. The classification is as follows and the results are discussed accordingly:

i) Exchange-based learning, e.g. case studies and debates

ii) Action-based learning, e.g. workshops, problem-based learning, collaborative enquiry and continuous quality improvement

Table 2. Results of round 1.

IPE core competencies	Activities	Assessments
Interprofessional communication	Joint assignments, team building exercises, interprofessional team-based placements, interprofessional case presentations, shared theory classes, discussion groups on an e-learning system (blended learning), joint tutorials, developing a common language between professionals (e.g. ICF), workshops, various activities (games/role-plays/case studies) with a reflective component	Observations, group/team assignments, focus groups, interviews, peer assessments, questionnaires, portfolios, self-assessment (reflection)
Patient/client/family/community-centred care	Live/real case studies, interprofessional ward rounds, involvement of actual clients/patients and family in discussions and planning, demonstrations by team to advocate for client/patient/family/community	Observation, feedback from patients/clients/family/community, development of a rubric, portfolios, student teams working on real cases/scenarios
Role clarification	Case studies, joint projects, workshops/discussions, role plays, reflective journaling, simulations, observing other professionals	Use of rubric, reflection (case studies/reports/journals), portfolios, OSCE/OSPE, formative feedback, Self-evaluation (videos/questionnaires/feedback from clients, family & community), group assignments
Team functioning	Teambuilding exercises, workshops, group projects, formal team meetings, simulations, interprofessional mentoring, icebreakers	Assignments, interviews and focus groups, observe and document team behaviour, reflection, portfolios, simulated activities, use of rubrics
Collaborative leadership	Student-led teams/groups on campus and during placement, case discussions, problem-based assignments, role plays, videos and collaborative exercises, use of ICF as a framework, games and debriefing, service-learning or community projects, Development of a rotational schedule of leadership within team	Observation, peer review, reflections, portfolios, simulated activities, formative feedback, rubrics, collaborative assessment tool
Interprofessional conflict resolution	Case studies, role plays, YouTube clips for discussion, workshops, simulated environments, debriefing, team discussions	Observations and feedback, rubrics, questionnaires, written exam questions around scenarios, simulated role-plays, reflective journals, portfolios, collaborative assessment tool
Values/ethics for interprofessional practice	Simulation activities, role plays, case study discussions, games/exercises, small group discussions with reflection, collaborative assessments using the ICF framework, longitudinal portfolios, networking with other professionals, role-modelling within the IP lecture team, value clarification exercises among professionals	Observations, facilitating discussions with students, essay questions, case study rubrics, simulated role plays, formative feedback/debriefing of situations experienced, longitudinal portfolios, participation in scientific conferences, collaborative assessment tool, pre- and post-questionnaires, e-learning discussions

- iii) Observation-based learning, e.g. joint visits to a patient by students from different professions, shadowing another profession
- iv) Simulation-based learning, e.g. role-play, games, skills labs and experiential groups
- v) Practice-based, e.g. co-location across professions for placements, out-posting to another profession and interprofessional training wards
- vi) E-learning, e.g. reusable learning objects relating to the above
- vii) Blended learning, e.g. combining e-learning with face-to-face learning
- viii) Received or didactic learning, e.g. lectures.

Table 3. Rating from experts round two on activities.

IPE core competency	Activities	Rating scale			
		Strongly agree	Agree	Disagree	Strongly disagree
Interprofessional communication	Joint assignments	43.8%	37.5%	6.3%	6.3%
	Team building exercises	56.3%	31.3%	6.3%	0%
	Interprofessional team-based placements	81.3%	12.5%	0%	0%
	Interprofessional case presentations	56.3%	31.3%	6.3%	0%
	Shared theory classes	0%	37.5%	43.8%	12.5%
	Discussion groups on an e-learning system (blended learning)	18.8%	37.5%	31.3%	6.3%
	Joint tutorials	25%	37.5%	18.8%	12.5%
	Developing a common language between professionals (e.g. ICF)	25%	56.3%	6.3%	6.3%
	Workshops	25%	50%	18.8%	0%
	Various activities (games/role-plays/case studies) with a reflective component	56.3%	31.3%	6.3%	0%
Patient/client/family/community-centred care	Live/real case studies	68.8%	25%	0%	0%
	Interprofessional ward rounds	43.8%	37.5%	12.5%	0%
	Involvement of actual clients/patients and family in discussions and planning	75%	6.3%	12.5%	0%
	Demonstrations by team to advocate for client/patient/family/community	37.5%	50%	6.3%	0%
Role clarification	Case studies	66.7%	33.3%	0%	0%
	Joint projects	46.7%	46.7%	6.7%	0%
	workshops/discussions	40%	53.3%	6.7%	0%
	Role plays	53.3%	40%	6.7%	0%
	Reflective journaling simulations	26.7%	46.7%	26.7%	0%
	Observing other professionals	53.3%	40%	6.7%	0%
Team functioning		13.3%	60%	20%	6.7%
	Teambuilding exercises	40%	46.7%	13.3%	0%
	workshops	13.3%	66.7%	20%	0%
	Group projects	46.7%	40%	13.3%	0%
	Formal team meetings	40%	40%	20%	0%
	simulations	46.7%	33.3%	20%	0%
	Interprofessional mentoring	46.7%	40%	13.3%	0%
Collaborative leadership	Icebreakers	6.7%	53.3%	26.7%	13.3%
	Student-led teams/groups on campus and during placement	60%	33.3%	6.7%	0%
	Case discussions	20%	73.3%	6.7%	0%
	Problem-based assignments	40%	53.3%	6.7%	0%
	Role plays	60%	33.3%	6.7%	0%
	videos and collaborative exercises	40%	33.3%	26.7%	0%
	Use of ICF as a framework	13.3%	53.3%	20%	13.3%
	Games and debriefing service-learning or community projects	73.3%	26.7%	0%	0%
Interprofessional conflict resolution	development of a rotational schedule of leadership within team	33.3%	53.3%	6.7%	6.7%
	Case studies	26.7%	60%	6.7%	6.7%
	Role plays	53.3%	46.7%	0%	0%
	YouTube clips for discussion	26.7%	46.7%	26.7%	0%
	Workshops	26.7%	66.7%	6.7%	0%
	Simulated environments	60%	33.3%	6.7%	0%
	debriefing team discussions	53.3%	46.7%	0%	0%
Values/ethics for interprofessional practice		73.3%	26.7%	0%	0%
	Simulation activities	46.7%	26.7%	20%	6.7%
	Role plays	53.3%	40%	6.7%	0%
	Case study discussions	60%	33.3%	6.7%	0%
	games/exercises	20%	53.3%	26.7%	0%
	Small group discussions with reflection	60%	40%	0%	0%
	Collaborative assessments using the ICF framework	26.7%	33.3%	40%	0%
	Longitudinal portfolios	33.3%	33.3%	33.3%	0%
	networking with other professionals	26.7%	60%	13.3%	0%
	Role-modelling within the IP lecture team	33.3%	46.7%	20%	0%
	Value clarification exercises among professionals	40%	46.7%	13.3%	0%

Table 4. Rating from experts on round two assessment strategies.

IPE core competency	Assessments	Rating scale			
		Strongly agree	Agree	Disagree	Strongly disagree
Interprofessional communication	Observations	25%	56.3%	6.3%	6.3%
	Group/team assignments	50%	37.5%	6.3%	0%
	Focus groups	18%	68.8%	6.3%	0%
	Interviews	18.8%	56.3%	18.8%	0%
	Peer assessments	37.5%	43.8%	6.3%	6.3%
	Questionnaires	18.8%	31.3%	31.3%	12.5%
	Portfolios	37.5%	43.8%	6.3%	6.3%
	Self-assessment (reflection)	43.8%	31.3%	18.8%	0%
Patient/client/family/community-centred care	Observation	25%	50%	18.8%	0%
	Feedback from patients/clients/family/community	68.8%	12.5%	12.5%	0%
	Development of a rubric	6.3%	68.8%	12.5%	6.3%
	Portfolios	43.8%	37.5%	12.5%	0%
	Student teams working on real cases/scenarios	62.5%	25%	6.3%	0%
Role clarification	Use of rubric	6.7%	53.3%	33.3%	6.7%
	Reflection (case studies/reports/journals)	46.7%	40%	13.3%	0%
	Portfolios	20%	66.7%	13.3%	0%
	OSCE/OSPE	20%	33.3%	46.7%	0%
	Formative feedback,	60%	33.3%	6.7%	0%
	Self-evaluation (videos/questionnaires/feedback from clients family & community)	53.3%	26.7%	20%	0%
	Group assignments	46.7%	33.3%	20%	0%
Team functioning	Assignments	13.3%	46.7%	33.3%	6.7%
	Interviews and focus groups	13.3%	53.3%	33.3%	0%
	Observe and document team behaviour	46.7%	53.3%	0%	0%
	Reflection	33.3%	60%	6.7%	0%
	Portfolios	26.7%	53.3%	20%	0%
	Simulated activities	66.7%	20%	6.7%	6.7%
	Use of rubrics	6.7%	60%	33.3%	0%
Collaborative leadership	Observation	13.3%	66.7%	20%	0%
	Peer review	40%	53.3%	6.7%	0%
	Reflections	26.7%	53.3%	20%	0%
	Portfolios	33.3%	53.3%	13.3%	0%
	Simulated activities	46.7%	33.3%	20%	0%
	Formative feedback	53.3%	40%	6.7%	0%
	Rubrics	6.7%	66.7%	26.7%	0%
	Collaborative assessment tool	46.7%	33.3%	13.3%	6.7%

Table 4. *Continued*

IPE core competency	Assessments	Rating scale			
		Strongly agree	Agree	Disagree	Strongly disagree
Interprofessional conflict resolution	Observations and feedback	40%	40%	20%	0%
	Rubrics	6.7%	33.3%	60%	0%
	Questionnaires	0%	26.7%	53.3%	20%
	Written exam questions around scenarios	0%	33.3%	46.7%	20%
	Simulated role-plays	53.3%	26.7%	20%	0%
	Reflective journals	26.7%	60%	13.3%	0%
	Portfolios	40%	33.3%	26.7%	0%
	Collaborative assessment tool	33.3%	53.3%	13.3%	0%
Values/ethics for interprofessional practice	Observations	26.7%	60%	13.3%	0%
	Facilitating discussions with students	46.7%	46.7%	0%	6.7%
	Essay questions	6.7%	13.3%	66.7%	13.3%
	Case study rubrics	20%	40%	33.3%	6.7%
	Simulated role plays	46.7%	40%	6.7%	6.7%
	Formative feedback/debriefing of situations experienced	73.3%	20%	6.7%	0%
	Longitudinal portfolios	33.3%	33.3%	26.7%	6.7%
	Participation in scientific conferences	0%	46.7%	40%	13.3%
	Collaborative assessment tool	20%	53.3%	13.3%	13.3%
	Pre- and post-questionnaires	6.7%	53.3%	26.7%	13.3%
	E-learning discussions	33.3%	40%	13.3%	13.3%

The following main activities that were highlighted by the expert panel and were common to most of the IPE core competencies; case studies, joint clinical placements, simulations, role plays and workshops/discussions.

Case studies

Case studies can be considered as a problem-based learning approach and classified under exchange-based learning, according to Barr *et al.*²⁷ Bonney highlights several advantages of using case studies as a teaching strategy.²⁸ Firstly, case studies improve the development of the higher levels of Bloom's taxonomy of cognitive learning,²⁹ which moves beyond not only recalling knowledge, but includes analysis, evaluation, and application. Secondly, case studies facilitate interdisciplinary learning and can be used to facilitate connections between specific theory and real-world societal issues and applications. Case studies have the ability to increase student motivation to participate in class activities, which promotes learning and improves performance on assessments.

Students in groups can be presented with a well-structured problem or case study in which they have to work collaboratively in a once-off session of a week or longer duration, depending on the outcomes of the session. This would encourage active learning among team members. A case study lends itself to being open-ended; it allows for realistic problems to be used to stimulate interdisciplinary discussions; promotes critical thinking, learning and participation among students, especially in terms of their ability to view an issue from multiple perspectives and to grasp the practical application of core course concepts.³⁰

Workshops

Workshops demonstrate modern principles of teaching such as active engagement of the learners. They provide opportunities for the interaction that enables the teachers to connect the material to the context of the learners. They provide an opportunity for group interaction, which is important for trainees who are becoming increasingly isolated in their work.³¹ When planning workshops, it is suggested that student preparation and attendance should be a requirement, allowing for a greater success of the workshop.³²

Simulation based activities

There are two activities classified under simulation-based activities, role plays and simulations. Simulations provide students of all professions a safe space to interact with each other collaboratively, as well as opportunities for a novice's eventual transition to becoming an expert. Simulated activities provide students with an opportunity to explore and appreciate the roles of other health professionals. Fowler-Durham and Alden confirm that simulation intends to mimic reality whilst offering a skills-based clinical experience in a safe and secure setting.³³ Hovancsek describes the aim of simulation as 'to replicate some or nearly all of the essential aspects of a clinical situation so that the situation may be more readily understood and managed when it occurs in reality in clinical practice'.³⁴ Russell *et al.*, state that role plays and simulations function as learning tools for teams and groups or individuals, as they can either engage with each other online or face to face.³⁵

Joint clinical placements

Joint clinical placements are a vital part of undergraduate education, allowing students to transform theory into practice by engaging in 'real-life' experiences, to strengthen the academic programme content covered at the institution. Koh warns that students who are unable to link theory and practice could possibly be left 'floundering, lacking in confidence and disenchanted, with some being forced to leave'.³⁶ The core element of a clinical placement is that learning occurs by doing, since problems associated with clients/patients are placed in context and critical thinking can be developed.³⁷

Assessment activities

The main suggestions given by the expert panel on assessment methods aligned to the suggested activities are portfolios, reflection and the development of appropriate rubrics which will be discussed below.

Portfolios

Portfolios are ideal as an assessment tool as they allow for critical analysis of their contents, which reflects on a particular student/group/community. They can therefore be considered as multipurpose instruments, since they can be used for assessments, monitoring and planning, reflection, learning, and for personal development.³⁸ Portfolios are known to stimulate reflection, as students are often required to look back on work they have done and analyse what they have or have not achieved and supply reasons for this. Portfolios are often compiled over a long period of time to allow a sufficient interval in which to collect information and to reflect on the knowledge that has been gained from these experiences. Brown defines a portfolio as 'A private collection of evidence, which demonstrates the continuing acquisition of skills, knowledge, attitudes, understanding and achievements. It is both retrospective and prospective, as well as reflecting the current stage of development and activity of the individual'.³⁹ Students can sort the evidence in their portfolios into sections corresponding to the different competencies to be assessed and use captions to explain what the evidence shows about a specific competency, since many medical curricula are based on competency criteria.³⁸

Reflection as an assessment tool

Sandars states that many assessments include 'levels of reflection' and that this hierarchical model is based on the notion of depth of reflection.⁴⁰ Superficial reflection is considered to occur when there is only a report of events, but deeper reflection includes a 'stepping back' from events and actions with evidence of the encounter and possible change to current views and perceptions. This deeper level is equivalent to 'transformative learning' taking place. Reflection can be considered as a purposeful critical analysis of knowledge and experience in order to achieve a deeper meaning and understanding of a specific body of information. Reflection cannot be seen in isolation from reflective learning and reflective practice.⁴⁰ In a study done by Morison *et al.* on reflection, students felt that learning together in both lectures and on clinical placement allowed them to gain optimum understanding on their own and others' roles and that the real-world experience helped them to appreciate the importance of teamwork and communication skills.⁴¹ Mann *et al.*, confirm that professional competencies can be assessed through reflection and that different levels of reflection should be established for each year level.⁴²

Rubrics

The third assessment method highlighted by the expert panel is the use of rubrics. Rubrics are a good indicator to students of what aspects of their performance will take priority and how marks/percentages will be allocated to specific tasks for assessment purposes. The use of rubrics in assessments offers a means to provide the desired validity in assessing complex competencies, without forfeiting the need for reliability.^{43,44} When designing rubrics, Reddy strongly suggests that assessors ensure that the scoring criteria reflect the desired core competencies that would suggest success in curriculum design and practice.⁴⁵ The scoring/rating of rubrics are descriptive scoring schemes that are developed by educators or others (clinicians/supervisors/peers) to guide the analysis of written work or practical work in terms of a process towards students' efforts.⁴⁶

Considering how the activities above can instil core competency development and the suggestions given on how to assess the activities, it cannot be successfully adopted without the suggestions given by experts. For novice higher education institutions that are wanting to design an IPE curriculum, the experts in the field of interprofessional education suggested the application of principles such as treating all the health professions as equals, showing mutual respect, valuing differences, working towards common goals, commitment from the faculty including its leadership, alignment of timetables which includes shared curriculum and assessment practices, to name but a few. Core competency development has been hugely guided from international influences but cannot be applied to all contexts without adaptations.

Conclusion

This study used a Delphi approach to identify teaching and assessment strategies that aim to develop interprofessional competencies in undergraduate health care students. Consensus has been reached by an expert panel on learning activities and assessment methods that instill the development of interprofessional core competencies. These identified strategies will form a crucial aspect in developing an IPE curriculum, especially in a South African context. The learning outcomes in such an IPE curriculum need to be clearly outlined and linked to each respective year level of training for health professions training at tertiary institutions. There is growing evidence that intensive approaches to learning are more likely to be connected with higher quality learning outcomes.⁴⁷ The development of an IPE model that incorporates a curriculum as described above will allow for flexible application of these learning outcomes that are both challenging and reflective of the cognitive level of learning across the learning continuum.

Limitations

Although the number of experts who were classified as the participants for the study fell into the normal range for Delphi studies, a larger number of participants would have yielded a more enriched data set. The first round of the Delphi study took almost a year to complete as the authors had to send out monthly reminders to participants who had consented to participate in the study.

Recommendations for future research

IPE is an emerging field and the literature is constantly growing with more and more experienced academics and practitioners emerging. In light of the COVID-19 pandemic, many higher education institutions have resorted to online learning and activities for IPE. Thus, it would be worthwhile to do a follow-up survey to get feedback on these activities and assessment strategies which can be added to this study.

Data availability

Underlying data

Figshare: Consensus on activities and assessment methods that instil interprofessional core competencies (data sets), <https://doi.org/10.6084/m9.figshare.17134679.v1>.⁴⁸

This project contains the following underlying data:

- Delphi Responses – Round 1.pdf (Identification of activities and assessments that develop interprofessional core competencies)
- Delphi Confirmation – Round 2.pdf (Confirmation of activities and assessment strategies that develop interprofessional core competencies)

Data are available under the terms of the [Creative Commons Zero “No rights reserved” data waiver](#) (CC0 1.0 Public domain dedication).

Extended data

Figshare: Consensus on activities and assessment methods that instil interprofessional core competencies (appendices), <https://doi.org/10.6084/m9.figshare.18771038.v1>.⁴⁹

This project contains the following extended data:

- Invitation Letter.pdf
- Delphi questionnaire – Round 1.pdf

- Delphi questionnaire – Round 2.pdf
- Consent form.pdf

Data are available under the terms of the [Creative Commons Attribution 4.0 International license](#) (CC-BY 4.0).

References

- McKean SCW, Budnitz TL, Dressler DD, *et al.*: **How to use The Core Competencies in Hospital Medicine: a framework for curriculum development.** *J. Hosp. Med.* 2006; **1**(1): 57–67.
[Publisher Full Text](#)
- van Diggele C, Roberts C, Burgess A, *et al.*: **Interprofessional education: tips for design and implementation.** *BMC Med Educ.* 2020; **20**(Suppl 2): 455–456.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Fox L, Onders R, Hermansen-Kobulnicky CJ, *et al.*: **Teaching interprofessional teamwork skills to health professional students: A scoping review.** *J. Interprof. Care.* 2018; **32**(2): 127–135.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Interprofessional Education Collaborative Expert Panel: **Core Competencies for Interprofessional Collaborative Practice: Report of an Expert Panel.** Washington DC: Interprofessional Educ Collab; 2011; (May); 1351.
[Reference Source](#)
- Queensland Government: **Interprofessional Practice.** 2019 [cited 2022 Jan 17].
[Reference Source](#)
- Wood V, Flavell A, Vanstolk D, *et al.*: **The road to collaboration: Developing an interprofessional competency framework.** *J. Interprof. Care.* 2009; **23**(6): 621–629.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Green BN, Johnson CD: **Interprofessional collaboration in research, education, and clinical practice: working together for a better future.** *J. Chiropr. Educ.* 2015; **29**(1): 1–10.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Frank JR: **Better standards. Better physicians. Better care.** Ottawa: The Royal College of Physicians and Surgeons of Canada; 2005.
- Filices GC: **Development of an Interprofessional Education Model that Aims to Instill the Core Competencies of Interprofessional Collaborative Practice in Allied Health Students Curriculum.** 2017.
[Reference Source](#)
- Baker MJ, Durham CF: **Interprofessional education: A survey of students' collaborative competency outcomes.** *J. Nurs. Educ.* 2013; **52**(12): 713–718.
[PubMed Abstract](#) | [Publisher Full Text](#)
- King J, Beanlands S, Fiset V, *et al.*: **Using interprofessional simulation to improve collaborative competences for nursing, physiotherapy, and respiratory therapy students.** *J. Interprof. Care.* 2016; **30**(5): 599–605.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Peeters MJ, Sexton M, Metz AE, *et al.*: **A team-based interprofessional education course for first-year health professions students.** *Curr. Pharm. Teach. Learn.* 2017; **9**(6): 1099–1110.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Sevin AM, Brown NV, Brown NV, *et al.*: **Assessing interprofessional education collaborative competencies in service-learning course.** *Am. J. Pharm. Educ.* 2016; **80**(2): 1–8.
- Anders PL, Scherer YK, Hatton M, *et al.*: **Using Standardized Patients to Teach Interprofessional Competencies to Dental Students.** *J. Dent. Educ.* 2016; **80**(1): 65–72.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Denzin NK, Lincoln YS: *The Sage handbook of qualitative research.* Thousand Oaks, CA: Sage Publications Ltd; 3rd ed 2005.
- Kirk S, Reid WJ: *Science and Social Work [Internet].* Columbia University Press; 2002.
[Publisher Full Text](#)
- Birdsall I: **It seemed like a good idea at the time: The forces affecting implementation of strategies for an information technology project in the Department of Defense.** *Virginia Tech.* 2003; 1–242.
[Reference Source](#)
- Dalkey N, Helmer O: **An Experimental Application of the Delphi Method to the Use of Experts** Author (s): Norman Dalkey and Olaf Helmer Published by: INFORMS Stable. Accessed: 27-04-2016 21: 16 UTC. 1963;9(3):458–67.
[Reference Source](#)
- Judd RC: **Delphi decision methods in higher education administration.** *Technol Forecast Soc Change.* 1972; **4**(2): 173–186.
[Publisher Full Text](#)
- Taylor RE, Judd LL: **Delphi method applied to tourism.** *Delphi method Appl to Tour.* 1989; 95–98.
- Jacobs JM: **Essential assessment criteria for physical education teacher education programs: A Delphi study.** 1996.
- Hsu CC, Sandford BA: **The Delphi technique: Making sense of consensus.** *Pract. Assess. Res. Eval.* 2007; **12**(10): 1–8.
- PEC PEC: *Psychology Ethics General Guide.* Univ. Aberdeen; 2017 [cited 2017 Aug 21].
[Reference Source](#)
- Orchard C, Bainbridge L, Bassendowski S, *et al.*: *A National Interprofessional Competency Framework.* Vancouver: Canadian Interprofessional Health Collaborative; 2010.
- Holey EA, Feeley JL, Dixon J, *et al.*: **An exploration of the use of simple statistics to measure consensus and stability in Delphi studies.** *BMC Med. Res. Methodol.* 2007; **7**: 1–10.
- Hasson F, Keeney S, McKenna H: **Research guidelines for the Delphi survey technique.** *J. Adv. Nurs.* 2000; **32**(4): 1008–1015.
[PubMed Abstract](#)
- Barr H, Koppel I, Reeves S, *et al.*: *Effective Interprofessional Education.* Oxford, UK: Blackwell Publishing Ltd; 2005.
[Publisher Full Text](#)
- Bonney KM: **Case Study Teaching Method Improves Student Performance and Perceptions of Learning Gains.** *J. Microbiol Biol Educ.* 2015; **16**(1): 21–28.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Churches A: **Wiki Editing Rubric - Bloom's Digital Taxonomy.** *Educ Origami.* 2007; **19**(12/07): 1–44.
- Yadav A, Lundeborg M, DeSchryver M, *et al.*: **Teaching Science with Case Studies: A National Survey of Faculty Perceptions of the Benefits and Challenges of Using Cases.** *J. Coll. Sci. Teach.* 2007; **37**(1): 34–38.
- Eison J, Stevens E: **Faculty development workshops and institutes. Teaching improvement practices: Successful strategies for higher education.** 1995; 206–27.
- VanKuiken DM, Schaefer JK, Flaum Hall M, *et al.*: **Integrating interprofessional education into the curriculum: Challenges and solutions for a university without a medical center.** *J. Interprofessional Educ. Pract.* 2016; **2**: 5–11.
[Publisher Full Text](#)
- Durham CF, Alden KR: **Enhancing Patient Safety in Nursing Education Through Patient Simulation.** *Patient Saf Qual An Evidence-Based Handb Nurses.* 2008.
[Reference Source](#)
- Hovancsek MT: **Using simulation in nursing education.** *Simul Nurs Educ From Conceptualization to Eval.* 2007; **1**(9).
- Russell C, Shepherd J: **Online role-play environments for higher education.** *Br. J. Educ. Technol.* 2010; **41**(6): 992–1002.
[Publisher Full Text](#)
- Koh L: **Practice-based teaching and nurse education.** *Nurs. Stand.* 2002; **16**(19): 38–42.
[Publisher Full Text](#)

37. Nolan CA: **Learning on clinical placement: The experience of six Australian student nurses.** *Nurse Educ. Today.* 1998; **18**(8): 622–629.
[PubMed Abstract](#) | [Publisher Full Text](#)
38. Van Tartwijk J, Driessen EW: **Portfolios for assessment and learning: AMEE Guide no. 45.** *Med. Teach.* 2009; **31**(9): 790–801.
[PubMed Abstract](#) | [Publisher Full Text](#)
39. Brown RA: *Portfolio Development and Profiling for Nurses.* White Cross, Lancaster: Quay Books: a division of M.A. Healthcare Ltd; 2nd ed. 1995.
40. Sandars J: **The use of reflection in medical education: AMEE Guide No. 44.** *Med. Teach.* 2009; **31**(8): 685–695.
[PubMed Abstract](#) | [Publisher Full Text](#)
41. Morison S, Jenkins J: **Sustained effects of interprofessional shared learning on student attitudes to communication and team working depend on shared learning opportunities on clinical placement as well as in the classroom.** *Med. Teach.* 2007; **29**(5): 450–456.
[PubMed Abstract](#) | [Publisher Full Text](#)
42. Mann K, Gordon J, MacLeod A: **Reflection and reflective practice in health professions education: A systematic review.** *Adv. Health Sci. Educ.* 2009; **14**(4): 595–621.
[PubMed Abstract](#) | [Publisher Full Text](#)
43. Morrison GR, Ross SM: **Evaluating Technology-Based Processes and Products.** 1998; (74): 69–77.
44. Wiggins G: *Educative Assessment. Designing Assessments To Inform and Improve Student Performance.* 350 Sansome Street, San Francisco, CA 94104: Jossey-Bass Publishers; 1998.
45. Reddy MY: **Design and development of rubrics to improve assessment outcomes: A pilot study in a Master's level business program in India.** *Qual. Assur. Educ.* 2011; **19**(1): 84–104.
[Publisher Full Text](#)
46. Brookhart SM: **Teaching about grading and communicating assessment results.** *Pap. Present Annu. Meet. Natl. Counc. Meas. Educ.* 1998.
47. Prosser M, Trigwell K: *Understanding Learning And Teaching: The Experience in Higher Education.* McGraw-Hill Education; 1999.
48. Filies GC, Frantz JM: **Consensus on activities and assessment methods that instil interprofessional core competencies (data sets).** 2021.
[Reference Source](#)
49. Filies G, Frantz J: **Consensus on activities and assessment methods that instil interprofessional core competencies (appendices).** *figshare. Dataset.* 2022.
[Publisher Full Text](#)

Open Peer Review

Current Peer Review Status: ? ✖

Version 1

Reviewer Report 04 May 2022

<https://doi.org/10.5256/f1000research.78451.r135432>

© 2022 Noritake K. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Kanako Noritake

Oral Diagnosis and General Dentistry, Tokyo Medical and Dental University Hospital, Tokyo, Japan

Thank you very much for the opportunity to review the submitted manuscript titled "Towards an interprofessional competency-based model in South Africa: A Delphi Study".

In this study, the authors tried to identify teaching strategies and activities that aim to develop interprofessional competencies in undergraduate health care students at the University of the Western Cape, South Africa. I will comment based on the guidelines for reviewers according to the journal.

Is the work clearly and accurately presented and does it cite the current literature?

Although I think it is important to establish an educational program based on the context of each region, there have been so many research reports on IPE all over the world since 2017, and this paper lacks references on the IPE core-competencies. At least, they should check these two guidelines; 1. CORE COMPETENCIES FOR INTERPROFESSIONAL COLLABORATIVE PRACTICE: 2016 UPDATE, 2. INTERPROFESSIONAL EDUCATION GUIDELINES 2017 by CAIPE.^{1,2} There is a worldwide consensus on strategies for IPE core competencies, so the study should be based on this.

Is the study design appropriate and does the work have academic merit?

Although I am not medical education expert, I don't think the Delphi method is appropriate for the purposes of this study. Since the purpose of this study is to identify educational strategies and activities aimed at developing interprofessional competencies among undergraduate medical students at the University of the Western Cape in the Republic of South Africa, it is necessary to examine the various IPE that has been conducted elsewhere and then consider the competencies required of students at the University of the Western Cape. It would be necessary to do so, but it does not appear from the methods of this journal that such a process has been adequately undertaken.

Are sufficient details of methods and analysis provided to allow replication by others?

They mentioned "Round one required participants to list as many activities as possible, to instill each of the eight core competencies into undergraduate students." (P5L20-22). Can this method be called the Delphi method?

They also mentioned that "For each round in the Delphi study, experts were invited to respond to scale each statement on a Likert-type scale with an option to comment on each statement as desired and finally ranking the statements in the order of importance.". I think experts ranked the Likert-scale only during round two, or they ranked twice? I am confused.

If applicable, is the statistical analysis and its interpretation appropriate?

I feel that the method of analysis of the Delphi method data in this study is not valid. If they had combined strongly agree and one agree, and disagree and strongly disagree, it would no longer be different from a three or more level Likert.

Are all the sources' data underlying the results available to ensure full reproducibility?

Yes, I think so.

Are the conclusions drawn adequately supported by the results?

I think the aim of this study and the conclusion doesn't match.

References

1. Interprofessional Education Collaborative: Core competencies for interprofessional collaborative practice: 2016 update. *Interprofessional Education Collaborative*. 2016. [Reference Source](#)
2. Barr H, Ford J, Gray R, Helme M, et al.: Continuing Interprofessional Development: Guidelines 2017. *Centre for Advancement of Interprofessional Education*. 2017. [Reference Source](#)

Is the work clearly and accurately presented and does it cite the current literature?

No

Is the study design appropriate and is the work technically sound?

No

Are sufficient details of methods and analysis provided to allow replication by others?

Partly

If applicable, is the statistical analysis and its interpretation appropriate?

No

Are all the source data underlying the results available to ensure full reproducibility?

Partly

Are the conclusions drawn adequately supported by the results?

No

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Dental Education, Interprofessional Education.

I confirm that I have read this submission and believe that I have an appropriate level of

expertise to state that I do not consider it to be of an acceptable scientific standard, for reasons outlined above.

Reviewer Report 04 February 2022

<https://doi.org/10.5256/f1000research.78451.r121501>

© 2022 Nyoni C. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Champion Nyoni

School of Nursing, Faculty of Health Sciences, University of the Free State, Bloemfontein, South Africa

Thank you for the opportunity to review the submitted manuscript titled “Towards an interprofessional competency-based model in South Africa: A Delphi Study”. In this study, the authors engage with experts in identifying activities that could be used to facilitate interprofessional education. I will present my comments based on the guidelines for reviewers according to the journal.

Is the work clearly and accurately presented and does it cite the current literature?

Several issues need to be addressed in this work to enhance clarity and accuracy. The abstract should be re-written so that it aligns the purpose of the work and the intended outcomes. The premise of this paper is based on a systematic review conducted in 2017 regarding teaching activities for IPE, where the authors go on to say- from that systematic review, they did not find any studies in South Africa that had been conducted in relation to the subject. Several IPE activities have been reported from that time that reflect activities to instil IPE competences. I refer the authors to a special issue by the Journal of Interprofessional Care (Vol. 33, issue 3 [pages 373-342], 2019) that focused on IPE in Southern Africa. Most of the authors in that special issue were from South Africa. This is an essential aspect of the literature that should have been consulted in the crafting of this work. Authors must review the latest work in the field and position their argument based on such work. I also noticed a source from the seventies, is this seminal work?

Is the study design appropriate and does the work have academic merit?

The chosen design aligns with the purpose of the work. However, the execution of this design needs to be revised. The authors set off their discussion of the design from a qualitative approach which does not align or fit with the paradigm nested within a Delphi technique. The authors must explain the criteria of choosing the experts in this study, what qualifications did they have, what was their experience in relation to IPE.

There is a section of “trustworthiness” that appears to have been extracted from a thesis submitted at the University of the Western Cape – word for word. In addition, the elements referred to in this section do not align with the design and the paper, for example the authors under the heading “dependability” mention that ‘methodological descriptions are given in Chapter two’. There is no chapter two in this paper. The authors need to be aware of self-plagiarism.

Are sufficient details of methods and analysis provided to allow replication by others?

The method of calculating consensus is not explicit. There are several authors that have argued that there is a difference between consensus and agreement and these concepts apply different analysis approaches. In this study, the authors use these concepts interchangeably and this is leading to some lack of clarity for possible replication. See *Meijering et al. (2013) Quantifying the development of agreement among experts in Delphi studies. Technological Forecasting and Social Change 80(8) pg 1607-1614*. The methods must be explicitly described to enhance transferability and based on sound literature.

If applicable, is the statistical analysis and its interpretation appropriate?

The statistical analysis needed to be reworked. It is not clear what the authors used to determine the consensus. There is mention of 70% as cut-off but then this is not clear how this was applied. The results still show some areas where there was not 70% agreement. Some of the results in the rating scale do not align with the activities for example, table 3 has 5 activities and 7 rows of results. This does not align- making it difficult to trust these results.

Are all the sources' data underlying the results available to ensure full reproducibility?

Yes, there have been sufficiently provided.

Are the conclusions drawn adequately support by the results?

The discussion of the study does not align with the overall purpose of the study. At this stage, it is not clear how the sampled activities methods were included for discussion.

References

1. Meijering J, Kampen J, Tobi H: Quantifying the development of agreement among experts in Delphi studies. *Technological Forecasting and Social Change*. 2013; **80** (8): 1607-1614 [Publisher Full Text](#)

Is the work clearly and accurately presented and does it cite the current literature?

No

Is the study design appropriate and is the work technically sound?

Partly

Are sufficient details of methods and analysis provided to allow replication by others?

Partly

If applicable, is the statistical analysis and its interpretation appropriate?

No

Are all the source data underlying the results available to ensure full reproducibility?

Partly

Are the conclusions drawn adequately supported by the results?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Health Professions Education and Nursing education

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research