RESEARCH ARTICLE

Student perception about working in rural United States/Canada after graduation: a study in an offshore Caribbean medical school [version 1; peer review: 2 approved]

P Ravi Shankar , Arun K Dubey, Atanu Nandy, Burton L Herz, Brian W Little

Xavier University School of Medicine, Oranjestad, Aruba

V1 First published: 10 Dec 2014, 3:301
<https://doi.org/10.12688/f1000research.5927.1>
Latest published: 23 Apr 2015, 3:301
<https://doi.org/10.12688/f1000research.5927.2>

Abstract

Introduction: Rural residents of the United States (US) and Canada face problems in accessing healthcare. International medical graduates (IMGs) play an important role in delivering rural healthcare. IMGs from Caribbean medical schools have the highest proportion of physicians in primary care. Xavier University School of Medicine admits students from the US, Canada and other countries to the undergraduate medical (MD) course and also offers a premedical program. The present study was conducted to obtain student perception about working in rural US/Canada after graduation.

Methods: The study was conducted among premedical and preclinical undergraduate medical (MD) students during October 2014. The questionnaire used was modified from a previous study. Semester of study, gender, nationality, place of residence and occupation of parents were noted. Information about whether students plan to work in rural US/Canada after graduation, possible reasons why doctors are reluctant to work in rural areas, how the government can encourage rural practice, possible problems respondents anticipate while working in rural areas were among the topics studied.

Results: Ninety nine of the 108 students (91.7%) participated. Forty respondents were in favor of working in rural US/Canada after graduation. Respondents mentioned good housing, regular electricity, water supply, telecommunication facilities, and schools for education of children as important conditions to be fulfilled. The government should provide higher salaries to rural doctors, help with loan repayment, and provide opportunities for professional growth. Potential problems mentioned were difficulty in being accepted by the rural community, problems in convincing patients to follow medical advice, lack of exposure to rural life among the respondents, and cultural issues.

Conclusions: About 40% of respondents would consider working in rural US/Canada. Conditions required to be fulfilled have been mentioned above. Graduates from Caribbean medical schools have a

Open Peer Review

Approval Status

	1	2
version 2 (revision) 23 Apr 2015		
version 1 10 Dec 2014	view	view
1. Anthony David , Deccan College of Medical Sciences, Hyderabad, India		
2. Stacey Friedman , Foundation for Advancements of International Medical Education and Research, Philadelphia, USA		
Any reports and responses or comments on the article can be found at the end of the article.		

role in addressing rural physician shortage. Similar studies in other offshore Caribbean medical schools are required as Caribbean IMGs make an important contribution to the rural US and Canadian health workforce.

Keywords

Canada, Caribbean, doctors, healthcare, physicians, rural, shortage

Corresponding author: P Ravi Shankar (ravi.dr.shankar@gmail.com)

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2014 Shankar PR *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Shankar PR, Dubey AK, Nandy A *et al.* **Student perception about working in rural United States/Canada after graduation: a study in an offshore Caribbean medical school [version 1; peer review: 2 approved]** F1000Research 2014, 3:301 <https://doi.org/10.12688/f1000research.5927.1>

First published: 10 Dec 2014, 3:301 <https://doi.org/10.12688/f1000research.5927.1>

Introduction

A recent article mentions that rural Americans have limited access to health care¹. The authors mention two reasons for this; the first being many Americans, especially in rural areas, are without health insurance, and the second being only 11.4% of the country's doctors practiced in rural areas in 2005, serving about 20% of the country's population (http://depts.washington.edu/uwrhrc/uploads/RHRC_FR125_Rosenblatt.pdf). Family physicians distribute themselves in proportion to the population in both urban and rural areas but doctors of other specialties are much more likely to settle in urban areas.

A study published in 2009 has shown that international medical graduates (IMGs) filled the gaps in requirement of primary care doctors in many rural areas but there were wide differences between various states in America². The authors concluded that policies to address the mal-distribution of physicians in the United States (US) should also consider the role of IMGs. Critical access hospitals are a federal Medicare (the system of health insurance in the US) category for isolated rural facilities with 15 or fewer beds and IMG physicians play an important and growing role in staffing these hospitals³. Canadian trained physicians migrate both nationally and internationally and IMGs play an important role in providing healthcare in physician losing locations in Canada⁴. The author concludes that IMGs will be needed in underserved locations for years to come.

A study published in 2013 showed Caribbean IMGs had the highest proportion of physicians practicing in primary care specialties compared to all other categories of graduates⁵. They make an important contribution to the US primary care workforce. A study in Canada found that around 20% of Canadian IMGs (Canadian citizens or residents who did their medical training overseas) obtained their medical degree from the Caribbean⁶. A study which examined US citizens who graduated from medical schools outside the US and Canada found that the Central American and Caribbean region graduated more physicians than any other region⁷. Thus Caribbean medical schools may play an important role in producing primary care physicians for the US and Canada.

Xavier University School of Medicine (XUSOM) is an offshore Caribbean medical school located in Aruba, kingdom of the Netherlands, admitting students from the US, Canada and other countries to the undergraduate medical (MD) course. Students complete the basic sciences in Aruba and do their clinical rotations in the US. The school also offers a premedical program for high school students to prepare them for admission to the MD program. The premedical program runs for four semesters, while the preclinical MD program is of six semesters. Each semester is of 15 weeks duration. Student perception about working in rural US/Canada has not been previously studied in the institution. Hence the present study was carried out. The study was conducted among premedical and basic science (preclinical) undergraduate medical students to obtain basic demographic information, understand their perceptions regarding why doctors are reluctant to work in rural US/Canada after graduation and conditions to be fulfilled before they would consider working in a rural area, identify possible problems of working in rural areas and obtain possible solutions.

Methods

The study was conducted among Premedical 1 to 4 semester and undergraduate medical students (semesters 1 to 5) at the Xavier University School of Medicine (XUSOM), Aruba during the month of October 2014. Students were informed about the aims and objectives of the study and invited to participate. They were informed that participation in the study was voluntary and they were free not to participate. Written informed consent was obtained from each participant. The study was approved by the Institutional Review Board (IRB) of XUSOM vide notification XUSOM/IRB/2014/05.

The questionnaire used was modified from that used in a previous study on student perceptions about working in rural Nepal after graduation⁸. The questionnaire was modified to the US/Canadian context by the authors. Inputs were also obtained from selected faculty members of the institution. The questionnaire used in the study is shown as Supplementary File 1. Information about the semester of study, gender, nationality, place of family residence and occupation of parents were noted. Students' responses to different questions were noted. Common responses were tabulated. Among the topics studied was whether the student had lived in a rural area before joining XUSOM, whether they plan to work in rural US/Canada after graduation, and if yes whether they plan to do so immediately after graduation/residency or later in their career. They were also requested to state three important reasons why doctors are reluctant to work in rural areas, and also their opinions regarding how governments can encourage doctors to work in rural US and Canada. Students were also asked whether they felt their medical curriculum prepared them adequately for rural practice and if they felt this was not the case, what modifications they felt were necessary in the medical curriculum.

Their opinion regarding whether students were aware of the problems of life in rural areas, problems which they anticipate in dealing with the local population, their knowledge of initiatives to address the shortage of doctors in rural US/Canada and in other countries and whether poor return of investment was a factor hindering doctors from working in rural areas was noted. The data was analyzed manually by the authors. The demographic information was analyzed using Statistical Package for Social Sciences (SPSS) version 20 for windows.

Results

Ninety-nine of the 108 enrolled students (91.7%) participated in the study. Table 1 shows the demographic characteristics of the respondents. The number of male and female respondents was approximately equal and 28.3% of respondents were from rural areas. The majority of the student's parents worked in non health related professions.

Forty respondents (40.8%) were in favor of working in rural US/Canada after graduation. Ten respondents (mostly from the pre-medical course) were not sure about whether they planned to work in rural US/Canada at this initial stage. With regard to the duration for which they planned to work in a rural area, 12 stated for most of their career or indefinitely while nine respondents stated for 5 to 10 years while four respondents stated between 1 to 5 years. Eighteen

respondents (18.2%) preferred to work in a semi urban or semirural area while eight preferred a rural area. However neither the authors nor the respondents defined what exactly was meant by a rural or a semirural area.

Table 2 shows important conditions which may need to be fulfilled before respondents would consider working in a rural area. Respondents were concerned about housing, regular supply of electricity, internet and telecommunication facilities, and good quality water supply. Family-related factors were mentioned as important and were related to whether the doctor would be able to bring their

family to the location, the place should be not very far from his/her hometown, and there should be facilities for education of children. When respondents were referring to proper working conditions they were mainly talking about adequate diagnostic and treatment facilities in the hospital or clinic where they would be working. Respondents also mentioned availability of treatment facilities for themselves and their family if they fall ill is important, and that the practice area should not be extremely cold, the community should welcome individuals from different backgrounds, absence of racism, provide opportunities for personal growth and help with repayment of student loans as necessary conditions. A respondent [Participant 83(P 83)] mentioned, “*I have lived in a rural area for almost my whole life. I have seen how we have to travel to cities for basic medical services and to help make a change in this situation I would like to work in a rural area*”. Forty-four respondents mentioned that they plan to work in a rural area immediately after graduation while 23 respondents mentioned that they would prefer to do so later in their careers.

Table 3 shows important reasons why doctors are reluctant to serve in rural areas according to the respondents. Among other reasons mentioned were issues of safety, isolation, slow pace of rural life, racism and greater potential for career and personal growth in an urban area. A participant (P 33) stated, “*Rural practice is mostly a GP job and most future doctors want to be specialists (including myself). Away from home (if you are from the city). Looks ‘boring’*”. With regard to how the government can encourage doctors to work in rural US/Canada important initiatives/measures mentioned were providing greater benefits and salary to rural doctors as compared to doctors practicing in urban areas (57 respondents), loan forgiveness or help with repayment of student loans (12 respondents), improving the facilities at rural and community hospitals (10 respondents), provide opportunities for professional growth and development for rural doctors (8 respondents), and emphasize ‘educating doctors for rural areas’ (6 respondents). Four respondents mentioned making certain duration of rural service mandatory as has been done in many developing nations. A respondent [participant 98 (P 98)] stated, “*Make it mandatory for graduates to serve in rural areas and have them serve at least a year or two*”. Seventy-one

Table 1. Demographic characteristics of respondents.

Characteristic	Frequency (percentage)
Semester of study	
Premed 1	8 (8.1)
Premed 2	4 (4.0)
Premed 3	9 (9.1)
Premed 4	7 (7.1)
MD 1	24 (24.2)
MD 2	6 (6.1)
MD 3	12 (12.1)
MD 4	15 (15.2)
MD 5	14 (14.1)
Gender	
Male	48 (48.5)
Female	49 (49.5)
Place of family residence	
Urban	68 (68.7)
Rural	28 (28.3)
Nationality	
American	37 (37.4)
Canadian	21 (21.2)
Other	35 (35.4)
Occupation of father	
Health related	27 (27.3)
Other	67 (67.7)
Occupation of mother	
Health related	27 (27.3)
Other	68 (68.7)

Premed – student of the premedical program, MD- student of the medical program

Table 2. Conditions necessary to be satisfied by the respondents before they would consider working in a rural area.

Condition	Number (percentage)
Good living conditions	20 (20.2)
Safety of the rural environment	17 (17.2)
Higher salary compared to doctors working in urban areas	17 (17.2)
Family-related factors	15 (15.1)
Should be close to a big city	8 (8.1)
Proper working conditions	7 (7.1)

Table 3. Important reasons why doctors are reluctant to serve in rural areas.

Reason	Number of respondents
Not enough compensation differential compared to doctors working in urban areas	27
Fewer patients and a lower diversity of patients due to lower population in rural areas	14
Lower standard of living	14
Family-related issues	12
Doctors predominantly hail from urban areas	12
Decreased social ties and activities	11
Lack of diagnostic and therapeutic resources	10
Doctors are unfamiliar with the rural lifestyle	10

respondents felt their medical training adequately prepared them for a career as a rural physician while 19 respondents were of the opinion that it did not do so.

Many respondents did not answer the question regarding suggestions for re-focusing medical education for preparing doctors for rural practice. Among the suggestions mentioned were educating students on how to treat and manage medical conditions in a resource constrained setting, having preceptors with rural experience, initiating clinical exposure for students in rural areas and conducting sessions on cultural diversity and cultural issues in rural areas. When asked whether medical students in the institution were aware of the problems of life in rural areas 43 students (45.4%) were of the opinion that they were aware while 39 respondents stated that students were not aware. Regarding how the awareness can be created 19 respondents mentioned increasing rural exposure of students, while three respondents stated sessions (either lectures or small group sessions) by rural doctors should be conducted. Among other suggestions were sessions on this topic during the orientation program, medical humanities sessions and talks by rural community leaders.

Regarding potential problems which students anticipate while dealing with the rural population fourteen respondents mentioned difficulty in being accepted by the rural community, while eight respondents mentioned that the rural population may be less educated which may lead to problems in their acceptance of treatments and advice provided by the doctor. Eight respondents opined that they did not have much awareness of and exposure to rural life which may lead to problems in adjusting to rural practice. Culture gap, fewer available resources and differences in lifestyle were also mentioned. Racism and language barriers were also mentioned.

Twenty-four respondents mentioned they were aware of initiatives to address the shortage of rural doctors in the US and Canada but specific initiatives were not mentioned. Fifty-seven respondents mentioned they were not aware of these initiatives. Among the initiatives mentioned were debt forgiveness, return of service obligations, flying doctors and encouraging IMGs to practice in rural areas. Fifty-six respondents felt poor return on investment was a factor preventing doctors from working in rural areas while 17 mentioned that this was not a factor. Respondents mentioned recovery from medical school debt requires a job/position which pays well, the world is money oriented, doctors have to study for a long time before they can make money, there are fewer opportunities for making money in rural areas and urban areas provide greater opportunities. A respondent (P 12) stated, *"Doctors are always in debt after med school. They do not want a poor return. They want progress financially"*. Another respondent (P 21) stated, *"Payment and financial stability should always be considered when making movements to and from geographical locations"*.

A respondent (P 63) mentioned, *"This is an interesting study. It is a very important topic, but I fear many people are not as up to date with latest global developments in this area – including myself"*.

Dataset 1, 2 and 3. Demographic characteristics and responses of student respondents

<http://dx.doi.org/10.5256/f1000research.5927.d40411>

Dataset 1: Demographic characteristics of student respondents

The numbers in the SPSS file have been coded as per the information provided below.

Semester of study:

1. Premed semester 1, 2- Premed semester 2, 3- Premed semester 3, 4- Premed semester 4, 5- MD (undergraduate medical program) semester 1, 6- MD (undergraduate medical program) semester 2, 7- MD (undergraduate medical program) semester 3, 8 - MD (undergraduate medical program) semester 4, 9- MD (undergraduate medical program) semester 5

Gender:

1. Male, 2- female

Place of family residence;

1. Urban, 2- rural

Nationality

1. American, 2- Canadian, 3- others

Occupation of father:

1. Health related, 2- others

Occupation of mother:

1. Health related, 2- others

Dataset 2: Results of the analysis of the demographic data

Dataset 3: Responses of students to the questionnaire regarding working in rural US/Canada after graduation

Discussion

Only about 30% of respondents were from rural areas. Around 41% of respondents were in favor of working in rural US/Canada after graduation. Many respondents however preferred to work in a semi-rural area. Good living conditions, family related factors, welcoming community were among the conditions necessary to be fulfilled. Issues of safety, isolation, lesser potential for personal growth were among the reasons mentioned why doctors were reluctant to serve in rural areas. Difficulty in being accepted by the community, lack of exposure to rural life, cultural issues were mentioned as potential problems for rural practice.

Like in the Nepalese study⁸, the majority of the respondents were from urban areas. Students from countries other than the US or Canada planned to work in US/Canada after graduation. Caribbean offshore medical schools offer a similar curriculum to US medical schools and students complete their clinical rotations in the US. Most offshore medical schools (OMSs) admit three groups of students a year and provide an increasing contribution to the US health workforce⁹. Like in Nepal, most respondents willing to work in a rural area preferred a semi urban/semirural area as their work location. The conditions that need to be fulfilled were also similar to the Nepalese study. In Tanzania, increased salaries, hardship allowance, decent housing, good infrastructure, and offering continuing education after a period of service were mentioned as factors

making rural jobs more attractive to health workers¹⁰. In a survey conducted among healthcare professionals in the Scottish highlands it was found that a rural background, perceived ease of access to children's education, access to job for spouse and healthcare were important factors influencing rural location¹¹. Professional isolation was an important issue for those working in rural areas.

In a study conducted among occupational therapy students in Australia it was seen that rural fieldwork experience and the influence of fieldwork supervisors were important positive factors for rural practice while the desire to be a specialist, and lack of professional development opportunities in a rural area were negative factors¹². The desire for specialization was also mentioned as a negative factor in the present study. In the state of North Carolina in the US incentives such as loan repayment programs, salary guarantees and practice assistance for rural physicians were important factors in attracting primary care physicians to rural areas¹³. Having grown up in an area with a population of less than 11000 was highly predictive of rural practice. A study conducted in the US found that debt forgiveness, financial incentives and wage guarantees may increase participants' interest in rural practice¹⁴. This was similar to that reported in our study. In the US loan repayment and direct financial incentive programs were successful in recruiting and retaining doctors in needy local communities¹⁵.

Family-related factors were mentioned by respondents as influencing their decision regarding working in rural areas. In the US study¹⁴ it was noted that medical students with a rural background and with spouses and significant others having a rural background were more likely to practice in a rural area. In a Turkish study it was noted that respondents who were born in an underdeveloped region of the country or had lived for a significant amount of time in an underdeveloped region and with a lower background family income were more likely to work in a rural area¹⁶. Higher salaries was the most influential factor for working in these areas. In XUSOM, a large percentage of students, although they are US or Canadian citizens, are of Asian origin. A large percentage of them are from cities and have minimal exposure to rural life and they anticipate problems in being accepted by rural communities.

Medical schools in developed nations with a mandate to create rural doctors are providing a greater proportion of decentralized teaching-learning to students. Students stay in small groups in rural communities and lessons are delivered using the internet and other media. At the University of Calgary in Canada, two separate preclinical programs were taught at two separate rural sites and no significant difference in examination scores were noted between students at the rural sites and students learning at the main university¹⁷. At the University of Missouri School of Medicine in the US the summer community program was developed in which second year medical students work alongside rural, community-based physician preceptors¹⁸. The program positively influenced student perspective of rural practice and lifestyle and increased their interest in rural practice.

In the US state of Kansas, the Scholars in Rural Health program is designed to attract and retain young rural Kansans with a high probability of successful careers in rural communities. Scholars accepted into and satisfactorily completing this program are

admitted automatically to the School of Medicine. The program has shown success in maintaining a pipeline of doctors for rural Kansas¹⁹. At the University of Alabama in the US, fifteen years of operation of the rural health leaders pipeline was studied²¹. Rural students are targeted at multiple levels ranging from elementary school through residency. Puppet shows highlighting different health professions are conducted in elementary schools, a rural health schools program is offered to 11th grade students, a minority rural health pipeline program is offered to college students and a rural medical scholars program and assured admissions to family medicine residency are offered to medical students.

A recent article analyzing rural medical education in the US, Canada and Australia identified three types of medical schools, mixed urban/rural schools, defacto rural schools and stand alone rural schools²¹. These schools all adopted a pipeline approach to meeting the need for rural doctors focusing on: early recruitment; admissions; locating clinical education in rural settings; rural health focus to curriculum; and support for rural practice. In Australia, the Broken Hill University Department of Rural Health was established to improve health care in far-western New South Wales and offers an Enhanced Rural Inter-professional Cultural Health (ENRICH) program to health science students designed to deepen the medical student experience²². The program uses community resources, professional, cultural and artistic to provide stimulating educational resources.

We have not been able to obtain studies regarding the career intentions of graduates of offshore Caribbean medical graduates. A study conducted at the University of West Indies in Jamaica had shown that two-thirds of those who planned to work in a rural health facility planned to do so immediately after graduation but most did not plan to work in these facilities for more than five years²³. A study conducted in California had shown that IMG holders of temporary visas had the highest obligation to serve in health professional shortage areas²⁴. A similar phenomenon was noted in the present study with many students from countries other than the US and Canada expressing willingness to serve in areas of physician shortage in return for residency rights. XUSOM also offers scholarships to students from Caribbean community (CARICOM) countries (<http://blog.xusom.com/?p=268>). Providing rural exposure on the island of Aruba with well developed infrastructure and health system is challenging. Among the affiliated US hospitals where students do their clinical training most are in urban areas but community hospitals are also included in the list. Students graduating from XUSOM may be interested in serving in rural US/Canada if appropriate incentives and opportunities for professional growth are offered.

The high response rate was the strength of the study. Also a variety of responses were obtained in response to the questions. The study also had limitations. Student perception about working in rural US/Canada was obtained using a questionnaire which had been used in a previous study in Nepal. The questionnaire was modified to suit the present context, and feedback about the modified questionnaire was obtained. The findings of the present study were not triangulated with information obtained using other modalities. Respondents' awareness about possible changes in medical education and curricula to produce doctors for rural areas and about specific initiatives underway in the US and Canada to address the shortage of rural physicians was low. The study was limited to premedical and

preclinical students and was not conducted among students during the clinical years of the course due to logistical difficulties.

Conclusions

Most respondents were from urban areas. About 40% of respondents were in favor of working in rural US/Canada after graduation. Most were however considering working in a small town or a semi-rural area not far from a big city. Like in previous studies good living conditions, family related factors, incentives were among conditions necessary to be fulfilled before students would consider working in rural areas. Most respondents considered reduced opportunities for growth, their lack of exposure to rural life, and cultural issues as hindering factors. Students from offshore Caribbean schools could play a role in partly addressing the physician shortage in rural US/Canada provided the right incentives and growth opportunities are offered. Similar studies are required in other offshore Caribbean medical schools.

Data availability

F1000Research: Dataset 1, 2 and 3. Demographic characteristics and responses of student respondents, [10.5256/f1000research.5927.d40411](https://doi.org/10.5256/f1000research.5927.d40411)²⁵

Supplementary file 1

Student perception about working in rural US/Canada after graduation questionnaire.

Modified questionnaire used in the study “Student perception about working in rural US/Canada after graduation”. [Click here to access the File.](#)

References

- Rosenblatt RA, Hart LG: **Physicians and rural America.** *West J Med.* 2000; **173**(5): 348–51.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Thompson MJ, Hagopian A, Fordyce M, *et al.*: **Do international medical graduates (IMGs) “fill the gap” in rural primary care in the United States? A national study.** *J Rural Health.* 2009; **25**(2): 124–34.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Hagopian A, Thompson MJ, Kallenbach E, *et al.*: **The role of international medical graduates in America’s small rural critical access hospitals.** *J Rural Health.* 2004; **20**(1): 52–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Dauphinee WD: **The circle game: understanding physician migration patterns within Canada.** *Acad Med.* 2006; **81**(12 Suppl): S49–54.
[PubMed Abstract](#) | [Publisher Full Text](#)
- van Zanten M, Boulet JR: **Medical education in the Caribbean: quantifying the contribution of Caribbean-educated physicians to the primary care workforce in the United States.** *Acad Med.* 2013; **88**(2): 276–81.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Szafran O, Crutcher RA, Banner SR, *et al.*: **Canadian and immigrant international medical graduates.** *Can Fam Physician.* 2005; **51**: 1242–3.
[PubMed Abstract](#) | [Free Full Text](#)
- McAvinue MB, Boulet JR, Kelly WC, *et al.*: **U.S. citizens who graduated from medical schools outside the United States and Canada and received certification from the Educational Commission for Foreign Medical Graduates, 1983–2002.** *Acad Med.* 2005; **80**(5): 473–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Shankar PR, Thapa TP: **Student perception about working in rural Nepal after graduation: a study among first- and second-year medical students.** *Hum Resour Health.* 2012; **10**(1): 27.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Eckhart NL: **Perspective: private schools of the Caribbean: outsourcing medical education.** *Acad Med.* 2010; **85**(4): 622–30.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Kolstad JR: **How to make rural jobs more attractive to health workers. Findings from a discrete choice experiment in Tanzania.** *Health Econ.* 2011; **20**(2): 196–211.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Richards HM, Farmer J, Selvaraj S: **Sustaining the rural primary healthcare workforce: survey of healthcare professionals in the Scottish Highlands.** *Rural Remote Health.* 2005; **5**(1): 365.
[PubMed Abstract](#)
- McAuliffe T, Barnett F: **Factors influencing occupational therapy students’ perceptions of rural and remote practice.** *Rural Remote Health.* 2009; **9**(1): 1078.
[PubMed Abstract](#)
- Duffrin C, Diaz S, Cashion M, *et al.*: **Factors associated with placement of rural primary care physicians in north Carolina.** *South Med J.* 2014; **107**(11): 728–33.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Royston PJ, Mathieson K, Leafman J, *et al.*: **Medical student characteristics predictive of intent for rural practice.** *Rural Remote Health.* 2012; **12**: 2107.
[PubMed Abstract](#)
- Pathman DE, Konrad TR, King TS, *et al.*: **Outcomes of states’ scholarship, loan repayment, and related programs for physicians.** *Med Care.* 2004; **42**(6): 560–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Mollahalliloglu S, Aydogan Ü, Kosdak M, *et al.*: **Physician scarcity in underdeveloped areas of Turkey: what do new graduate physicians think?** *Rural Remote Health.* 2012; **12**: 2067.
[PubMed Abstract](#)
- Myhre DL, Adamiak P, Turley N, *et al.*: **Beyond bricks and mortar: a rural network approach to preclinical medical education.** *BMC Med Educ.* 2014; **14**: 166.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Kane KY, Quinn KJ, Stevermer JJ, *et al.*: **Summer in the country: changes**

- in medical students' perceptions following an innovative rural community experience. *Acad Med*. 2013; **88**(1): 1157–63.
[PubMed Abstract](#)
19. Kallail KJ, McCurdy S: **Scholars in Rural Health: outcomes from an assured admissions program.** *Fam Med*. 2010; **42**(10): 729–31.
[PubMed Abstract](#)
 20. Wheat JR, Brandon JE, Leeper JD, *et al.*: **Rural health leaders pipeline, 1990–2005: case study of a second-generation rural medical education program.** *J Agromedicine*. 2007; **12**(4): 51–61.
[PubMed Abstract](#) | [Publisher Full Text](#)
 21. Tesson G, Strasser R, Pong RW, *et al.*: **Advances in rural medical education in three countries: Canada, The United States and Australia.** *Rural Remote Health*. 2005; **5**(4): 397.
[PubMed Abstract](#)
 22. Moore M, Bolte K, Bennett P: **Innovative training for rural medical students.** *Clin Teach*. 2012; **9**(4): 238–42.
[PubMed Abstract](#) | [Publisher Full Text](#)
 23. Page J, Allison M, Andrade S, *et al.*: **Factors influencing medical interns trained at U.W.I. to work subsequently in a rural area in Jamaica.** *West Indian Med J*. 1992; **41**(2): 75–8.
[PubMed Abstract](#)
 24. Ogunyemi D, Edelstein R: **Career intentions of U.S. medical graduates and international medical graduates.** *J Natl Med Assoc*. 2007; **99**(10): 1132–7.
[PubMed Abstract](#) | [Free Full Text](#)
 25. Shankar PR, Dubey AK, Nandy A, *et al.*: **Dataset 1, 2 and 3. Demographic characteristics and responses of student respondents.** *F1000Research*. 2014.
[Data Source](#)

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 07 April 2015

<https://doi.org/10.5256/f1000research.6335.r7893>

© 2015 Friedman S. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Stacey Friedman

Foundation for Advancements of International Medical Education and Research, Philadelphia, PA, USA

This paper addresses the important topic of student perceptions of rural practice, via a questionnaire for students of one Caribbean medical school.

The authors might be more explicit and specific in defining how they are using the term “IMGs from Caribbean medical schools” in this paper since the study participants include students of US, Canadian, and other nationalities, as well as both “premedical” and MD students.

The study’s respondents are diverse, as shown in Table 1 – including “premedical” and MD students, different nationalities, etc. It would be informative to see more comparison in the analysis, to see if demographic characteristics are related to perspectives on rural practice. There is some mention of this in the Discussion but it is not detailed in the Results.

It would be helpful if the authors would clarify whether all enrolled premedical and MD students were invited to participate in this study. The description in the Methods suggests that this is the case but it is not explicitly stated how many students were enrolled at the school at the time of the study, including a breakdown by premedical and MD. This information would be helpful, as well as confirmation that the study respondents are representative of the overall student population. Also, some more background on the school, including how it is comparable to and how it differs from other Caribbean schools would be helpful for judging the generalizability of the study results. Some of this information is in the Discussion.

The authors note that “Many respondents did not answer the question regarding suggestions for re-focusing medical education for preparing doctors for rural practice.” It would be helpful to know exactly how many respondents there were to this question, particularly given its importance. It is understandable that the authors would want to be cautious about stating results from this question given the limited response. However, while stating this caution, the authors may want to offer in the Discussion possible actions that Caribbean medical schools might take to begin to address rural practice needs, including direction for future research. The low question

response rate (despite the high questionnaire response rate) might also be noted as a study limitation.

Competing Interests: The lead author is a graduate of and has been program faculty for the FAIMER fellowship programs.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 13 Apr 2015

Pathiyil Ravi Shankar, International Medical University, Kuala Lumpur, Malaysia

We are submitting the revised version of the manuscript titled '**Student perception about working in rural United States/Canada after graduation**'. The manuscript has been revised in the light of the reviewers' comments. Response to specific comments is as follows:

S Friedman: We thank the reviewer for her comments.

We have explained what we meant by 'IMGs from Caribbean medical schools' on page 3, paragraph 4. The studies we have mentioned from the United States (US) and Canada had defined a Caribbean IMG as either a citizen of the US or Canada who had studied in an offshore Caribbean medical school or students from other countries who had studied at these schools and eventually plan to practice in the US/Canada.

Comment: The study's respondents are diverse, as shown in Table 1 – including "premedical" and MD students, different nationalities, etc. It would be informative to see more comparison in the analysis, to see if demographic characteristics are related to perspectives on rural practice. There is some mention of this in the Discussion but it is not detailed in the Results.

No important difference with regard to perspective about rural practice was noted among different subgroups of respondents. The number of students was small which may have been partly responsible for not detecting differences. Also the study was not designed to statistically examine for differences among subgroups. This has been mentioned on page 5, paragraph 1 (Results section).

Comment: It would be helpful if the authors would clarify whether all enrolled premedical and MD students were invited to participate in this study. The description in the Methods suggests that this is the case but it is not explicitly stated how many students were enrolled at the school at the time of the study, including a breakdown by premedical and MD. This information would be helpful, as well as confirmation that the study respondents are representative of the overall student population.

In the Methods section (page 4) we have clarified that only students enrolled during the basic science years of the MD program and in the Premedical program were included in the study. In the first paragraph of the Results section we have provided the number and percentage breakdown. Students during the clinical years were not included as they do

their clinical postings in geographically diverse locations across the US and Canada. This has been mentioned as a limitation of the study on page 10, last paragraph.

Comment: Also, some more background on the school, including how it is comparable to and how it differs from other Caribbean schools would be helpful for judging the generalizability of the study results. Some of this information is in the Discussion.

We have provided this information on page 3, paragraph 3. As the reviewer has mentioned some of this information is also in the discussion. XUSOM has lesser number of students and a greater proportion of students of South Asian and Asian origin compared to other bigger and older schools.

Comment: The authors note that “Many respondents did not answer the question regarding suggestions for re-focusing medical education for preparing doctors for rural practice.” It would be helpful to know exactly how many respondents there were to this question, particularly given its importance.

Only 14 respondents answered this question. We have mentioned this in page 7, paragraph 1.

Comment: It is understandable that the authors would want to be cautious about stating results from this question given the limited response. However, while stating this caution, the authors may want to offer in the Discussion possible actions that Caribbean medical schools might take to begin to address rural practice needs, including direction for future research.

We have briefly mentioned some of these initiatives on page 10, paragraph 2 of the manuscript.

Comment: The low question response rate (despite the high questionnaire response rate) might also be noted as a study limitation.

We have mentioned this in the limitations of the manuscript on page 10, last paragraph.

Competing Interests: None declared

Reviewer Report 04 February 2015

<https://doi.org/10.5256/f1000research.6335.r7546>

© 2015 David A. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Anthony David

Department of Physiology, Deccan College of Medical Sciences, Hyderabad, India

The title could be changed a little. The characteristics of the students, rural or urban also was studied and that is not reflected in the title. The study as such is well researched and clear. The findings have been well analyzed and presented in the paper. The abstract reflects the paper well. The explanation of the study design & methods is clear. A little more explanation on the analysis would be useful.

The conclusions are well justified by the results. The data is useful for replication.

Overall this paper can be indexed with a few minor modifications as suggested.

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 13 Apr 2015

Pathiyil Ravi Shankar, International Medical University, Kuala Lumpur, Malaysia

Dr David

We thank the reviewer for the comments.

Even though we have studied the demographic characteristics of the student respondents the study was not designed with the objective of comparing perception about working in rural areas among different groups of students. Hence we feel a change of title may not be required as with a change in title readers may expect us to study differences in perception among subgroups of respondents.

We have explained the analysis towards the end of the 2nd paragraph of page 4. We used mainly descriptive statistics and numbers and percentages.

We thank the reviewer for the other comments

Competing Interests: None declared

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research