SOFTWARE TOOL ARTICLE

Online dashboard and data analysis approach for assessing COVID-19 case and death data [version 1; peer review: 2 approved, 1 approved with reservations]

Hector Florez ¹, Sweta Singh ²

¹Universidad Distrital Francisco Jose de Caldas, Bogota, Colombia

²Savitribai Phule Pune University, Pune, India

V1 First published: 08 Jun 2020, 9:570
<https://doi.org/10.12688/f1000research.24164.1>
 Latest published: 08 Jun 2020, 9:570
<https://doi.org/10.12688/f1000research.24164.1>

Abstract

The 2019-2020 global pandemic has been caused by a disease called coronavirus disease 2019 (COVID-19). This disease has been caused by the Severe Acute Respiratory Syndrome coronavirus-2 (SARS-CoV-2). By April 30 2020, the World Health Organization reported 3,096,626 cases and 217,896 deaths, which implies an exponential growth for infection and deaths worldwide. Currently, there are various computer-based approaches that present COVID-19 data through different types of charts, which is very useful to recognise its behavior and trends. Nevertheless, such approaches do not allow for observation of any projection regarding confirmed cases and deaths, which would be useful to understand the trends of COVID-19. In this work, we have designed and developed an online dashboard that presents actual information about COVID-19. Furthermore, based on this information, we have designed a mathematical model in order to make projections about the evolution of cases and deaths worldwide and by country.

Keywords

COVID-19, SARS-CoV-2, Data analysis, Mathematical model

Open Peer Review

Approval Status

	1	2	3
version 1			
08 Jun 2020	view	view	view

1. **Maria Florencia Pollo-Cattaneo** ,
Facultad Regional Buenos Aires Universidad
Tecnologica Nacional, Buenos Aires,
Argentina
2. **Olmer Garcia-Bedoya** , Jorge Tadeo
Lozano University, Bogota, Colombia
3. **Hüseyin Bicen** , Near East University,
Nicosia, Cyprus

Any reports and responses or comments on the article can be found at the end of the article.

This article is included in the **Emerging Diseases and Outbreaks** gateway.

This article is included in the **Coronavirus** collection.

Corresponding author: Hector Florez (haflorezf@udistrital.edu.co)

Author roles: Florez H: Conceptualization, Formal Analysis, Software, Writing – Original Draft Preparation; Singh S: Conceptualization, Formal Analysis, Validation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2020 Florez H and Singh S. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Florez H and Singh S. **Online dashboard and data analysis approach for assessing COVID-19 case and death data [version 1; peer review: 2 approved, 1 approved with reservations]** F1000Research 2020, 9:570 <https://doi.org/10.12688/f1000research.24164.1>

First published: 08 Jun 2020, 9:570 <https://doi.org/10.12688/f1000research.24164.1>

Introduction

Coronavirus disease 2019 (COVID-19) is caused by Severe Acute Respiratory Syndrome coronavirus 2 (SARS-CoV-2), which is a virus strain that causes respiratory illness. This virus was identified in December, 2019 and its first infection case was reported on December 30, 2019 in Wuhan city located in Hubei province, China¹. The World Health Organization (WHO) recognized the disease as a pandemic on March 11 2020². The WHO have reported the following numbers of cases and deaths worldwide: January 31, 9,847 cases and 213 deaths³; February 29, 85,961 cases and 2,941 deaths⁴; March 31, 754,933 cases and 36,522 deaths⁵; and April 30, 3,096,626 cases and 217,896 deaths⁶. These reports show an increment of cases in February of 872.97%, in March of 878.22%, and in April of 410.18%, as well as an increment of deaths in February of 1,387.26%, in March of 1,241.82%, and in April of 596.61%⁷. Based on these percentiles, we can observe an exponential growth of the disease.

Based on this previous data, it is important to analyze the evolution of the disease in order to make decisions that tackle the growth rate of cases and deaths. Therefore, in this work, we have designed and developed an online dashboard which presents two types of results: (1) actual information about the COVID-19 using different deployment strategies; and (2) based on the actual information, a projection in order to estimate the future behavior of the disease calculated worldwide and by country. To achieve this projection, we have designed a mathematical model based on previous data reported by the WHO.

Methods

Implementation

To analyze the current state of COVID-19, we have created an online information system called *COVID-19 Dashboard*, which is accessible from: <https://covid19.itiud.org/>. For the design of *COVID-19 Dashboard*, Unified Modeling Language (UML)⁸ was used allowing the description of the software based on the Object Oriented Paradigm^{9,10}. It has been developed using: a) PHP 7.4.5 (<https://www.php.net/>) supported by Apache 2.4.43 (<https://www.apache.org/>); b) Bootstrap 4.4.1 (<https://www.getbootstrap.com/>) for responsive front-end; c) jQuery 3.3.1 (<https://www.jquery.com/>) as JavaScript library.

COVID-19 Dashboard presents full information about COVID-19 focusing on cases and deaths worldwide and by country. In addition, it includes a mathematical model in order to calculate projections for future cases and deaths. The data source used in *COVID-19 Dashboard* is taken from the WHO (<https://covid19.who.int/>) and World Population Review (<https://www.worldpopulationreview.com/>). The first data set is accessed by *COVID-19 Dashboard* through the URL <https://dashboards-dev.sprinklr.com/data/9043/global-covid19-who-gis.json>. This information is in JSON format; then, the system includes the algorithms to decode this format before processing the information. The second data set is downloaded in CSV format and included in the persistence layer of the system. This project deploys different graphics to analyze the information from different perspectives¹¹. These graphics are generated based on the JavaScript library Chartkick 2.7.2 (<https://www.chartkick.com/>), which is supported by Google Charts (<https://developers.google.com/chart>).

To perform the projection for estimating future cases and deaths, we developed a mathematical model focused on a quadratic equation¹² based on data of present day and 30 previous days. With the quadratic equation, projected cases and deaths for the next days up to 90 days are calculated. The quadratic equation obtained for each projection is deployed supported by the JavaScript library Mathjax (<https://www.mathjax.org/>).

Figure 1 presents the components of the system, where all mentioned libraries are connected to *COVID-19 Dashboard*. The conceptual models of *COVID-19 Dashboard* have been created using the modeling tool UML Designer 9.0.0 (<http://www.uml-designer.org/>). The selected Integrated Development Environment (IDE) was Eclipse-PHP 2020-03 (<https://www.eclipse.org/>) and the server used to host the project was Debian Linux Server 10.4 (<https://www.debian.org/>)¹³.

Modeling projections for cases and deaths

For the mathematical model, let three points $P_1 = (x_1, y_1)$, $P_2 = (x_2, y_2)$, and $P_3 = (x_3, y_3)$ such that y_1 corresponds to number of cases or deaths of the date 30 days prior to the present day, $x_1 = 0$, y_2 corresponds to number of cases or deaths of the date 15 days prior to the present day, $x_2 = 15$, y_3 corresponds to number of cases or deaths of the present day, and $x_1 = 30$. Based

Figure 1. COVID-19 Dashboard components.

on the quadratic equation defined as $f(x) = ax^2 + bx + c$, let the equation system presented in (1), (2), and (3).

$$y_1 = ax_1^2 + bx_1 + c \quad (1)$$

$$y_2 = ax_2^2 + bx_2 + c \quad (2)$$

$$y_3 = ax_3^2 + bx_3 + c \quad (3)$$

Since $x_1 = 0$ from (1):

$$y_1 = c \quad (4)$$

Subtracting (2) from (4):

$$y_1 - y_2 = -ax_2^2 - bx_2 \quad (5)$$

Isolating the variable b from (5):

$$b = \frac{y_1 - y_2 + ax_2^2}{-x_2} \quad (6)$$

Subtracting (2) from (3):

$$y_3 - y_2 = a(x_3^2 - x_2^2) + b(x_3 - x_2) \quad (7)$$

Replacing b in (7):

$$\begin{aligned} y_3 - y_2 &= a(x_3^2 - x_2^2) + \frac{y_1 - y_2 + ax_2^2}{-x_2}(x_3 - x_2) \\ y_3 - y_2 &= a(x_3^2 - x_2^2) + \frac{(y_1 - y_2)(x_3 - x_2)}{-x_2} - ax_2(x_3 - x_2) \\ y_3 - y_2 &= a\left((x_3^2 - x_2^2) - x_2(x_3 - x_2)\right) - \frac{(y_1 - y_2)(x_3 - x_2)}{x_2} \end{aligned} \quad (8)$$

Isolating the variable a from (8):

$$a = \frac{y_3 - y_2}{\left((x_3^2 - x_2^2) - x_2(x_3 - x_2)\right)} + \frac{(y_1 - y_2)(x_3 - x_2)}{x_2\left((x_3^2 - x_2^2) - x_2(x_3 - x_2)\right)} \quad (9)$$

Finally, isolating the variable c from (4):

$$c = y_1 \quad (10)$$

Therefore, based on a , b , and c applied to the quadratic equation, the projected cases and deaths are calculated. In addition, calculated quadratic equations will be adjusted when new information is reported by the WHO. Furthermore, *COVID-19 Dashboard* offers a projection for 90 days; nevertheless, for some countries, the quadratic equation could rise to a maximum point; in these cases, the algorithms will stop calculating and thus the projected days will be lower than 90 days.

Consequently, *COVID-19 Dashboard* allows analyzing confirmed cases, deaths, and mortality rates as well as projecting cases and death deploying information in: a) geographic charts to understand the country distribution of the disease, b) bar charts to recognize the most impacted countries, c) column charts to present the evolution of the disease over time, and d) line charts to estimate the behavior of the disease.

Operation

COVID-19 Dashboard is an online responsive system; therefore, it is accessible for users via a web browser through desktops, laptops, smart phones, and tablets. Its front-end can automatically adjust to any screen resolution in order to deploy the information in the best possible way.

Results

COVID-19 Dashboard is able to process the data provided by the WHO related to COVID-19 rates and World Population Review related to the current world population. This system deploys up-to-date information as follows:

- *Cases and deaths by country.* This information is presented in two ways: geographic charts and bar charts in order to recognize the most impacted countries.
- *Cases and deaths by country per million people.* This information is also presented by geographic and bar charts.
- *Mortality rate by country.* For this information, the mortality rate is calculated for each country and is presented by geographic and bar charts.
- *Cases and deaths by date worldwide and by selected country.* This information is calculated based on the daily information reported by each country. This is presented in two column charts. The first column chart presents the daily cases, while the second column chart presents the cumulative cases.
- *Projected cases and deaths worldwide and by selected country.* This information is calculated using the quadratic equation obtained through the developed mathematical model (as above). It is presented using a line chart with two series. The first presents the actual cases or deaths for the last 31 days. The second presents the projected cases or deaths up to 90 days after the last day reported.

As mentioned above, the number of cases, deaths, and mortality rates are deployed using geographic charts. **Figure 2** presents a geographic chart with the number of deaths by country, where red implies a large number of deaths and light blue implies a low number of deaths. On the date that this chart was obtained from *COVID-19 Dashboard*, the United States had the largest number of deaths worldwide followed by Spain, France, Italy and the United Kingdom. However, just using the color coding, it is not clear if Spain, France, Italy or the United Kingdom has the second highest number of deaths. Similarly, for the lower number of deaths seen in Belgium, Brazil, Germany, Canada, Turkey, Netherlands, Iran, and China, it is not clear which has the lowest number of deaths using the color coding.

Consequently, it is necessary to sort the countries based on the actual number of deaths in addition to the color coding. **Figure 3** presents a fragment of a bar chart with the number of deaths per country sorted by number of deaths. This chart shows that the United States has more than the double of deaths of Italy and the United Kingdom. In addition, Spain and

Figure 2. Geographic chart from *COVID-19 Dashboard* showing the number of deaths by country using colour coding. Red = high number of deaths; light blue = low number of deaths. Chart captured on May 29th 2020.

Figure 3. Fragment of a bar chart from *COVID-19 Dashboard* showing the number of deaths per country sorted from highest to lowest. Chart captured on May 29th 2020.

France have almost the same number, but a little less than Italy and United Kingdom, followed by Brazil, while Belgium, Mexico, Germany, Iran, and Canada have similar number of deaths but

much less than Spain and France. Finally, Netherlands, India, China, Turkey, Russia, and Sweden have less but a still important number of cases.

It is also important to assess information about COVID-19 based on the population by country. **Figure 4** presents a geographic chart with the number of cases by countries per million people. Although United States has the largest number of cases, this chart presents that countries such as Spain, Ireland, and Belgium have more cases per million than United States, while

Italy, Switzerland, United Kingdom, Portugal, and Sweden have also a large number of cases per million.

Additionally, the *COVID-19 Dashboard* shows the mortality rate per country, as shown in **Figure 5**. Although the United States has the largest number of deaths, it also has a very large

Figure 4. Geographic chart from *COVID-19 Dashboard* showing the number of cases by country per million people using color coding. Red = high number of deaths; light blue = low number of deaths. Chart captured on May 29th 2020.

Figure 5. Fragment of bar chart from *COVID-19 Dashboard* showing mortality rates per country sorted highest to lowest. Chart captured on May 29th 2020.

number of cases. However, countries such as Italy, United Kingdom, Spain, and France have a higher mortality rate than the United States. Surprisingly, the country with the highest mortality rate by May 29th is Yemen (21.63%), showing the very serious public health issue for this country.

Nevertheless, it is important to take into account that this country has reported little information. Countries such as France, Belgium, Italy, United Kingdom, and Spain are in the top 10 of this list, which implies that they have a high mortality risk, perhaps due to the high number of active cases.

Further information to be analyzed is cases and deaths per date. **Figure 6** presents two charts. **Figure 6(a)** shows the number of confirmed cases per day in Colombia, while (b) shows cumulative cases per day in Colombia. **Figure 6(a)** shows that from April 1 2020, the number of cases was stable with peaks in the last few days, while **Figure 6(b)** shows stable behavior with a small increment of cumulative cases from April. It implies that COVID-19 keeps impacting health in Colombia and cases will increase until its behavior changes.

Based these previous results, it is really important to know the trend of cases and deaths worldwide and by country. Thus, *COVID-19 Dashboard* includes a very important contribution, i.e. the mathematical model already described, which allows projection for future cases and deaths worldwide and by country. **Figure 7** presents four charts with cases and death projections.

- **Figure 7(a)** presents projected cases in Colombia. Blue corresponds to the actual cases reported by the WHO, while red corresponds to the projected cases and yellow the increment of cases per day. This projection performed on May 29th 2020 produced the quadratic equation:

$$f(x) = 11.46x^2 + 273.10x + 5,597.00 \quad (11)$$

This projection presents a exponential growth, which implies that COVID-19 in Colombia will continue to impact public health.

- **Figure 7(b)** presents projected cases in Russia. This projection performed on May 29th 2020 produced the quadratic equation:

$$f(x) = -38.82x^2 + 10,772.00x + 99,399.00 \quad (12)$$

This projection presents a logarithmic growth, which implies that deaths for COVID-19 in Russia are decreasing considerably and might stop in 61 days.

- **Figure 7(c)** presents projected deaths in India. This projection performed on May 29th 2020 produced the quadratic equation:

$$f(x) = 1.37x^2 + 82.30x + 1,007.00 \quad (13)$$

This projection presents a exponential growth, which implies that deaths for COVID-19 in India are still increasing.

- **Figure 7(d)** presents projected deaths worldwide. This projection performed on May 29th 2020 produced the quadratic equation:

$$f(x) = -41.22x^2 + 6,224.23x + 208,111.00 \quad (14)$$

This projection presents a logarithmic growth, which implies that deaths for COVID-19 worldwide might start decreasing in the first week of July.

Quadratic equations are presented with coefficients with two decimals; however, all calculations are done with the real calculated values for their coefficients.

Discussion

COVID-19 has required analysis of data regarding cases and deaths reported worldwide. Some projects developed by important organizations such as *COVID-19 Dashboard by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University (JHU)* (<https://coronavirus.jhu.edu/map.html>)

Figure 6. Bar chart from *COVID-19 Dashboard* showing cases per date in Colombia. Chart captured on May 29th 2020.

Figure 7. Cases and death projections from COVID-19 Dashboard. Chart captured on May 29th 2020.

and *Coronavirus Disease (COVID-19) Dashboard* by the World Health Organization (<https://covid19.who.int/>) have provided very interesting visualizations for reporting the current state of the COVID-19. Nevertheless, these projects lack important information and analysis. With this in mind, the *COVID-19 Dashboard* presented here has been designed and developed in order to offer additional valuable information. This project uses the data reported by the WHO; therefore, it is able to deploy the same information as the WHO COVID-Dashboard. However, *COVID-19 Dashboard* is able to deploy more information such as cases and deaths per million people worldwide and mortality rate worldwide, which is also very important to assess the impact of the disease from different perspectives.

Moreover, *COVID-19 Dashboard* has an additional important contribution not presented in other projects. This is the mathematical model that projects future cases and deaths worldwide and by country. This mathematical model is based on linear algebra and calculates a quadratic equation based on the information reported in the last 31 days. Thus, the mathematical model is able to adjust the quadratic equation once new information is reported. With this model, *COVID-19 Dashboard* is able to estimate the number of new cases and deaths up to 90 days.

Conclusions

COVID-19 Dashboard allows understanding COVID-19 behavior and evolution from different perspectives. Based on those perspectives, it is possible to assess not only the actual number of cases and deaths worldwide and by country, but also the most impacted countries by observing the number of cases and deaths per million people and mortality rate. *COVID-19 Dashboard* offers a projection of future cases and deaths, which is an important tool to estimate the disease's evolution. Based on these projections, health organizations around the world might take action in order to minimize the impact, as well as estimate the date when the COVID-19 might stop impacting various countries.

Data availability

Underlying data

Data used for this project has been taken from the following public sources available in JSON and Comma-separated values (csv) format respectively:

- COVID-19 map data by the WHO <https://covid19.who.int/>.
- Population by country 2020 data by the WPR <https://www.worldpopulationreview.com/countries/>.

Software availability

- Software available from: <https://covid19.ititd.org/>.
- Source code available from: <https://gitlab.com/florezfernandez/COVID-19Dashboard>
- Archived source code at time of publication: <https://doi.org/10.5281/zenodo.3825939>¹⁴

- License: GNU General Public License (GPL)

Acknowledgements

The authors would like to thank members of the research group ITI <https://www.ititd.org/> for its valuable feedback.

References

- Xu X, Chen P, Wang J, *et al.*: Evolution of the novel coronavirus from the ongoing wuhan outbreak and modeling of its spike protein for risk of human transmission. *Sci China Life Sci.* 2020; **63**(3): 457–460.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Jiang F, Deng L, Zhang L, *et al.*: Review of the clinical characteristics of coronavirus disease 2019 (covid-19). *J Gen Intern Med.* 2020; **35**(5): 1545–1549.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- World Health Organization: Novel coronavirus(2019-ncov) situation report - 11. 2020.
[Reference Source](#)
- World Health Organization: Coronavirus disease 2019 (covid-19) situation report - 40. 2020.
[Reference Source](#)
- World Health Organization: Coronavirus disease 2019 (covid-19) situation report - 71. 2020.
[Reference Source](#)
- World Health Organization: Coronavirus disease 2019 (covid-19) situation report - 101. 2020.
[Reference Source](#)
- Singh S, Florez H: Coronavirus disease 2019 drug discovery through molecular docking [version 1; peer review: awaiting peer review]. *F1000Res.* 2020; **9**: 502.
[Publisher Full Text](#)
- Booch G, Rumbaugh J, Jacobson I: **The unified modeling language reference manual**, Addison-Wesley Reading, 1999; 2.
[Reference Source](#)
- Salvatierra K, Florez H: Biomedical mutation analysis (bma): A software tool for analyzing mutations associated with antiviral resistance. *F1000Res.* 2016; **5**: 1141.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Salvatierra K, Florez H: Pathogen sequence signature analysis (pssa): A software tool for analyzing sequences to identify microorganism genotypes. *F1000Res.* 2017; **6**: 21.
[Publisher Full Text](#)
- Vegega C, Pytel P, Pollo-Cattaneo MF: Evaluation of the bias in the management of patient's appointments in a pediatric office. *ParadigmPlus.* 2020; **1**(1): 1–21.
[Reference Source](#)
- Gregory JA, Delbourgo R: Piecewise rational quadratic interpolation to monotonic data. *IMA Journal of Numerical Analysis.* 1982; **2**(2): 123–130.
[Publisher Full Text](#)
- Florez H, Salvatierra K: A tool for analyzing mutations in biomedical microorganisms. In *Proceedings of the 8th International Multi-Conference on Complexity, Informatics and Cybernetics*, 2017; 358–363.
[Reference Source](#)
- Florez H, Singh S: Covid-19 dashboard (version 1.0). Zenodo. 2020.
<http://www.doi.org/10.5281/zenodo.3825939>

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 26 August 2020

<https://doi.org/10.5256/f1000research.26654.r64488>

© 2020 Bicen H. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Hüseyin Bicen

Faculty of Open and Distance Education, Near East University, Nicosia, Cyprus

The paper is significant. The paper result is have an important data analysis approach for assessing COVID-19 case and death data. The Authors analyze the current state of COVID-19, have created an online information system called *COVID-19 Dashboard*, which is accessible from: <https://covid19.ititud.org/>. The paper result is relevant to the researchers. For that reason, this paper is necessary to the scientific world.

Is the rationale for developing the new software tool clearly explained?

Yes

Is the description of the software tool technically sound?

Yes

Are sufficient details of the code, methods and analysis (if applicable) provided to allow replication of the software development and its use by others?

Yes

Is sufficient information provided to allow interpretation of the expected output datasets and any results generated using the tool?

Yes

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Educational Technology

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 26 June 2020

<https://doi.org/10.5256/f1000research.26654.r64489>

© 2020 Garcia-Bedoya O. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Olmer Garcia-Bedoya

Jorge Tadeo Lozano University, Bogota, Colombia

The authors present a Dashboard's development to analyze the COVID-19 contagious and death base in open data available.

The paper is well-written and presents interesting results clearly and concisely. I have enjoyed reading this paper.

I have the following comments for the authors that should be addressed before indexing:

- The model presented to predict the time series's tendencies is easy to understand and has a fast implementation. However, I recommend reviewing time series analysis like ARIMA, recurrent neural network, or systems dynamics, which let to include more data in the estimation of the tendencies of the time series.
- It will be interesting to review initiatives like presented in Kaggle wherein collaborative works, have presented alternatives since the data science field could help to combat the COVID-19 disease.

Is the rationale for developing the new software tool clearly explained?

Yes

Is the description of the software tool technically sound?

Yes

Are sufficient details of the code, methods and analysis (if applicable) provided to allow replication of the software development and its use by others?

Partly

Is sufficient information provided to allow interpretation of the expected output datasets and any results generated using the tool?

Yes

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Robotics and data science Professor

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 24 June 2020

<https://doi.org/10.5256/f1000research.26654.r64490>

© 2020 Pollo-Cattaneo M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Maria Florencia Pollo-Cattaneo

Grupo GEMIS, Facultad Regional Buenos Aires Universidad Tecnológica Nacional, Buenos Aires, Argentina

This paper presents a proposal for a COVID-19 Dashboard to manage significant and relevant information in relation to the pandemic that is currently attacking the whole world.

From a methodological point of view, the solution is developed with solidity and technologies adapted to the technological problem posed.

The resulting product is tested with valid data even though it is not developed and analyzed in all countries in detail due to the extension of the work.

It would be interesting if they could update and validate if the data obtained by the board match the real data and see if they could take into account second outbreaks of the disease. The solution is validated correctly.

Is the rationale for developing the new software tool clearly explained?

Yes

Is the description of the software tool technically sound?

Yes

Are sufficient details of the code, methods and analysis (if applicable) provided to allow replication of the software development and its use by others?

Partly

Is sufficient information provided to allow interpretation of the expected output datasets

and any results generated using the tool?

Yes

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: artificial intelligence - informatic - information systems

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research